# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source ☐ outline ☐ image report

[Options…]

☐ check error pages

User-Agent

`Validator.nu/LV http://validator.w3.org/services`

Accept-Language [ ]

Check by [text input ⌄] ☐ CSS

```
<!DOCTYPE html>
<html lang="sv">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>Gottfrids munkar</title>
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="Webbshop where you can buy donuts from
gottfrids munkar">
    <meta name="robots" content="all">
    <meta property="og:title" content="Gottfrids munkar">
    <meta property="og:type" content="Webbshop">
    <meta property="og:url" content="">
    <meta property="og:image" content="./images/aLotOfDounats.jpg">
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

---

1. **Warning** **Section lacks heading. Consider using `h2` - `h6` elements to add identifying headings to all sections, or else use a `div` element instead for any cases where no heading is needed.**

   From line 103, column 13; to line 103, column 61

   ```
           <section class="donutCardWraper" id="donutCards"></sect
   ```

2. **Warning** **Article lacks heading. Consider using `h2` - `h6` elements to add identifying headings to all articles.**

   From line 132, column 25; to line 132, column 51

   ```
           <article id="basketDonuts"></arti
   ```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 283, column 5; to line 283, column 52

```
div>↵↵      <script type="text/javascript" src="js/main.js"></scri
```

Document checking completed.

Source

1. `<!DOCTYPE html>↵`
2. `<html lang="sv">↵`
3. `<head>↵`
4. `    <meta charset="UTF-8">↵`
5. `    <meta http-equiv="X-UA-Compatible" content="IE=edge">↵`
6. `    <title>Gottfrids munkar</title>↵`
7. `    <meta name="viewport" content="width=device-width, initial-scale=1.0">↵`
8. `    <meta name="description" content="Webbshop where you can buy donuts from gottfrids munkar">↵`
9. `    <meta name="robots" content="all">↵`
10. `    <meta property="og:title" content="Gottfrids munkar">↵`
11. `    <meta property="og:type" content="Webbshop">↵`
12. `    <meta property="og:url" content="">↵`
13. `    <meta property="og:image" content="./images/aLotOfDounats.jpg">↵`
14. `    <link rel="manifest" href="site.webmanifest">↵`
15. `    <link rel="apple-touch-icon" href="icon.png">↵`
16. `    <link rel="stylesheet" href="./css/main.css">↵`
17. `    <meta name="theme-color" content="#fafafa">↵`
18. `    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">↵`
19. `    <link href='https://fonts.googleapis.com/css?family=Sofia' rel='stylesheet'>↵`
20. `    <script src="https://kit.fontawesome.com/364f1f7cab.js" crossorigin="anonymous" defer></script>↵`
21. `    <link href="https://fonts.googleapis.com/css2?family=Dosis:wght@400;500&display=swap" rel="stylesheet">↵`
22. `    <link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Material+Symbols+Outlined:opsz,wght,FILL,GRAD@20..48,100..700,0..1,-50..200">↵`
23. `</head>↵`
24. `<body>↵`
25. `    <header>↵`
26. `        <h1>Gottfrids<br>munkar</h1>↵`
27. `    </header>↵`
28. `    <nav>↵`
29. `        <div class="navLinks">↵`
30. `            <ul>↵`
31. `                <li class="menuList"><a class="navLinks_a" href="#ourdonuts">Våra munkar</a></li>↵`
32. `                <li class="menuList"><a class="navLinks_a" href="#info">Övrig info</a></li>↵`
33. `                <li class="menuList"><a class="navLinks_a" href="#shopping-basket">Varukorg</a></li> ↵`
34. `            </ul>↵`
35. `            <a href="#shopping-basket" class="iconContainer" aria-label="Summery of totalprice and klick it to go to basket">↵`
36. `                <i class="fa fa-shopping-cart" id="shoppingCart"></i>↵`
37. `            </a>↵`
38. `        </div>↵`
39. `    </nav>↵`
40. `    <main>↵`
41. `        <section>↵`
42. `            <div class="ourDonuts" id="ourdonuts">↵`
43. `                <h2>Våra munkar</h2>↵`
44. `            </div>↵`
45. `              <div class="donutFlexWrap">↵`

```
46.                    <div class="ourDonutsDropdownContainer">↵
47.                        <div class="ourDonutsDropdown">↵
48.                            <div class="nameRatingShowalldiv">    ↵
49.                                <div class="nameRatingShowalldivs">     ↵
50.                                    <strong>Namn</strong>↵
51.                                    <input type="radio" title="categoryFilter"
       id="name" name="sortDonuts" value="donutTitle">↵
52.                                </div>↵
53.                                <div class="nameRatingShowalldivs">↵
54.                                    <strong>Rating</strong>↵
55.                                    <input type="radio" title="categoryFilter"
       id="rating" name="sortDonuts" value="rating">↵
56.                                </div>↵
57.                                <div class="nameRatingShowalldivs">↵
58.                                    <strong >Visa alla</strong>↵
59.                                    <input type="radio" title="categoryFilter"
       id="all" name="sortDonuts" value="all" checked>↵
60.                                </div>↵
61.                            </div> ↵
62.                            <div class="PriceCategoriDiv">↵
63.                                <div>
       ↵
64.                                    <p class="categoriGroupP"> <strong>Pris:
       </strong></p>                     ↵
65.                                    <div>↵
66.                                        <span>Lägst till högst</span>  ↵
67.                                        <input type="radio"
       title="categoryFilter" id="lowPrice" name="sortDonuts" value="category">      ↵
68.                                    </div>↵
69.                                    <div>↵
70.                                        <span>Högst till lägst</span>  ↵
71.                                        <input type="radio"
       title="categoryFilter" id="highPrice" name="sortDonuts" value="category">
       ↵
72.                                    </div>↵
73.                                    <!-- <label
       class="flexOurDonutsDropdown"> -->↵
74.                                </div> ↵
75.                                <div>    ↵
76.                                    <p class="categoriGroupP"><strong>Kategori:
       </strong></p>                ↵
77.                                    <div>↵
78.                                        <span>Frukt</span>   ↵
79.                                        <input type="radio"
       title="categoryFilter" id="fruit" name="sortDonuts" value="category">  ↵
80.                                    </div>↵
81.                                    <div>↵
82.                                        <span>Godis</span>  ↵
83.                                        <input type="radio"
       title="categoryFilter" id="candy" name="sortDonuts" value="category">↵
84.                                    </div>↵
85.                                    <div>↵
86.                                        <span>Bär</span>  ↵
87.                                        <input type="radio"
       title="categoryFilter" id="berrys" name="sortDonuts" value="category">↵
88.                                    </div>↵
89.                                </div>  ↵
90.                            </div>           ↵
91.                    <div class="priceRange">↵
92.                        <span>Prisklass  </span>↵
93.                        <span class="flex">↵
94.                            <span>15 - 30 kr</span>↵
95.                            <input type="range" min="15" max="30" value="30"
       id="priceRange" step="5">↵
96.                            <br>↵
97.                        </span> ↵
98.                        <span id="currentRangeValue">30 kr</span>  ↵
99.                    </div> ↵
100.                    </div>↵
101.                </div> ↵
102.            </div>  ↵
```

```
103.                    <section class="donutCardWraper" id="donutCards"></section>↵
104.            </section>↵
105.          <section class="informationText">↵
106.              <div class="informationTextHeaderContainer" id="info">↵
107.                  <h2 class="santah2">Övrig information</h2>↵
108.              </div>↵
109.              <div class="informationUlContainer">↵
110.                  <ul class="informationUlText">↵
111.                      <li>10 % rabatt vid köp av 10 munkar av samma smak.</li>↵
112.                      <li>25 kr rabatt tisdagar jämna veckor om ni köper för mer
      än 25 kr.</li>↵
113.                      <li>Fri frakt vid fler än 15 munkar.</li>↵
114.                      <li>Leveranstiden är 30 minuter från lagd beställning.
      </li>↵
115.                      <li>Undantag för leveranstiden: <br><br>↵
116.                          Helger: Leveranstid 1,5 h efter lagd beställning.<br>
      <br> ↵
117.                          Mellan kl 22.00-06.00: Leveranstid 45 minuter efter
      lagd beställning.<br><br> ↵
118.                          Om beställningen sker på fredagar kl 11.00-13.00
      levereras munkarna kl 15.00.<br></li> ↵
119.                      <li>På luciadagen tillkommer en smarrig luciamunk till
      din beställning.</li>↵
120.                  </ul>↵
121.              </div>↵
122.          </section>      ↵
123.          <div class="middlepart_container">↵
124.              <section class="section_basket" id="shopping-basket">↵
125.                  <div class="basket">↵
126.                      <div class="basketHeadeingContainer">↵
127.                          <h2 class="middlepart_h2">Varukorg</h2>↵
128.                      </div>↵
129.                      <div class="main_heading_basket">     ↵
130.                          <h3 class="basket_heading">Valda munkar</h3>↵
131.                      </div>↵
132.                      <article id="basketDonuts"></article>↵
133.                      <div class="emptyBasketContainer" id="emptyBasket">↵
134.                          <p>Din varukorg är tom</p>↵
135.                          <i class="fa fa-shopping-cart"></i>↵
136.                      </div>↵
137.                      <label for="discountCode">↵
138.                          <span>Skriv in din rabattkod här:</span> ↵
139.                          <input type="text" id="discountCode"
      placeholder="Rabattkod" value="">↵
140.                      </label>↵
141.                      <button class="discount_button"
      id="discountBtn">Använd rabattkod</button>                    ↵
142.                      <div class="basket_sum">↵
143.                          <div>↵
144.                              <p class="basket_heading">Totalsumma:</p>↵
145.                              <p class="total_amount" ><span
      id="totalAmountBasket">0</span> SEK</p>↵
146.                          </div>↵
147.                          <div>↵
148.                              <p class="shipping_heading">Frakt:</p>↵
149.                              <p class="shipping_amount"><span
      id="shippingPrice">0</span> SEK</p>↵
150.                          </div> ↵
151.                          <p id="mondayDiscount"></p> ↵
152.                          <div class="sumToPayContainer">↵
153.                              <p class="summery">Summa att betala:</p>↵
154.                              <p id="priceToPay" class="total_amount"></p> ↵
155.                          </div>↵
156.                      </div><br><br>↵
157.                      <button id="emptyBasketBtn" class="emptyBasketBtn">Töm
      varukorgen</button>↵
158.                  </div>↵
159.              </section>↵
160.              <section class="section-form">↵
161.                  <div class="checkout_form">↵
162.                      <h2 class="middlepart_h2">Kundformulär</h2>↵
```

```
163.                          <form id="custumerForm" action="#">↵
164.                              <br><div id="infoAboutTime"></div><br><br>↵
165.                              <label for="firstname">↵
166.                                  <span>Förnamn</span>  ↵
167.                                  <span class="errorMessage"
     id="errorMessageName" hidden></span>↵
168.                                  <input placeholder="tilltalsnamn" required
     class="input_group" type="text" id="firstname"> ↵
169.                              </label>↵
170.                              <br>↵
171.                              <label for="lastname">↵
172.                                  <span>Efternamn</span>  ↵
173.                                  <span class="errorMessage"
     id="errorMessageLastname" hidden></span>↵
174.                                  <input required class="input_group" type="text"
     id="lastname">↵
175.                              </label>↵
176.                              <br>↵
177.                              <label for="adress"> ↵
178.                                  <span>Gatuadress</span> ↵
179.                                  <span class="errorMessage"
     id="errorMessageAdress" hidden></span>↵
180.                                  <input placeholder="gata och nummer" required
     class="input_group" type="text" id="adress">↵
181.                              </label>↵
182.                              <br>↵
183.                              <label for="postnumber">↵
184.                                  <span>Postnummer</span> ↵
185.                                  <span class="errorMessage"
     id="errorMessagePostnumber" hidden></span>↵
186.                                  <input required class="input_group" type="text"
     id="postnumber">↵
187.                              </label>↵
188.                              <br>↵
189.                              <label for="city">↵
190.                                  <span>Postort</span> ↵
191.                                  <span class="errorMessage"
     id="errorMessageCity" hidden></span>↵
192.                                  <input placeholder="stad" required
     class="input_group" type="text" id="city">↵
193.                              </label>↵
194.                              <br>↵
195.                              <label for="doorCode">↵
196.                                  <span>Portkod</span> ↵
197.                                  <input class="input_group" type="number"
     id="doorCode">↵
198.                              </label>↵
199.                              <br>↵
200.                              <label for="phonenumber">↵
201.                                  <span>Mobilnummer</span> ↵
202.                                  <span class="errorMessage"
     id="errorMessagePhoneNumber" hidden></span>↵
203.                                  <input required class="input_group" type="text"
     id="phonenumber">↵
204.                              </label>↵
205.                              <br>↵
206.                              <label for="email">↵
207.                                  <span>E-post</span> ↵
208.                                  <span class="errorMessage"
     id="errorMassageeMail" hidden></span>↵
209.                                  <input required class="input_group" type="text"
     id="email">↵
210.                              </label>↵
211.                              <br>↵
212.                              <p>Betalsätt</p>↵
213.                              <label for="creditcard">↵
214.                                  Kort↵
215.                                  <input type="radio" id="creditcard"
     name="waysToPay" value="creditcard">↵
216.                              </label>↵
217.                              <label for="invoice" id="labelInvoice">↵
```

```
218.                                    Faktura↵
219.                                    <input type="radio" id="invoice"
       name="waysToPay" value="invoice"> ↵
220.                                    <br><span class="errorMessage"
       id="errorMessageInvoice" hidden></span>↵
221.                                </label> <!--vid faktura fält med personnr, ska
       valideras-->↵
222.                                <br>↵
223.                                <div id="ssn" class="display-none">↵
224.                                <label for="personNr">↵
225.                                    <span>Personnummer</span> ↵
226.                                    <span class="errorMessage"
       id="errorMessagePersonNR" hidden></span>↵
227.                                    <input id="personNr"
       placeholder="YYMMDD0000" class="input_group" type="text" >↵
228.                                    </label>↵
229.                                </div>↵
230.                                <div id="cardpay" class="display-none">↵
231.                                <label for="cardnr">↵
232.                                    <span>Kortnummer</span> ↵
233.                                    <span class="errorMessage"
       id="errorMessageCardNR" hidden></span>↵
234.                                    <input placeholder="0000000000000000"
       class="input_group" type="number" id="cardnr">↵
235.                                    </label>↵
236.                                <label for="dateyear">↵
237.                                    <span>mån/år</span> ↵
238.                                    <span class="errorMessage"
       id="errorMessageDateyear" hidden></span>↵
239.                                    <input placeholder="MMYY"
       class="input_group" type="number" id="dateyear">↵
240.                                    </label>↵
241.                                <label for="CVC">↵
242.                                    <span>CVC</span> ↵
243.                                    <span class="errorMessage"
       id="errorMessageCVC" hidden></span>↵
244.                                    <input placeholder="000"
       class="input_group" type="number" id="CVC">↵
245.                                    </label>↵
246.                                </div>↵
247.                                <br>↵
248.                                <label for="news">↵
249.                                    Prenumerera på vårt nyhetsbrev↵
250.                                    <input checked type="checkbox" name="news"
       id="news">↵
251.                                </label><br><br>↵
252.                                <label for="gdpr">↵
253.                                    Godkännande av behandling av personuppgifter↵
254.                                    <input required class="input_group"
       type="checkbox" name="gdpr" id="gdpr">↵
255.                                </label>↵
256.                                <br><br>↵
257.                                <input class="reset_form_button" type="reset"
       value="Rensa formulär">↵
258.                                <input class="submit_form_button" disabled
       type="submit" value="Beställ">↵
259.                            </form>↵
260.                        </div>↵
261.                    </section>↵
262.            </div>    ↵
263.        </main>↵
264.        <footer>↵
265.            <address>↵
266.                Adress: Måsvägen 4, Stockholm<br>↵
267.                Telefon: 08-634 30 30<br>↵
268.                E-post: <a href="#">gottfridsmunkar@gmail.com</a>↵
269.            </address>↵
270.        </footer>↵
271.        <div class="stopArea" id="stopArea" hidden>↵
272.            <div class="stopAreaTextArea">↵
273.                <h2 class="stopAreah2">Tack för din beställning! </h2>↵
```

274.　　　　　　　　`<p class="stopAreaP">Du har beställt <span class="stopAreaspan"`
　　　　`id="summaryDonuts"></span> st munkar, för totalt <span class="stopAreaspan"`
　　　　`id="summaryArea"></span> kr. </p>`↵
275.　　　　　　　　`<p class="stopAreaP">Beräknad leverans <span class="stopAreaspan"`
　　　　`id="textAboutDeliveryTime"></span></p><br>`↵
276.　　　　　　　　`<p class="stopAreaP"> Hoppas det smakar och välkommen åter! <br>`
　　　　`<br><br>`↵
277.　　　　　　　　`Mvh Gottfrid med personal</p><br><br>`↵
278.　　　　　`</div>`↵
279.　　　　　`<button class="stopAreaButton" id="stopAreaButton">Stäng</button>`↵
280.　　　　　↵
281.　　　`</div>`↵
282. ↵
283.　　　**`<script type="text/javascript" src="js/main.js">`**`</script>`↵
284. `</body>`↵
285. `</html>`

Used the HTML parser.

Total execution time 34 milliseconds.

About this checker • Report an issue • Version: 22.11.30