

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://medieinstitutet.github.io/fed22d-js-grundkurs-gruppuppgift-webbshop-team-n00bless/

Checker Input

Show ☐ source ☐ outline ☐ image report

Options...

Check by address ▼

https://medieinstitutet.github.io/fed22d-js-grundkurs-gruppuppgift-webbshop-team-n00bless/

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 4, column 5; to line 4, column 28

```
head>↵    <meta charset="utf-8" />↵    <
```

2. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 6, column 5; to line 6, column 74

```
itle>↵    <meta name="viewport" content="width=device-width, initial-scale=1" />↵    <
```

3. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 7, column 5; to line 7, column 77

```
1" />↵    <meta name="description" content="Gottfrids Munkar - smaker för alla!" />↵↵
```

4. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 9, column 5; to line 9, column 78

```
" />↵    <meta property="og:title" content="Gottfrids Munkar - smaker för alla!" />↵    <
```

5. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 10, column 5; to line 10, column 49

```
!" />↵      <meta property="og:type" content="webpage" />↵      <
```

6. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 11, column 5; to line 11, column 41

```
e" />↵      <meta property="og:url" content="" />↵      <
```

7. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 12, column 5; to line 12, column 43

```
"" />↵      <meta property="og:image" content="" />↵↵
```

8. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 14, column 5; to line 14, column 397

```
" />↵↵      <link rel="manifest"  
href="data:application/manifest+json;base64,ew0KICAic2hvcnRfbmFtZSI6ICIlLA0KIC  
A...
```

9. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 15, column 5; to line 15, column 51

```
K" />↵      <link rel="apple-touch-icon" href="icon.png" />↵      <
```

10. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 16, column 5; to line 16, column 37

```
g" />↵      <link rel="icon" href="data:," />↵      <
```

11. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 21, column 5; to line 21, column 49

```
↵↵      <meta name="theme-color" content="#fafafa" />↵      <
```

12. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 24, column 5; to line 24, column 65

```
ipt><link rel="preconnect" href="https://fonts.googleapis.com" />
<
```

13. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 25, column 5; to line 25, column 74

```
m" /> <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin
/> <
```

14. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 26, column 5; to line 31, column 6

```
in /> <link rel="preload"
href="https://fonts.googleapis.com/css2?
family=Rubik:ital,wght@0,400;0,500;0,700;1,400&display=swap"
```

15. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 40, column 9; to line 45, column 10

```
> 
```

16. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 60, column 11; to line 60, column 74

```
<input type="text" name="searchQuery" placeholder="Search..." />
```

17. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 83, column 18; to line 83, column 82

```
><input type="checkbox" name="filled" class="category-checkbox"
/>Fyllni
```

18. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 88, column 18; to line 88, column 82

```
><input type="checkbox" name="glazed" class="category-checkbox"
/>Glaser
```

19. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 93, column 17; to line 93, column 84

```
<input type="checkbox" name="sprinkles" class="category-checkbox"
/>
```

20. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 114, column 15; to line 114, column 115

```
<input id="price-range-min" name="price-range-min" type="number"
min="0" max="999" placeholder="0" />
```

21. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 118, column 15; to line 118, column 117

```
<input id="price-range-max" name="price-range-max" type="number"
min="0" max="999" placeholder="100" />
```

22. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 144, column 13; to line 144, column 101

```

```

23. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 149, column 13; to line 149, column 33

```
<input type="text" />
```

24. **Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 140, column 7; to line 140, column 30

```
in> <section class="donuts">
```

25. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 170, column 13; to line 170, column 73

```
<input id="discount-code" type="text" name="discount-code" />
```

26. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 178, column 15; to line 178, column 57

```
<input id="name" type="text" name="name" />↵
```

27. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 182, column 15; to line 182, column 63

```
<input id="address" type="text" name="address" />↵
```

28. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 186, column 15; to line 186, column 52

```
<input type="text" name="door-code" />↵
```

29. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 190, column 15; to line 190, column 67

```
<input id="post-code" type="text" name="post-code" />↵
```

30. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 194, column 15; to line 194, column 57

```
<input id="city" type="text" name="city" />↵
```

31. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 198, column 15; to line 198, column 54

```
<input id="tel" type="tel" name="tel" />↵
```

32. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 202, column 15; to line 202, column 60

```
<input id="email" type="email" name="email" />↵
```

33. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 209, column 15; to line 209, column 87

```
<input type="radio" name="payment-method" id="card-radio"  
value="card" />↵
```

34. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 213, column 15; to line 213, column 93

```
<input type="radio" name="payment-method" id="invoice-radio"
value="invoice" />
```

35. **Warning** The `inputmode` attribute is not supported in all browsers. Please be sure to test, and consider using a polyfill.

From line 220, column 15; to line 220, column 91

```
<input id="card-number" type="text" inputmode="numeric" name="card-
number" />
```

36. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 220, column 15; to line 220, column 91

```
<input id="card-number" type="text" inputmode="numeric" name="card-
number" />
```

37. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 223, column 42; to line 223, column 84

```
ontainer"><input id="date" type="text" name="date" /></div>
```

38. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 225, column 42; to line 225, column 82

```
ontainer"><input id="cvc" type="text" name="cvc" /></div>
```

39. **Warning** The `inputmode` attribute is not supported in all browsers. Please be sure to test, and consider using a polyfill.

From line 231, column 15; to line 231, column 113

```
<input id="social-security-number" type="text" inputmode="numeric"
name="social-security-number" />
```

40. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 231, column 15; to line 231, column 113

```
<input id="social-security-number" type="text" inputmode="numeric"
name="social-security-number" />
```

41. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 237, column 15; to line 237, column 88

```
<input id="personal-data" type="checkbox" name="personal-data"
required />
```

42. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 241, column 15; to line 241, column 81

```
<input id="newsletter" type="checkbox" name="newsletter" checked
/>
```

43. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 251, column 26; to line 251, column 31

```
ds Munkar <br />
```

44. **Error** The value of the `for` attribute of the `label` element must be the ID of a non-hidden form control.

From line 184, column 13; to line 184, column 35

```
<label for="door-code">Ev. po
```

Document checking completed.

Used the HTML parser. Externally specified character encoding was utf-8.

Total execution time 124 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.11.30