

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file index.html

Checker Input

Show ☐ source ☐ outline ☐ image report

Options...

Check by Ingen fil har valts

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

1. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 4, column 5; to line 4, column 28

```
head><      <meta charset="UTF-8" /><      <
```

2. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 5, column 5; to line 5, column 59

```
8" /><      <meta http-equiv="X-UA-Compatible" content="IE=edge" /><      <
```

3. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 6, column 5; to line 6, column 76

```
e" />↵      <meta name="viewport" content="width=device-width, initial-  
scale=1.0" />↵      <
```

4. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 8, column 5; to line 8, column 70

```
itle>↵      <link rel="stylesheet" href="css/normalize.css" type="text/css" />↵  
<
```

5. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 9, column 5; to line 9, column 65

```
s" />↵      <link rel="stylesheet" href="css/main.css" type="text/css" />↵      <
```

6. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 10, column 5; to line 10, column 43

```
s" />↵      <link rel="icon" href="img/moon.jpg" />↵↵
```

7. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 12, column 5; to line 12, column 65

```
" />↵↵      <link rel="preconnect" href="https://fonts.googleapis.com" />↵  
<
```

8. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#)

(e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 13, column 5; to line 13, column 74

```
m" />↵    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin
/>↵    <
```

9. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 14, column 5; to line 17, column 6

```
in />↵    <link↵        href="https://fonts.googleapis.com/css2?
family=Rubik:ital,wght@0,300;0,500;0,700;1,300&display=swap"↵
rel="stylesheet"↵    />↵    </h
```

10. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 35, column 49; to line 35, column 54

```
=="#">Space<br />Ventur
```

11. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 38, column 49; to line 38, column 54

```
=="#">About<br />Major
```

12. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 46, column 5; to line 46, column 30

```
rt-->↵    <section class="homepage">↵
```

13. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 67, column 19; to line 67, column 24

```
helmet<br /><␣  
.....
```

14. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 68, column 76; to line 68, column 81

```
ven, six).<br /><␣  
.....
```

15. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 70, column 21; to line 70, column 26

```
ignition<br /><␣  
.....
```

16. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 72, column 20; to line 72, column 25

```
Control<br /><␣  
.....
```

17. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 77, column 19; to line 77, column 24

```
shirts<br /><␣  
.....
```

18. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 79, column 22; to line 79, column 27

```
Major Tom<br /><␣  
.....
```

19. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 86, column 56; to line 86, column 61

```
uliar way.<br /><␣  
.....
```

20. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 87, column 55; to line 87, column 60

```
ent today.<br /><␣  
.....
```

21. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 95, column 22; to line 95, column 27

```
blue. And<br /><␣  
.....
```

22. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 97, column 19; to line 97, column 24

```
miles.<br /><␣  
.....
```

23. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 98, column 62; to line 98, column 67

```
spaceship.<br /><␣  
.....
```

24. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 99, column 59; to line 99, column 64

```
I love her<br /><␣  
.....
```

25. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 103, column 70; to line 103, column 75

```
d, there's<br /><␣  
.....
```

26. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 104, column 61; to line 104, column 66

```
r Tom? Can<br /><␣  
.....
```

27. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 105, column 64; to line 105, column 69

```
Major Tom?<br /><↵  
.....
```

28. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 106, column 59; to line 106, column 76

```
y tin can.<br class="fam" /><↵  
.....
```

29. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 107, column 32; to line 107, column 37

```
the moon.<br />Planet
```

30. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 107, column 59; to line 107, column 64

```
h is blue.<br />And th
```

31. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 119, column 36; to line 119, column 41

```
ce is very<br />import
```

32. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing

tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 119, column 56; to line 119, column 61

rtant. You
<.....

33. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 120, column 35; to line 120, column 40

ot give up
<.....

34. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 121, column 31; to line 121, column 36

ss you are
<.....

35. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 127, column 13; to line 127, column 62

<.....

36. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 58, column 5; to line 58, column 30

on--><..... <section class="infopage"><.....

Document checking completed.

Used the HTML parser.

Total execution time 23 milliseconds.

