

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for index.html

Checker Input

Show ☐ source ☐ outline ☐ image report

Options...

Check by 

file upload

Choose File

 No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1.

Warning

This document appears to be written in English but the `html` start tag has `lang="se"`. Consider using `lang="en"` (or variant) instead.

From line 1, column 16; to line 4, column 11

TYPE html> `<html class="no-js" lang="se">` <hea

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).
2.

Warning

Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 6, column 3; to line 6, column 26

<head> `<meta charset="utf-8" />` <ti
3.

Warning

Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 8, column 3; to line 10, column 23

/title> `<meta name="description" content="Welcome" />`

<me
4.

Warning

Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 11, column 3; to line 13, column 51

ome" /> `<meta name="viewport" content="width=device-width, initial-scale=1" />` <l
5.

Warning

Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 15, column 3; to line 17, column 29

=1" /> `<link rel="manifest" href="site.webmanifest" />`

<li
6.

Warning

Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 18, column 3; to line 20, column 41

est" /> `<link rel="apple-touch-icon" href="../Kund-projekt/img/moon.png" />` <li

7. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.  
From line 21, column 3; to line 23, column 21  

```
png" />
<link rel="icon" href="moon.png" />
<li
```
8. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.  
From line 25, column 3; to line 27, column 30  

```
ng" />
<link rel="stylesheet" href="css/normalize.css" />
<li
```
9. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.  
From line 28, column 3; to line 30, column 25  

```
css" />
<link rel="stylesheet" href="css/main.css" />
<li
```
10. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.  
From line 31, column 3; to line 33, column 41  

```
css" />
<link rel="preconnect" href="https://fonts.googleapis.com" />
<li
```
11. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.  
From line 34, column 3; to line 37, column 17  

```
com" />
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
<li
```
12. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.  
From line 38, column 3; to line 40, column 22  

```
igin />
<link href="https://fonts.googleapis.com/css2?family=Rubik:ital,wght@0,300;0,500;0,700;1,300&display=swap" rel="stylesheet" />
<m
```
13. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.  
From line 42, column 3; to line 44, column 23  

```
et" />
<meta name="theme-color" content="#fafafa" />
</he
```
14. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.  
From line 68, column 20; to line 68, column 25  

```
span>Space<br />Ventur
```
15. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.  
From line 75, column 20; to line 75, column 25  

```
span>About<br />Major
```

16. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.  
From line 83, column 3; to line 83, column 28  
tion-->< <section class="homepage"><d
17. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.  
From line 122, column 5; to line 122, column 10  
/div>< <br /><
18. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.  
From line 130, column 6; to line 130, column 11  
ote>< <br /><
19. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.  
From line 133, column 6; to line 135, column 28  
xt"><   
alt="Img Major Tom" /><
20. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.  
From line 139, column 22; to line 139, column 42  
and miles.<br class="spacer" /><
21. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.  
From line 140, column 56; to line 141, column 24  
spaceship.<br class="spacer" /><
22. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.  
From line 142, column 53; to line 142, column 73  
I love her<br class="spacer" /><
23. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.  
From line 148, column 45; to line 148, column 65  
r Tom? Can<br class="spacer" /><
24. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.  
From line 149, column 58; to line 150, column 24  
Major Tom?<br class="spacer" />Can yo
25. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.  
From line 151, column 7; to line 151, column 33

an,↵

<br class="spacer-mobil" />↵

26. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 153, column 7; to line 153, column 12

on,↵

<br />↵

27. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 155, column 7; to line 155, column 12

ue,↵

<br />↵

Document checking completed.

Used the HTML parser.  
Total execution time 19 milliseconds.