

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by text input ☒ CSS

```

/! normalize.css v8.0.1 | MIT License | github.com/necolas/normalize.css */

/* Document
   ===== */

/**
 * 1. Correct the line height in all browsers.
 * 2. Prevent adjustments of font size after orientation changes in iOS.
 */

html {
  line-height: 1.15; /* 1 */
  -webkit-text-size-adjust: 100%; /* 2 */
}

```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```

1. /! normalize.css v8.0.1 | MIT License | github.com/necolas/normalize.css */↵
2. ↵
3. /* Document↵
4.  =====↵
   */↵
5. ↵
6. /**↵
7.  * 1. Correct the line height in all browsers.↵
8.  * 2. Prevent adjustments of font size after orientation changes in iOS.↵
9.  */↵
10. ↵
11. html {↵
12.   line-height: 1.15; /* 1 */↵
13.   -webkit-text-size-adjust: 100%; /* 2 */↵
14. }↵
15. ↵
16. /* Sections↵

```

```
17. ===== */
    ↵
18. ↵
19. /**↵
20.  * Remove the margin in all browsers.↵
21.  */↵
22. ↵
23. body {↵
24.     margin: 0;↵
25. }↵
26. ↵
27. /**↵
28.  * Render the `main` element consistently in IE.↵
29.  */↵
30. ↵
31. main {↵
32.     display: block;↵
33. }↵
34. ↵
35. /**↵
36.  * Correct the font size and margin on `h1` elements within `section` and↵
37.  * `article` contexts in Chrome, Firefox, and Safari.↵
38.  */↵
39. ↵
40. h1 {↵
41.     font-size: 2em;↵
42.     margin: 0.67em 0;↵
43. }↵
44. ↵
45. /* Grouping content↵
46. ===== */
    ↵
47. ↵
48. /**↵
49.  * 1. Add the correct box sizing in Firefox.↵
50.  * 2. Show the overflow in Edge and IE.↵
51.  */↵
52. ↵
53. hr {↵
54.     box-sizing: content-box; /* 1 */↵
55.     height: 0; /* 1 */↵
56.     overflow: visible; /* 2 */↵
57. }↵
58. ↵
59. /**↵
60.  * 1. Correct the inheritance and scaling of font size in all browsers.↵
61.  * 2. Correct the odd `em` font sizing in all browsers.↵
62.  */↵
63. ↵
64. pre {↵
65.     font-family: monospace, monospace; /* 1 */↵
66.     font-size: 1em; /* 2 */↵
67. }↵
68. ↵
69. /* Text-level semantics↵
70. ===== */
    ↵
71. ↵
72. /**↵
73.  * Remove the gray background on active links in IE 10.↵
74.  */↵
75. ↵
76. a {↵
77.     background-color: transparent;↵
78. }↵
79. ↵
80. /**↵
```

```

81.      * 1. Remove the bottom border in Chrome 57-↵
82.      * 2. Add the correct text decoration in Chrome, Edge, IE, Opera, and
Safari.↵
83.      */↵
84.      ↵
85.      abbr[title] {↵
86.          border-bottom: none; /* 1 */↵
87.          text-decoration: underline; /* 2 */↵
88.          text-decoration: underline dotted; /* 2 */↵
89.      }↵
90.      ↵
91.      /**↵
92.       * Add the correct font weight in Chrome, Edge, and Safari.↵
93.       */↵
94.       ↵
95.       b,↵
96.       strong {↵
97.           font-weight: bolder;↵
98.       }↵
99.       ↵
100.      /**↵
101.       * 1. Correct the inheritance and scaling of font size in all browsers.↵
102.       * 2. Correct the odd `em` font sizing in all browsers.↵
103.       */↵
104.       ↵
105.       code,↵
106.       kbd,↵
107.       samp {↵
108.           font-family: monospace, monospace; /* 1 */↵
109.           font-size: 1em; /* 2 */↵
110.       }↵
111.       ↵
112.      /**↵
113.       * Add the correct font size in all browsers.↵
114.       */↵
115.       ↵
116.       small {↵
117.           font-size: 80%;↵
118.       }↵
119.       ↵
120.      /**↵
121.       * Prevent `sub` and `sup` elements from affecting the line height in↵
122.       * all browsers.↵
123.       */↵
124.       ↵
125.       sub,↵
126.       sup {↵
127.           font-size: 75%;↵
128.           line-height: 0;↵
129.           position: relative;↵
130.           vertical-align: baseline;↵
131.       }↵
132.       ↵
133.       sub {↵
134.           bottom: -0.25em;↵
135.       }↵
136.       ↵
137.       sup {↵
138.           top: -0.5em;↵
139.       }↵
140.       ↵
141.       /* Embedded content↵
142.       ===== */
↵
143.       ↵
144.      /**↵
145.       * Remove the border on images inside links in IE 10.↵
146.       */↵
147.       ↵

```

```

148.  img {↵
149.      border-style: none;↵
150.  }↵
151.  ↵
152.  /* Forms↵
153.
===== */
↵
154.  ↵
155.  /**↵
156.      * 1. Change the font styles in all browsers.↵
157.      * 2. Remove the margin in Firefox and Safari.↵
158.  */↵
159.  ↵
160.  button,↵
161.  input,↵
162.  optgroup,↵
163.  select,↵
164.  textarea {↵
165.      font-family: inherit; /* 1 */↵
166.      font-size: 100%; /* 1 */↵
167.      line-height: 1.15; /* 1 */↵
168.      margin: 0; /* 2 */↵
169.  }↵
170.  ↵
171.  /**↵
172.      * Show the overflow in IE.↵
173.      * 1. Show the overflow in Edge.↵
174.  */↵
175.  ↵
176.  button,↵
177.  input { /* 1 */↵
178.      overflow: visible;↵
179.  }↵
180.  ↵
181.  /**↵
182.      * Remove the inheritance of text transform in Edge, Firefox, and IE.↵
183.      * 1. Remove the inheritance of text transform in Firefox.↵
184.  */↵
185.  ↵
186.  button,↵
187.  select { /* 1 */↵
188.      text-transform: none;↵
189.  }↵
190.  ↵
191.  /**↵
192.      * Correct the inability to style clickable types in iOS and Safari.↵
193.  */↵
194.  ↵
195.  button,↵
196.  [type="button"],↵
197.  [type="reset"],↵
198.  [type="submit"] {↵
199.      -webkit-appearance: button;↵
200.  }↵
201.  ↵
202.  /**↵
203.      * Remove the inner border and padding in Firefox.↵
204.  */↵
205.  ↵
206.  button::-moz-focus-inner,↵
207.  [type="button"]::-moz-focus-inner,↵
208.  [type="reset"]::-moz-focus-inner,↵
209.  [type="submit"]::-moz-focus-inner {↵
210.      border-style: none;↵
211.      padding: 0;↵
212.  }↵
213.  ↵
214.  /**↵
215.      * Restore the focus styles unset by the previous rule.↵

```

```

216.    */↵
217.    ↵
218.    button:-moz-focusing,↵
219.    [type="button"]:-moz-focusing,↵
220.    [type="reset"]:-moz-focusing,↵
221.    [type="submit"]:-moz-focusing {↵
222.        outline: 1px dotted ButtonText;↵
223.    }↵
224.    ↵
225.    /**↵
226.     * Correct the padding in Firefox.↵
227.     */↵
228.    ↵
229.    fieldset {↵
230.        padding: 0.35em 0.75em 0.625em;↵
231.    }↵
232.    ↵
233.    /**↵
234.     * 1. Correct the text wrapping in Edge and IE.↵
235.     * 2. Correct the color inheritance from `fieldset` elements in IE.↵
236.     * 3. Remove the padding so developers are not caught out when they zero
out↵
237.     * `fieldset` elements in all browsers.↵
238.     */↵
239.    ↵
240.    legend {↵
241.        box-sizing: border-box; /* 1 */↵
242.        color: inherit; /* 2 */↵
243.        display: table; /* 1 */↵
244.        max-width: 100%; /* 1 */↵
245.        padding: 0; /* 3 */↵
246.        white-space: normal; /* 1 */↵
247.    }↵
248.    ↵
249.    /**↵
250.     * Add the correct vertical alignment in Chrome, Firefox, and Opera.↵
251.     */↵
252.    ↵
253.    progress {↵
254.        vertical-align: baseline;↵
255.    }↵
256.    ↵
257.    /**↵
258.     * Remove the default vertical scrollbar in IE 10+.↵
259.     */↵
260.    ↵
261.    textarea {↵
262.        overflow: auto;↵
263.    }↵
264.    ↵
265.    /**↵
266.     * 1. Add the correct box sizing in IE 10.↵
267.     * 2. Remove the padding in IE 10.↵
268.     */↵
269.    ↵
270.    [type="checkbox"],↵
271.    [type="radio"] {↵
272.        box-sizing: border-box; /* 1 */↵
273.        padding: 0; /* 2 */↵
274.    }↵
275.    ↵
276.    /**↵
277.     * Correct the cursor style of increment and decrement buttons in Chrome.↵
278.     */↵
279.    ↵
280.    [type="number"]::-webkit-inner-spin-button,↵
281.    [type="number"]::-webkit-outer-spin-button {↵
282.        height: auto;↵
283.    }↵
284.    ↵

```

```
285.  /**↵
286.   * 1. Correct the odd appearance in Chrome and Safari.↵
287.   * 2. Correct the outline style in Safari.↵
288.  */↵
289.  ↵
290.  [type="search"] {↵
291.    -webkit-appearance: textfield; /* 1 */↵
292.    outline-offset: -2px; /* 2 */↵
293.  }↵
294.  ↵
295.  /**↵
296.   * Remove the inner padding in Chrome and Safari on macOS.↵
297.   */↵
298.  ↵
299.  [type="search"]::-webkit-search-decoration {↵
300.    -webkit-appearance: none;↵
301.  }↵
302.  ↵
303.  /**↵
304.   * 1. Correct the inability to style clickable types in iOS and Safari.↵
305.   * 2. Change font properties to `inherit` in Safari.↵
306.   */↵
307.  ↵
308.  ::-webkit-file-upload-button {↵
309.    -webkit-appearance: button; /* 1 */↵
310.    font: inherit; /* 2 */↵
311.  }↵
312.  ↵
313.  /* Interactive↵
314.  ===== */
↵
315.  ↵
316.  /**↵
317.   * Add the correct display in Edge, IE 10+, and Firefox.↵
318.   */↵
319.  ↵
320.  details {↵
321.    display: block;↵
322.  }↵
323.  ↵
324.  /**↵
325.   * Add the correct display in all browsers.↵
326.   */↵
327.  ↵
328.  summary {↵
329.    display: list-item;↵
330.  }↵
331.  ↵
332.  /* Misc↵
333.  ===== */
↵
334.  ↵
335.  /**↵
336.   * Add the correct display in IE 10+.↵
337.   */↵
338.  ↵
339.  template {↵
340.    display: none;↵
341.  }↵
342.  ↵
343.  /**↵
344.   * Add the correct display in IE 10.↵
345.   */↵
346.  ↵
347.  [hidden] {↵
348.    display: none;↵
349.  }↵
```

Total execution time 15 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.10.6