

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by text input ☒ CSS

```
.clearfix::after {
    content: "all";
    clear: both;
    display: table;
}

*{
    padding:0;
    margin:0;
}

.fullHeight{
    min-height:100vh;
}
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

### Source

```
1. .clearfix::after {↵
2.     content: "all";↵
3.     clear: both;↵
4.     display: table;↵
5. }↵
6. ↵
7. ↵
8. ↵
9. *{↵
10.     padding:0;↵
11.     margin:0;↵
12. }↵
13. .fullHeight{↵
14.     min-height:100vh;↵
15. }↵
16. ↵
17. /*astronaut*/↵
```

```
18. .astronaut{↵
19.     background-image:url('../img/astronaut.jpg');↵
20.     background-size:cover;↵
21.     background-position:50% 50%;↵
22. }↵
23. .astronaut .headingBox{↵
24.     border:5px solid black;↵
25.     width:9rem;↵
26.     background-color:rgba(255, 255, 255, 0.8);↵
27.     position:absolute;↵
28.     top:90px;↵
29.     left:40px;↵
30.     padding:20px;↵
31.     font-family:"Rubik", sans-serif;↵
32.     margin: 0 auto;↵
33. }↵
34. .astronaut .allCaps{↵
35.     text-transform:uppercase;↵
36. }↵
37. .astronaut .headingBox .headerText{↵
38.     text-align:center;↵
39.     font-size:3rem;↵
40.     font-weight:500;↵
41.     margin-bottom:30px;↵
42. }↵
43. .astronaut .headingBox .headerLink{↵
44.     margin-bottom:30px;↵
45.     text-decoration:none;↵
46.     color:black;↵
47. }↵
48. ↵
49. /*hamburgare*/↵
50. .hamburgerMenu{↵
51.     width:35px;↵
52.     height:35px;↵
53.     background:transparent;↵
54.     border:0;↵
55.     position:fixed;↵
56.     right:20px;↵
57.     top:20px;↵
58.     z-index:99999;↵
59.     pointer-events:none;↵
60. }↵
61. .hamburgerMenu .lines{↵
62.     display:block;↵
63.     width:25px;↵
64.     height:3px;↵
65.     background-color:black;↵
66.     border-radius:3px;↵
67.     margin-bottom:4px;↵
68.     position:relative;↵
69.     right:0;↵
70.     transition:all 0.3s ease-in-out;↵
71. }↵
72. .menuToggle{↵
73.     position:fixed;↵
74.     top:20px;↵
75.     right:20px;↵
76.     z-index:1;↵
77.     width:35px;↵
78.     height:35px;↵
79.     opacity:0;↵
80.     cursor:pointer;↵
81. }↵
82. .menuToggle:checked + .hamburgerWrap .hamburgerMenu .lines{↵
83.     position:absolute;↵
84.     transition:all 0.3s ease-in-out;↵
85. }↵
86. .menuToggle:checked + .hamburgerWrap .hamburgerMenu .lines:nth-child(2)
87. {↵
88.     opacity:0;↵
89. }↵
89. .menuToggle:checked + .hamburgerWrap .hamburgerMenu .lines:nth-child(1)
90. {↵
91.     transform:rotate(45deg);↵
92. }
```

```
92. .menuToggle:checked + .hamburgerWrap .hamburgerMenu .lines:nth-child(3)
93. {↵
94.     transform:rotate(-45deg);↵
95. }↵
96. .navBar{↵
97.     position:fixed;↵
98.     top:0;↵
99.     left:0;↵
100.     background-color:rgba(255, 255, 255, 0.5);↵
101.     width:100vw;↵
102.     height:100vh;↵
103.     opacity:0;↵
104.     transition:all 0.3s cubic-bezier(0.075, 0.82, 0.165, 1);↵
105.     visibility:hidden;↵
106. }↵
107. .navBar a{↵
108.     color:black;↵
109.     text-decoration: none;↵
110. }↵
111. .menuToggle:checked + .hamburgerWrap .navBar{↵
112.     visibility:visible;↵
113.     opacity:1;↵
114. }↵
115. .menu{↵
116.     margin:0;↵
117.     padding:0;↵
118.     list-style:none;↵
119.     display:flex;↵
120.     flex-direction:column;↵
121.     height:100%;↵
122.     justify-content:space-evenly;↵
123.     text-align:center;↵
124.     font-family:"Rubik", sans-serif;↵
125.     font-weight:bold;↵
126.     font-size:4rem;↵
127.     text-shadow:0px 5px rgba(0, 0, 0, 0.3);↵
128. }↵
129. .navBar .menu .underline{↵
130.     text-decoration:none;↵
131.     background-image:linear-gradient(90deg, pink, #c10294);↵
132.     background-repeat:no-repeat;↵
133.     background-position:bottom left;↵
134.     background-size:0% 3px;↵
135.     border-radius:5px;↵
136.     transition:background-size 300ms ease-in-out;↵
137. }↵
138. /*textsida*/↵
139. .textPage{↵
140.     background-image:linear-gradient(rgba(0, 0, 0, 0.7), rgba(0, 0, 0, 0.7)), url('../img/space.jpg');↵
141.     background-size:cover;↵
142.     color:rgb(255, 255, 255);↵
143.     font-family:"Rubik", sans-serif;↵
144. }↵
145. .textPage .wrapper{↵
146.     display:block;↵
147.     position:relative;↵
148. }↵
149. .textPage .columns{↵
150.     width:100%;↵
151.     box-sizing:border-box;↵
152.     padding:0 70px;↵
153. }↵
154. /*mobil*/ ↵
155. @media screen and (max-width: 900px){↵
156.     .textPage .spaceVentures{↵
157.         margin:auto;↵
158.         width:90%;↵
159.         padding:10px;↵
160.         font-size:800%;↵
161.         height:200px;↵
162.         text-shadow:2px 2px 10px #000000;↵
163.     }↵
164. }↵
165. .textPage .space{↵
```

```
166.         width: auto;↵
167.         font-weight:600;↵
168.         font-size: 52px;↵
169.         position:relative;↵
170.         z-index:9999;↵
171.         top:-4px;↵
172.         left:-40px;↵
173.     }↵
174.     .textPage .ventures{↵
175.         font-family:"Times New Roman", serif;↵
176.         font-weight:bold;↵
177.         font-size:65px;↵
178.         opacity:0.7;↵
179.         position:absolute;↵
180.         left: 88px;↵
181.         top:93px;↵
182.         letter-spacing: 0.1rem;↵
183.     }↵
184. }↵
185. ↵
186. .textPage .titleTextPage{↵
187.     font-size:20px;↵
188.     font-weight:bolder;↵
189.     margin:15px -45px;↵
190. }↵
191. ↵
192. .textPage .textStyle{↵
193.     line-height:1.6;↵
194.     margin:7px -46px;↵
195.     font-weight:200;↵
196.     font-size:10.5px;↵
197.     font-weight: lighter;↵
198. }↵
199. .textPage .quotes{↵
200.     font-style:italic;↵
201.     ↵
202.     ↵
203. }↵
204. .textPage .quoteA{↵
205.     font-size:15px;↵
206.     line-height:1.2;↵
207.     position:relative;↵
208.     left:75px;↵
209.     margin:20px -75px;↵
210.     font-weight: lighter;↵
211. }↵
212. ↵
213. .majortomimg {↵
214.     ↵
215.     display:none;↵
216. }↵
217. ↵
218. ↵
219. .textPage .quoteA::before{↵
220.     font-weight:bold;↵
221.     font-size:1.8rem;↵
222.     color:white;↵
223.     opacity:60%;↵
224.     font-family:"Rubik" , sans-serif;↵
225.     position:absolute;↵
226.     left:-15px;↵
227. }↵
228. .textPage .quoteA::after{↵
229.     font-weight:bold;↵
230.     font-size:1.5rem;↵
231.     color:rgb(84, 26, 26);↵
232.     opacity:60%;↵
233.     font-family:"Rubik" , sans-serif;↵
234.     position:absolute;↵
235.     top:65px;↵
236. }↵
237. .textPage .gradient .textStyleQuote{↵
238.     display:none;↵
239. }↵
240. .insertLineBreak::before{↵
241.     content:"\a";↵
```

```
242.         white-space:pre;↵
243.     }↵
244.     .textPage .pinkText{↵
245.         font-size:0.75rem;↵
246.         color:#931049;↵
247.         left:20px;↵
248.         padding: 20px 10px;↵
249.         margin:-25px -8px -25px -34px;↵
250.     }↵
251. }↵
252. .textPage .linkUnderline{↵
253.     text-decoration:underline;↵
254. }↵
255. .arrow{↵
256.     font-size:1rem;↵
257. }↵
258.     }↵
259. /*foot*/↵
260. .cookiePopUp{↵
261.     box-sizing:border-box;↵
262.     z-index:5;↵
263.     background-color:#041424;↵
264.     color:#fff;↵
265.     position:fixed;↵
266.     bottom:0;↵
267.     width:100%;↵
268.     font-family:"Rubik", sans-serif;↵
269.     display:flex;↵
270.     align-items:center;↵
271.     justify-content:space-between;↵
272.     ↵
273.     padding:14px 2%;↵
274. }↵
275. .cookiePopUp .cookieText .cookieButton .buttonText{↵
276.     display:inline-block;↵
277.     padding:0 20px;↵
278. }↵
279. .cookiePopUp .cookieText{↵
280.     color:#8a073b;↵
281.     text-shadow:1px 1px 2px rgb(43, 22, 22), 0 0 1em blue, 0 0
0.2em blue;↵
282.     font-size:0.8rem;↵
283.     ↵
284. }↵
285. .buttonText{↵
286.     color:white;↵
287.     font-weight:bold;↵
288. }↵
289. .cookiePopUp .cookieButton{↵
290.     background-color:#003568;↵
291.     border:0;↵
292.     padding:7px 13px;↵
293.     cursor:pointer;↵
294. }↵
295. .cookiePopUp.disable{↵
296.     display:none;↵
297. }↵
298.     ↵
299. /*desktop*/↵
300. @media screen and (min-width:1024px){↵
301.     .menu li:hover .underline{↵
302.         background-size:100% 7px;↵
303.         color:inherit;↵
304.         display: block;↵
305.     }↵
306.     .astronaut .headingBox{↵
307.         width:15rem;↵
308.     }↵
309.     .astronaut .headingBox .headerLink{↵
310.         float:right;↵
311.         cursor:pointer;↵
312.     }↵
313.     .astronaut .headingBox .headerLink span{↵
314.         position:relative;↵
315.         left:0;↵
316.         transition:left 0.5s cubic-bezier(0.65, 0, 0.35, 1);↵
```

```

317.         }↵
318.         .astronaut .headingBox .headerLink:hover span{↵
319.             left:10px;↵
320.         }↵
321.         .textPage{↵
322.             background-image:linear-gradient(rgba(0, 0, 0, 0.7),
323. rgba(0, 0, 0, 0.7)), url('../img/space.jpg');↵
324.             background-size:cover;↵
325.         ↵
326.         }↵
327.         .textStyleQuote{↵
328.             font-size:3rem;↵
329.             line-height:1.2;↵
330.             position:relative;↵
331.             left:-145px;↵
332.             margin:100px 140px;↵
333.             background-clip: text;↵
334.             font-style: italic;↵
335.             color: #542e3b;↵
336.             background-image: -webkit-linear-gradient(315deg, #542e3b 38%,
337. #474d47 63%);↵
338.             background-clip: text;↵
339.             -webkit-background-clip: text;↵
340.             -webkit-text-fill-color: transparent;↵
341.         }↵
342.         ↵
343.         .textPage{↵
344.             background-image:linear-gradient(rgba(0, 0, 0, 0.7), rgba(0, 0,
345. 0, 0.7)), url('../img/space.jpg');↵
346.             background-size:cover;↵
347.             color:white;↵
348.             font-family:"Rubik", sans-serif;↵
349.         }↵
350.         .textPage .wrapper{↵
351.             display:flex;↵
352.             position:relative;↵
353.         }↵
354.         .textPage .columns{↵
355.             ↵
356.             box-sizing:border-box;↵
357.             ↵
358.         }↵
359.         ↵
360.         .majortomimg {↵
361.             ↵
362.             display:block;↵
363.             width: 100px;↵
364.             height: auto;↵
365.             float: right;↵
366.             transform: rotate(3deg);↵
367.             ↵
368.             ↵
369.         }↵
370.         ↵
371.         .textPage .space{↵
372.             width: auto;↵
373.             font-weight:600;↵
374.             font-size:115px;↵
375.             position:relative;↵
376.             z-index:3;↵
377.             top:100px;↵
378.         }↵
379.             ↵
380.         ↵
381.         .textPageLeftColumns{↵
382.             float: left;↵
383.             ↵
384.         }↵
385.         ↵
386.             ↵
387.         ↵
388.         .textPage .ventures{↵
389.             font-family:"Times New Roman", serif;↵

```

```
390.     font-weight:bold;↵
391.     font-size:9rem;↵
392.     opacity:0.5;↵
393.     position:relative;↵
394.     left: 9.5px;↵
395.     top: 22px;↵
396.     ↵
397. }↵
398. .textPage .titleTextPage{↵
399.     font-size:2.3rem;↵
400.     font-weight:bold;↵
401.     margin:142px 5px 20px 20px;↵
402.     bottom:20px;↵
403.     ↵
404.     ↵
405. }↵
406. .textPage .textStyle{↵
407.     line-height:2;↵
408.     margin:8px 15px;↵
409.     font-weight:400;↵
410.     font-size:1rem;↵
411.     font-weight: lighter;↵
412.     opacity:0.6;↵
413. }↵
414. .textPage .quotes{↵
415.     font-style:italic;↵
416.     font-weight:300;↵
417. }↵
418. .textPage .quoteA{↵
419.     font-size:1.5rem;↵
420.     line-height:1.2;↵
421.     position:relative;↵
422.     left:75px;↵
423.     margin:64px 0px;↵
424.     opacity:0.6;↵
425. }↵
426. .textPage .quoteA::before{↵
427.     font-weight:bold;↵
428.     font-size:2rem;↵
429.     color:white;↵
430.     opacity:60%;↵
431.     font-family:"Rubik" , sans-serif;↵
432.     position:absolute;↵
433.     left:-15px;↵
434. }↵
435. .textPage .quoteA::after{↵
436.     font-weight:bold;↵
437.     font-size:1.5rem;↵
438.     color:white;↵
439.     opacity:60%;↵
440.     font-family:"Rubik" , sans-serif;↵
441.     position:absolute;↵
442.     top:65px;↵
443. }↵
444. .textPage .gradient .quoteB{↵
445.     font-weight: bold;↵
446. }↵
447. .insertLineBreak::before{↵
448.     content:"\a";↵
449.     white-space:pre;↵
450. }↵
451. .textPage .pinkText{↵
452.     font-size:0.85rem;↵
453.     color:#740e3a;↵
454. }↵
455. .textPage .linkUnderline{↵
456.     text-decoration:underline;↵
457. }↵
458. .arrow{↵
459.     font-size:1.5rem;↵
460. }↵
461. ↵
462. ↵
463. ↵
464. ↵
465. }
```

466. ↩

Total execution time 14 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 22.10.6