Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

```
Checker Input
                                        Options...
Show Source
               outline
                         image report
Check by text input V CSS
 @charset "UTF-8";
 .clearfix::after {
  content: "";
  clear: both;
  display: table;
 /*----*/
   ----*/
 .hamburgerMenu {
  width: 35px;
  height: 45px;
  background: transparent;
  border: 0;
 Check
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Warning This document appears to be written in English. Consider adding

lang="en" (or variant) to the html start tag.

From line 1, column 1; to line 1, column 17

@charset "UTF-8"; c.clea

For further guidance, consult Declaring the overall language of a page and Choosing language tags.

If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.
```

- 2. Error Non-space characters found without seeing a doctype first. Expected

 <!DOCTYPE html>.

 From line 1, column 1; to line 1, column 17

 @charset "UTF-8"; .clea
- 3. Error Element head is missing a required instance of child element title.

 From line 1, column 1; to line 1, column 17

```
@charset "UTF-8"; ←.clea
```

Content model for element head:

If the document is <u>an iframe srcdoc document</u> or if title information is available from a higher-level protocol: Zero or more elements of <u>metadata content</u>, of which no more than one is a <u>title</u> element and no more than one is a <u>base</u> element.

Otherwise: One or more elements of <u>metadata content</u>, of which exactly one is a <u>title</u> element and no more than one is a <u>base</u> element.

Document checking completed.

Source

```
1. @charset "UTF-8"; ←
 2. .clearfix::after {←
     content: "";↩
 4.
     clear: both;↔
 5.
     display: table;↔
 6. }↔
 7. ن
 8. /*-----*/↔
 9. /*----*/←
10. /*-----*/+
11. .hamburgerMenu {↔
12.
     width: 35px;↔
13.
     height: 45px;↔
14.
     background: transparent; ↔
15.
     border: 0;↔
16.
   position: fixed;↔
17.
    right: 30px;↔
18.
   top: 20px;↔
19.
     z-index: 8;↔
20.
     pointer-events: none;↔
21. }
ئ 22.
23. .hamburgerMenu .linje {↔
24.
     display: block;↔
25.
     width: 47px;↔
26.
     height: 7px;↔
27.
     background-color: rgb(0, 0, 0); \leftarrow
28.
     border-radius: 3px;↔
margin-bottom: 4px;↔
29.
30.
     position: relative;↔
31.
     right: 100;↔
32.
     transition: all 0.3s ease-in-out; ↔
33. }↩
   بَ
34.
35.
   .menuToggle {↔
36.
     position: fixed;←
37.
     top: 20px;↔
38.
     right: 20px;↔
39.
     z-index: 9;↔
40.
     width: 35px;↔
41.
     height: 35px;↔
42.
     opacity: 0;↔
43.
     cursor: pointer;←
44. }ك
45.
46. .menuToggle:checked + .hamburgerWrap .hamburgerMenu .linje {↔
```

```
47.
      position: absolute; ←
48.
      transition: all 0.3s ease-in-out;↔
49. }↔
50. \stackrel{\checkmark}{\leftarrow}
51. .menuToggle:checked + .hamburgerWrap .hamburgerMenu .linje:nth-child(2) {↔
52.
      transform: rotate(360deg);↔
53. }↩
54.
    ب
55. .menuToggle:checked + .hamburgerWrap .hamburgerMenu .linje:nth-child(1) {↔
56.
      transform: rotate(45deg);↔
57. }↔
58.
    4
59. .menuToggle:checked + .hamburgerWrap .hamburgerMenu .linje:nth-child(3) {↔
      transform: rotate(-45deg);←
61. }↩
62. Z
63. .menuToggle:checked + .hamburgerWrap .navBar \{ \boldsymbol{e} \}
      visibility: visible;↔
65.
      opacity: 4;↔
66. }↔
67. ↩
68. /*----*/←
69. .navBar ←
70.
      z-index: 7;↔
71.
      position: relative;↔
      position: fixed;←
72.
73.
      top: 0;↔
 74.
      left: 0;↩
 75.
      background-color: rgba(255, 255, 255, 0.789); ←
 76.
      width: 100vw;↔
 77.
      height: 100vh;↔
78.
      opacity: 0;↔
79.
      transition: all 0.3s cubic-bezier(0.075, 0.82, 0.165, 1); ↔
80.
      visibility: hidden;↔
81. }~
    ن
82.
83. .navBar a {↔
      color: rgb(0, 0, 0); \leftarrow
85.
      text-decoration: none; ←
    }€
86.
87. Z
88. .menu {↔
89.
      margin: 0;↔
90.
      padding: 0;↔
91.
      list-style: none;←
92.
      display: flex;↔
93.
      flex-direction: column;↔
94.
      height: 800px;↔
95.
      justify-content: space-evenly; ↔
96.
      text-align: center;↔
97.
      font-family: "Rubik", sans-serif; ↔
98.
      font-weight: bold; ←
99.
      font-size: 3.4rem; ↔
100.
      text-shadow: 0px 4px rgba(0, 0, 0, 0.4); ↔
101. }↔
102. ↔
103. .navBar .menu .Underlinje {↔
104.
      text-decoration: none;↔
105.
      background-image: linear-gradient(90deg, rgba(209, 120, 120, 0.391),
    #a6007f);↔
106.
      background-repeat: no-repeat;←
107.
      background-position: bottom left; ←
108.
      background-size: 0% 3px;←
109.
      border-radius: 7px;↔
110.
      transition: background-size 300ms ease-in-out; ↔
111.
      cursor: pointer;↔
112. }↔
113. ↩
114. /*----*/
```

```
115. /*-----*/↔
116. /*----*/e
117. .astronaut {↔
     min-height: 100vh;←
118.
119. }↩
120. ح
121. .astronaut ⟨←
122.
     background-color: coral;↔
123. }↩
124. \stackrel{\longleftarrow}{\leftarrow}
125. .text-page {←
126.
     background-image: linear-gradient(rgba(0, 0, 0, 0.434), rgba(0, 0, 0, 0.7)),
    url(assets/photos/raphael-rotated.jpg);↔
127.
      background-size: cover;←
128.
      color: rgb(255, 255, 255);↔
      font-family: "Rubik", sans-serif;↔
129.
130. }↔
131. \stackrel{\checkmark}{\leftarrow}
132. .rubrik1 ⟨↩
133. margin-top: -82px;↔
134. }↔
135. 😜
136. /*----*/\rightarrow
137. /*----*/↔
138. /*-----*/\rightarrow
139. .astronaut {↔
140.
      background-image: url(assets/photos/adam-miller-dBaz0xhCkPY-unsplash.jpg);↔
141.
      background-size: cover;↔
142.
      background-position: 50% 50%; ↔
143. }↔
144. ح
145. .astronaut .heading-box {↔
146.
      border: 5px solid black;↔
147.
      width: 10rem;↔
148.
      background-color: rgba(255, 255, 255, 0.478); ←
149.
      position: absolute;↔
      top: 59px;↔
left: 33px;↔
150.
151.
      padding: 2Ópx;↔
font-family: "Rubik", sans-serif;↔
152.
153.
154. }↩
155. \leftarrow
156. .astronaut .heading-box .text {←
      text-align: center;↔
157.
158.
      text-transform: uppercase; ↔
159.
      font-size: 3rem;↔
160.
      font-weight: 500;↔
161.
      margin-bottom: 30px;↔
162. }↩
163. \stackrel{\longleftarrow}{\leftarrow}
164. /*----*/\rightarrow
165. /*----- MOBILE -----*/
166. /*-----*/\(\rightarrow\)
167. .astronaut .heading-box .link span {↔
      position: relative;↔
169.
      left: 0px;↔
170.
      transition: left cubic-bezier(0.65, 0, 0.35, 1); \leftarrow
171. }↩
172. ←
173. .astronaut .heading-box .link:hover span {←
174.
      position: relative;↔
175.
      left: 10px;↔
176. }↔
177. P
178. .link {↔
    position: relative;↔
179.
180.
      left: -11px;↔
181.
      bottom: -14px;←
182. }↩
```

```
183. ↔
184. .testaa {←
185.
       margin-top: 0px;↔
186. }↩
187. Z
188. .purple {↔
189.
       padding-top: 80px;↔
نه{ .190
191. ↔
192. .gradient-quote {←
193.
       display: none;↔
194. }↩
195. ~
196. .rubrik1 {↔
197.
       padding-left: 26px;↔
198. }↔
199. ~
200. .citat {↔
201.
       font-size: 20px;↔
202.
       left: 88px;↔
203.
       top: 14px;←
204.
       font-style: italic;↔
205.
       font-weight: 100;↔
206. }↩
207. Z
208. .textstil ⟨↔
209.
       font-size: 14px;↔
210.
       letter-spacing: 0.2px;↔
212. padding-right: 25px; ← 213. } ←
211.
214. \rightarrow
215. .text-sidatvå {↔
      margin-top: 58px;↔
216.
217. }↩
218. i
219. .major-tom {←
220.
      display: none;↔
221. }↩
ئ ، 222
223. .readmore {↔
224.
       padding-left: 25px;↔
       padding-right: 25px;↔
225.
226.
       text-decoration: underline; ↔
227.
       color: rgb(171, 24, 66);↔
228. }↩
229. Z
230. blockquote {↔
231.
       padding: 0;↔
232.
       margin: 20px;↔
233.
       position: relative;←
234.
       display: inline;↔
235. }↩
236. blockquote::before, blockquote::after {↔
       content: '"';↔
237.
238.
       display: block;↔
239.
       position: absolute; ↔
240.
       font-size: 1.7rem;←
241. }↩
242. blockquote∷before {←
243.
      top: 65px;←
244.
       left: 59px;↔
245. }↩
246. blockquote::after {↔
247.
       bottom: -29px;↔
248.
       right: 18px;↔
249. }↩
250. ↔
251. .space-ventures h2 span:first-of-type {←
```

```
252.
      display: block; ←
253.
      position: relative;←
254.
       z-index: 1;\leftarrow
255.
      font-size: 73px;↔
256.
      left: 52px;↔
257.
      top: 44px;↔
258.
      text-shadow: 2px 2px 10px black;↔
259. }↩
260. .space-ventures h2 span:nth-of-type(2) {↔
261.
      position: relative;↔
262.
      top: -14px;↔
263.
      left: 119px;↔
264.
      color: white;↔
265.
      opacity: 0.7;←
266.
      z-index: 0;↔
      font-family: "Times New Roman", Times, serif;↔
267.
268.
      font-style: bold; ←
269.
      font-size: 92px;↔
270. }↔
271. Z
272. /*----*/\rightarrow
273. /*-----*/↔
274. /*-----*/ب
275. @media screen and (min-width: 1024px) {←
276.
       .menu li:hover .Underlinje {↔
277.
        background-size: 100% 6px;↔
278.
        color: inherit;↔
      }€
279.
280.
      .astronaut .heading-box {↩
281.
        width: 25.6rem;←
282.
        height: 22.5rem;↔
283.
        margin-top: 4rem;↔
284.
        padding-top: 40px;↔
285.
        font-weight: 100;↔
286.
        left: 123px;↔
287.
        top: 35px;↔
      }€
288.
289.
       .astronaut .heading-box .text {↔
290.
        text-align: center;↔
291.
        text-transform: uppercase; ↔
292.
        font-size: 6.4rem;↔
293.
        font-weight: bold; ←
294.
        margin-bottom: 49px;↔
        margin-top: 54px;↔
295.
296.
297.
       .astronaut .heading-box .link {↔
298.
        text-align: right;↔
299.
300.
       .astronaut .heading-box .link span {↔
        position: relative;↔
301.
302.
        left: 0px;↔
        transition: left 0.9s cubic-bezier(0.65, 0, 0.35, 1); ↔
303.
304.
305.
       .astronaut .heading-box .link:hover span {↔
306.
        position: relative;←
307.
         left: 18px;↔
       }←
308.
309.
       .full-page {←
310.
        display: grid;↔
311.
        grid-template-columns: repeat(5, 1fr); ↔
      gap: 20px;و
}
312.
313.
314.
       .textstil {↔
315.
        font-weight: 400;↔
316.
         letter-spacing: 0.1px;↔
317.
        line-height: 24px;↔
318.
319.
       .gradient-quote {↔
320.
        display: block;↔
```

```
321.
         font-size: 2.7rem; ←
322.
         line-height: 1.2;↔
         font-weight: 300; ←
323.
324.
         background-image: linear-gradient(to bottom right, rgba(227, 12, 177,
     0.6392156863), white, rgba(163, 9, 127, 0.8274509804)); حَارِيْنَ الْعَامِيْنِ الْعَامِيْنِ الْعَامِيْنِ الْعَ
325.
          -webkit-background-clip: text;↔
326.
          -webkit-text-fill-color: transparent;↔
         background-clip: text;\boldsymbol{\leftarrow}
327.
328.
          -webkit-text-emphasis-color: transparent;↔
329.
                  text-emphasis-color: transparent; ←
330.
         opacity: 0.6;↔
331.
         padding: 53px 0;↔
332.
         width: 400px;↔
         padding-top: 94px;←
333.
334.
         font-style: italic; ←
         right: 40px;↔
335.
         top: 12px;↔
336.
       ۍ{
337.
338.
       .text-sidatvå {↔
339.
         margin-right: 71px;↔
340.
341.
       readmore {↔
342.
         text-decoration: underline; ←
343.
          color: rgb(171, 24, 66);↔
344.
       }←
345.
       .purple {↩
346.
         padding-top: 133px;↔
347.
          padding-left: 10px;↔
348.
         margin-left: 37px;↔
       ۍ{
349.
350.
       .texttvå {↩
351.
         word-wrap: break-word;↔
352.
         text-align: justify;↔
         text-justify: inter-word;↔ width: 102%;↔
353.
354.
       }€
355.
356.
       .citat {↩
357.
         font-size: 25px;↔
         نې;left: 145px
358.
359.
         top: 14px;↔
         font-style: italic;←
360.
         font-weight: 100; ف
361.
362.
363.
       .major-tom {↔
364.
         display: block;←
365.
         width: 107px;↔
366.
         height: 170px;↔
         float: right;↔
367.
368.
         transform: rotate(3deg); ↔
369.
       ۍ{
370.
       blockquote {↔
         padding: 0;←
371.
372.
         margin: 20px;↔
373.
         position: relative;↔
374.
         display: inline;↔
375.
376.
       blockquote::before, blockquote::after {↩
         content: '"';↩
377.
378.
         display: block;↔
379.
          position: absolute;↔
380.
         font-size: 1.7rem;↔
381.
382.
       blockquote::before {↔
383.
         top: 81px;↔
384.
         left: 76px;↔
385.
386.
       blockquote::after {↔
387.
         bottom: -29px;↔
388.
         right: 18px;↔
```

```
389.
390.
       .space-ventures h2 span:first-of-type {←
391.
        display: block;↔
         position: relative;↔
392.
         z-index: 1;↔
393.
394.
         font-size: 104px;↔
395.
         left: 81px;↔
        top: 35px;↔
396.
397.
        text-shadow: 2px 2px 10px black; ↔
398.
      }€
399.
       .space-ventures h2 span:nth-of-type(2) {↔
400.
        position: relative;↔
401.
         top: -33px;↔
        left: 88px;↔
402.
403.
        color: white;↔
404.
        opacity: 0.7;←
405.
         z-index: 0;↔
         font-family: "Times New Roman", Times, serif; ↔
406.
407.
         font-style: bold; ←
408.
         font-size: 138px;↔
409.
ئہ{ .410
411. /*----*/\rightarrow
412. /*-----*/ਦ
413. /*-----*/ਦ
414. /*----*/ਦ
415. /*-----*/e
416. /*----*/€
417. .full-page {↔
418.
      min-height: 100vh;↔
419. }↩
420. و
422. grid-column: 1/span 2;↔
423. }↔
421. .brown {↔
ئ ،424
426. grid-column: 4/span 2;↔
427. }↔
425. .gray {↔
428. \( \varphi \)
429. /*----- SPACE VENTURES DESKTOP ------ */↔
430. .citat {↔
     margin-top: 100px;↔
431.
432. }ى
433. ح
434. /******* FOOTER ********/↔
435. .CookiePU {↔
436.
      box-sizing: border-box;↔
      z-index: 5;↔
437.
438.
      background-color: #080325;←
439.
      font-family: "Rubik", sans-serif; ↔
440.
      display: flex;↔
441.
      justify-content: space-between; ↔
442.
      align-items: center;↔
443.
      padding: 20px 2%;↔
444.
      color: #fff;↔
445.
       position: fixed;↔
446.
       bottom: 0;↔
447.
      width: 100%; ←
448. }↔
449. \rightarrow
450. .CookiePU .CookieTxt .Cookiebutton .buttonTxt {↔
451.
       display: inline-block;↔
452.
       padding: 0 20px;←
453. }ب
454. 😜
455. .CookiePU .CookieTxt {↔
456.
      color: #D200A2;↔
      text-shadow: 1px 1px 2px red, 0 0 1em blue, 0 0 0.2em blue; ↔
457.
```

```
458. f
459. }
460. \omega
        font-size: 0.75rem;↔
461. .buttonTxt {← 462. color: white;←
463.
       font-weight: bold;←
464. }↩
465. \( \bigsia \)
466. .CookiePU .Cookiebutton {←
467.
        background-color: #003568;↔
468.
        border: 0;↔
        padding: 7px 13px;↔
cursor: pointer;↔
469.
470. c
471. }
472. ن
473. .CookiePU.disable {↔
      display: none;↔
475. }/*# sourceMappingURL=style.css.map */
```

Used the HTML parser.

Total execution time 26 milliseconds.

About this checker • Report an issue • Version: 22.10.6