

# W3C:s CSS-valideringstjänst W3C CSS-valideringsresultat för TextArea (CSS nivå 3 + SVG)

Hoppa till: Fel (7) Validerad CSS Varningar (2)

# W3C CSS-valideringsresultat för TextArea (CSS nivå 3 + SVG)

## Ledsen! Vi har hittat följande fel (7)

URI : TextArea	
213	Parsningsfel h2 { span:first-of-type { display: block; position: relative; z-index: 1; color: white; top: 20px; font-size: 3rem; font-weight: bolder; text-align: center; left: -22%; -webkit-text-stroke-width: .5px; -webkit-text-stroke-color: black; } span:nth-of-type(2) { display: block; position: relative; color: rgb(185, 176, 176); z-index: 0; font-family: 'Times New Roman', Times, serif; font-size: 4rem; text-align: center; left: 20px; top: -20px; } }
281	Parsningsfel &::before, &::after { content: '"'; display: flex; position: absolute; font-size: 1.1rem; } &::before { position: relative; top: 18px; left: -130px; } &::after { position: relative; bottom: 18px; right: 63px; }
534	Parsningsfel h2 { span:first-of-type { display: block; position: relative; z-index: 1; color: white; top: 20px; font-size: 5rem; font-weight: bolder; text-align: center; left: -22%; -webkit-text-stroke-width: .5px; -webkit-text-stroke-color: black; } span:nth-of-type(2) { display: block; position: relative; color: rgb(185, 176, 176); z-index: 0; font-family: 'Times New Roman', Times, serif; font-size: 6.5rem; text-align: center; left: 45px; top: -50px; } }
602	Parsningsfel &::before, &::after { content: '"'; display: flex; position: absolute; font-size: 1.5rem; } &::before { position: relative; top: 23px; left: -182px; } &::after { position: relative; bottom: 24px; right: 95px; }
774	Parsningsfel h2 { span:first-of-type { display: block; position: relative; z-index: 1; color: white; top: 30px; font-size: 6rem; font-weight: bolder; text-align: left; left: 0; -webkit-text-stroke-width: .5px; -webkit-text-stroke-color: black; } span:nth-of-type(2) { display: block; position: relative; color: rgba(185, 176, 176, 0.607); z-index: 0; font-family: 'Times New Roman', Times, serif; font-size: 7rem; text-align: left; left: 5%; top: -35px; } }
852	Parsningsfel &::before, &::after { content: '"'; display: flex; position: absolute; font-size: 1.5rem; } &::before { position: relative; top: 25px; left: -225px; } &::after { position: relative; bottom: 28px; right: 115px; }
918	Parsningsfel p { color: rgb(210, 0, 162); top: 145px; position:

```
relative; font-size: .80rem; font-weight: normal; letter-spacing:
.6px; font-family: 'Rubik', sans-serif; line-height: 20px; text-
decoration: underline; cursor: pointer; display: block; width: 50%; }
span { display: none; /* color: rgb(210, 0, 162); top: 152px; left:
27%; position: relative; font-size: .80rem; font-weight:normal;
letter-spacing: .6px; font-family: 'Rubik', sans-serif; line-height:
20px; cursor: pointer;*/ }
```

↑ TOPPEN



Interested in understanding what new technologies are coming out of W3C? Follow <a href="@w3cdevs on Twitter">@w3cdevs on Twitter</a> to keep track of what the future looks like!

<u>Donate</u> and help us build better tools for a better web.

## Varningar (2)

#### URI: TextArea

859	Egenskap -webkit-background-clip är inte en känd leverantörsutvidgning
860	Egenskap -webkit-text-fill-color är inte en känd leverantörsutvidgning

↑ TOPPEN

### Valid CSS-information

```
.clearfix::after {
   content : "";
   clear : both;
   display : table;
}

body {
   background-color : yellow;
   max-width : 100%;
   overflow-x : hidden;
}
```

```
@media screen and (min-width: 320px) {
    .full-height {
        min-height : 100vh;
    }

    .astronaut {
        background-color : coral;
    }

    .text-page {
        background-color : seagreen;
    }

    .astronaut {
        background-image : url("assets/photos/astronaut.jpg");
        background-size : cover;
        background-position : 50% 44%;
```

```
}
.astronaut .heading-box {
  border : black solid 3px;
width : 6rem;
  background-color: rgb(255, 255, 255, 0.351);
  position : absolute;
  top : 10%;
Left : 10%;
  padding : 20px 30px;
font-family : 'Rubik', sans-serif;
.astronaut .heading-box .text {
  text-align : center;
  text-transform : uppercase;
  font-size : 2rem;
  font-weight : bolder;
  margin-bottom : 10px;
.astronaut .heading-box .link {
  position : relative;
  top : 12px;
  right : 20px;
font-size : 11px;
font-family : 'Rubik', sans-serif;
.astronaut .heading-box .link span {
  font-size : 13px;
  position : relative;
  top : 1.3px;
  Left: 2px;
}
.nav div {
  height : 6px;
  background : black;
  margin : 8px 0;
border-radius : 24px;
  transition: 0.2s;
}
.nav {
  display : block;
margin : 2em 0 0 2em;
  width : 50px;
right : 3%;
  z-index : 99;
  position : absolute;
.one {
  width : 40px;
.two {
  position : relative;
  width: 40px;
  right: 10px;
.three {
  width: 40px;
.nav:hover .two {
  right: 0;
```

```
}
.mobile-nav {
  position : absolute;
  top : 0;
  left : 100%;
  width : 100%;
  min-height : 100vh;
  display : flex;
  flex-direction : column;
  z-index : 98;
  background-color: rgb(255, 255, 255, 0.8);
  transition: 0.4s;
  justify-content : space-evenly;
.mobile-nav.is-active {
  left : 0;
.mobile-nav a {
  display : block;
width : 100%;
margin : 0 auto 16px;
  text-align : center;
  padding: 12px 16px;
  background-color : transparent;
  color : black;
  text-decoration : none;
  font-size : 2rem;
  font-family : 'Rubik', sans-serif;
  font-weight: 1000;
  filter: drop-shadow(0 4px 1px rgb(108, 108, 108));
.full-page {
  min-height : 100vh;
  background-image: inear-gradient(rgb(0, 0, 0, 0.7), rgb(0, 0, 0, 0.7)),
  url("assets/photos/bakgrund3.jpg");
  background-size : cover;
  background-position : 50% 44%;
font-family : 'Rubik', sans-serif;
  display : grid;
  grid-template-columns : repeat(1,1fr);
  padding : 0 40px;
.section1 {
  outline : none;
  height: 50vh;
.section2 {
  outline : none;
  height: 50vh;
.paragraph1 h2 {
  position : relative;
  top : -25px;
  outline : none;
  color : white;
  font-size : 1.2rem;
.paragraph1 .nr1 {
   position : relative;
  top : -25px;
  outline : none;
  color: white;
  font-size : 0.75rem;
```

```
font-weight : normal;
   letter-spacing : 0.4px;
font-family : 'Rubik', sans-serif;
line-height : 20px;
.paragraph1 .nr2 {
   position : relative;
   top: -25px;
   outline : none;
   color : white;
   font-size : 0.75rem;
font-weight : normal;
   letter-spacing : 0.4px;
font-family : 'Rubik', sans-serif;
   ĺline-height : 20px;
blockquote {
   outline : none;
padding : 0;
   margin: 20px;
  position : relative;
display : inline;
color : white;
   font-size : 0.9rem;
   flex-direction : column;
   justify-content : center;
   align-items : center;
   display : flex;
   top : -50px;
.gradient-quote {
   display : none;
.paragraph2 {
  outline : none;
   color : white;
   position : relative;
   top: 3px;
   font-size : 0.75rem;
   font-weight : normal;
   letter-spacing : 0.4px;
font-family : 'Rubik', sans-serif;
   line-height : 20px;
.section2 p {
   color: rgb(210, 0, 162);
   top: 3%;
   position : relative;
   font-size : 0.8rem;
   font-weight : normal;
  letter-spacing : 0.6px;
font-family : 'Rubik', sans-serif;
line-height : 20px;
   text-decoration : underline;
.section2 span {
   color: rgb(210, 0, 162);
top: -18px;
left: 180px;
   position : relative;
   font-size : 0.90rem;
font-weight : normal;
   letter-spacing : 0.6px;
font-family : 'Rubik', sans-serif;
   line-height : 20px;
}
```

```
.major-tom {
   display : none;
 .cookiePopUp {
    display: none;
    visibility : hidden;
@media screen and (min-width: 522px) {
 .full-height {
  min-height : 100vh;
 .astronaut {
    background-color : coral;
 .text-page {
   background-color : seagreen;
 .astronaut {
    background-image : url("assets/photos/astronaut.jpg");
    background-size : cover;
    background-position : 50% 44%;
  .astronaut .heading-box {
    border: black solid 5px;
    width : 10rem;
    background-color: rgb(255, 255, 255, 0.351);
    position : absolute;
    top: 10%;
   left : 10%;
padding : 20px 30px;
font-family : 'Rubik', sans-serif;
 .astronaut .heading-box .text {
    text-align : center;
    text-transform : uppercase;
    font-size : 3rem;
font-weight : bolder;
    margin-bottom : 10px;
  .astronaut .heading-box .link {
    position : relative;
    top : 12px;
right : 20px;
    font-size : 15px;
    font-family : 'Rubik', sans-serif;
  .astronaut .heading-box .link span {
    font-size : large;
 .nav div {
  height : 8px;
    background : black;
    margin: 8px 0;
border-radius: 24px;
    transition: 0.2s;
```

```
.nav {
  dispLay : block;
margin : 2em 0 0 2em;
width : 50px;
  right : 3%;
z-index : 99;
  position : absolute;
.one {
 width : 55px;
.two {
  position : relative;
  width : 55px;
  right: 10px;
.three {
  width: 55px;
.nav:hover .two {
  right : 0;
.mobile-nav {
  position : absolute;
  top : 0;
  Left: 100%;
width: 100%;
  min-height : 100vh;
display : flex;
  flex-direction : column;
  z-index : 98;
  background-color: rgb(255, 255, 255, 0.8);
  transition: 0.4s;
  justify-content : space-evenly;
.mobile-nav.is-active {
  left : 0;
.mobile-nav a {
  display : block;
width : 100%;
margin : 0 auto 16px;
  text-align : center;
  padding: 12px 16px;
  background-color : transparent;
  color : black;
  text-decoration : none;
  font-size : 3rem;
font-family : 'Rubik', sans-serif;
font-weight : 1000;
}
.full-page {
  min-height : 100vh;
  background-size : cover;
  background-position : 50% 44%;
font-family : 'Rubik', sans-serif;
  display : grid;
  grid-template-columns : repeat(1,1fr);
  padding : 0 40px;
  background-image: linear-gradient(rgb(0, 0, 0, 0.6), rgb(0, 0, 0.6)),
  url("assets/photos/bakgrund3.jpg");
```

```
.section1 {
  outline : none;
height : 50vh;
.section2 {
  outline : none;
   height: 50vh;
.paragraph1 h2 {
  position : relative;
   top: -45px;
  outline : none;
  color : white;
  font-size : 1.8rem;
.paragraph1 .nr1 {
  position : relative;
   top : -50px;
  outline : none;
   color : white;
  font-size : 0.9rem;
font-weight : normal;
  letter-spacing : 0.6px;
font-family : 'Rubik', sans-serif;
   line-height : 20px;
.paragraph1 .nr2 {
   position : relative;
   top : -50px;
   outline : none;
  color : white;
font-size : 0.9rem;
   font-weight : normal;
  letter-spacing : 0.6px;
font-family : 'Rubik', sans-serif;
   font-family : 'Rubi
line-height : 20px;
blockquote {
  outline : none;
   padding : 0;
   margin : 20px;
  position : relative;
display : inline;
color : white;
   font-size : 1.3rem;
   flex-direction : column;
   justify-content : center;
  align-items : center;
  display : flex;
   top: -80px;
.gradient-quote {
   display: none;
.paragraph2 {
  outline : none;
   color : white;
  position : relative;
  top : 80px;
font-size : 0.9rem;
   font-weight : normal;
  letter-spacing : 0.6px;
font-family : 'Rubik', sans-serif;
   line-height: 20px;
```

```
}
  .section2 p {
    color : rgb(210, 0, 162);
top : 23%;
    position : relative;
    font-size : 0.9rem;
    font-weight : normal;
    letter-spacing : 0.6px;
font-family : 'Rubik', sans-serif;
line-height : 20px;
    text-decoration : underline;
  .section2 span {
    color : rgb(210, 0, 162);
top : 75px;
    Left: 205px;
    position : relative;
font-size : 1rem;
    font-weight : normal;
font-family : 'Rubik', sans-serif;
    ĺline-height : 20px;
  }
  .major-tom {
    display : none;
  .cookiePopUp {
    display: none;
    visibility : hidden;
@media screen and (min-width: 769px) {
@media screen and (min-width: 1024px) {
  .astronaut .heading-box {
    border : black solid 4px;
width : 27rem;
    background-color: rgb(255, 255, 255, 0.351);
    position : absolute;
    top : 80px;
Left : 80px;
padding : 70px 0;
font-family : 'Rubik', sans-serif;
  .astronaut .heading-box .text {
    text-align : center;
    text-transform : uppercase;
    font-size : 6rem;
    font-weight : bolder;
    margin-bottom : 10px;
  .astronaut .heading-box .link {
    text-align : right;
    cursor : pointer;
    position : relative;
    top : 50px;
    right: 25px;
  .astronaut .heading-box .link span {
    position : relative;
    left: 0;
```

```
transition : left 0.2s cubic-bezier(0.7,0,0.35,1);
.astronaut .heading-box .link:hover span {
  Left: 10px;
.mobile-nav a {
  display : block;
  width : 290px;
  margin : 0 auto 0;
  text-align : center;
  padding : 0 0;
  background-color: transparent;
  color : black;
  text-decoration : none;
  font-size : 3rem;
  filter: drop-shadow(0 4px 1px rgb(108, 108, 108));
.mobile-nav a:hover {
  border-bottom: 5px solid rgb(210, 0, 162);
.full-page {
  display : grid;
position : relative;
  grid-template-columns : repeat(5,1fr);
  gap : 20px;
  padding : 0 80px;
background-image : linear-gradient(rgb(0, 0, 0, 0.7), rgb(0, 0, 0.7)),
  url("assets/photos/bakgrund2.jpg");
  min-height : 100vh;
.section1 {
  grid-column : 1 / span 2;
  outline : none;
  min-height : 100vh;
.section2 {
  grid-column : 4 / span 2;
  outline : none;
  min-height : 100vh;
.paragraph1 h2 {
  outline : none;
  font-size : 2rem;
  top : 18px;
.paragraph1 .nr1 {
  outline : none;
  color : white;
  font-size : 1.1rem;
  font-weight : normal;
  letter-spacing : 0.6px;
font-family : 'Rubik', sans-serif;
  line-height : 27px;
  top : 18px;
}
.paragraph1 .nr2 {
  outline : none;
  color : white;
  font-size : 1.1rem;
  font-weight : normal;
  letter-spacing : 0.6px;
```

```
font-family : 'Rubik', sans-serif;
line-height : 27px;
   top : 20px;
blockquote {
  outline : none;
  padding : 0;
margin : 20px;
  position : relative;
  display : inline;
color : white;
  font-size : 1.6rem;
  flex-direction : column;
  justify-content : center;
  align-items : center;
  display : flex;
  top : 18px;
   left : 5%;
.gradient-quote {
   display: block;
   background : #FFE3E6;
  background: radial-gradient(circle farthest-corner at center center, #ffe3e648
  0%, #cf537442 100%);
  font-weight : lighter;
font-size : 3rem;
  text-align : left;
  position : relative;
  top : 11%;
width : 450px;
   Left : -20px;
.major-tom {
   display : block;
  width : 100px;
height : auto;
  float : right;
   transform : rotate(3deg);
.paragraph2 {
  color : white;
  font-size : 1.1rem;
  font-weight : normal;
  letter-spacing : 0.6px;
font-family : 'Rubik', sans-serif;
  font-family : 'Rubi
line-height : 27px;
  position : relative;
   top: 150px;
.cookiePopUp {
  position : fixed;
  width : 100%;
  bottom : 0;
  background-color : #0d0230f8;
  display : flex;
  visibility : visible;
padding : 0 15px;
z-index : 2;
.cookiePopUp .cookieText .cookie-button .buttonText {
  display : block;
padding : 10px;
.cookiePopUp .cookieText {
  position : relative;
```

```
left : 35px;
color : #D200A2;
  text-shadow : 1px 1px 2px red, 0 0 1em blue, 0 0 0.2em blue;
font-size : 1.2rem;
  padding : 10px;
.cookie-button {
  display: block;
  position : relative;
  color : white;
  background-color : #030671;
  border: 0;
  padding : 0 15px;
margin : 0 -20px;
  cursor : pointer;
height : 48px;
font-family : 'Rubik', sans-serif;
  top: 15px;
right: -52%;
font-weight: bold;
   transition: 0.4s;
}
.cookie-button.is-active {
   top : 0;
.cookie-button:hover {
  background-color: #030896;
```

↑ TOPPEN

#### Hem Om Dokumentation Ladda ner Synpunkter Tack till



COPYRIGHT © 1994-2014 W3C® (MIT, ERCIM, KEIO, BEIHANG), ALL
RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE
AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE
IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.