



# Safety data sheet

according to 1907/2006/EC, Article 31

Page 1/10

Printing date 23.06.2023

Revision: 23.06.2023

Version number 41 (replaces version 40)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

· **Trade name:** Pickling Agent

· **UFI:** 9JU0-K01Q-3002-7W8D

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### · Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU21 Consumer uses: Private households / general public / consumers

· **Application of the substance / the mixture** Cleaning agent/ Cleaner

### 1.3 Details of the supplier of the safety data sheet

#### · **Manufacturer/Supplier:**

Dursol-Fabrik Otto Durst GmbH & Co. KG

Martinstr. 22

42655 SOLINGEN

Germany

Tel.: +49 (0)212 - 2718-0

Fax: +49 (0)212 - 208795

www.autosol.de

#### · **Further information obtainable from:**

Department Product Safety

labor@autosol.de

### 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

+49 (0) 212 - 2718-0

Only available during the following office hours: Mo-Fr; 08:00 -16:00 h (MEZ/MESZ)

Languages of the phone service: German & English

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### · **Classification according to Regulation (EC) No 1272/2008**



corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

### 2.2 Label elements

#### · **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

— GB —



# Safety data sheet

according to 1907/2006/EC, Article 31

Page 2/10

Printing date 23.06.2023

Revision: 23.06.2023

Version number 41 (replaces version 40)

Trade name: Pickling Agent

(Contd. of page 1)

## Hazard pictograms



GHS05

## Signal word Danger

### Hazard-determining components of labelling:

hydrochloric acid

Alkohole, C9-11-iso-, C10-reich, ethoxyliert

### Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

### Precautionary statements

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P390 Absorb spillage to prevent material damage.

P501 Dispose of contents/container in accordance with local regulations.

### Additional information: Keep out of reach of children.

### 2.3 Other hazards

### Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

#### Dangerous components:

CAS: 7647-01-0 EINECS: 231-595-7 Reg.nr.: 01-2119484862-27	hydrochloric acid Skin Corr. 1B, H314; Acute Tox. 4, H302; STOT SE 3, H335 Specific concentration limits: Skin Corr. 1B; H314: $C \geq 25\%$ Skin Irrit. 2; H315: $10\% \leq C < 25\%$ Eye Irrit. 2; H319: $10\% \leq C < 25\%$ STOT SE 3; H335: $C \geq 10\%$	1-<10%
------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------

(Contd. on page 3)

GB



# Safety data sheet

according to 1907/2006/EC, Article 31

Page 3/10

Printing date 23.06.2023

Revision: 23.06.2023

Version number 41 (replaces version 40)

Trade name: Pickling Agent

(Contd. of page 2)

CAS: 78330-20-8	Alkohole, C9-11-iso-, C10-reich, ethoxyliert ☠ Eye Dam. 1, H318; ☠ Acute Tox. 4, H302	1-<10%
CAS: 110-65-6 EINECS: 203-788-6 Reg.nr.: 01-2119489899-05-xxxx	but-2-yne-1,4-diol ☠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ☠ STOT RE 2, H373; ☠ Skin Corr. 1B, H314; ☠ Skin Sens. 1, H317 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 50 % Skin Irrit. 2; H315: 25 % ≤ C < 50 % Eye Irrit. 2; H319: 25 % ≤ C < 50 %	≤1%

· **Regulation (EC) No 648/2004 on detergents / Labelling for contents**

non-ionic surfactants, soap, amphoteric surfactants

<5%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

· **4.1 Description of first aid measures**

- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.
- **Additional information** Cool endangered receptacles with water spray.

## SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)

— GB —



# Safety data sheet

according to 1907/2006/EC, Article 31

Page 4/10

Printing date 23.06.2023

Revision: 23.06.2023

Version number 41 (replaces version 40)

Trade name: Pickling Agent

(Contd. of page 3)

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

## 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** No special measures required.

- **7.2 Conditions for safe storage, including any incompatibilities**

### Storage:

- **Requirements to be met by storerooms and receptacles:** No special requirements.

- **Information about storage in one common storage facility:** Not required.

- **Further information about storage conditions:** Keep container tightly sealed.

- **Storage class:** 8 A

- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

### 7647-01-0 hydrochloric acid

WEL	Short-term value: 8 mg/m <sup>3</sup> , 5 ppm Long-term value: 2 mg/m <sup>3</sup> , 1 ppm (gas and aerosol mists)
-----	--------------------------------------------------------------------------------------------------------------------------

### 110-65-6 but-2-yne-1,4-diol

WEL	Long-term value: 0.5 mg/m <sup>3</sup>
-----	----------------------------------------

- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Appropriate engineering controls** No further data; see section 7.

- **Individual protection measures, such as personal protective equipment**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- **Respiratory protection:** Not necessary if room is well-ventilated.

(Contd. on page 5)

— GB —



# Safety data sheet

according to 1907/2006/EC, Article 31

Page 5/10

Printing date 23.06.2023

Revision: 23.06.2023

Version number 41 (replaces version 40)

Trade name: Pickling Agent

(Contd. of page 4)

## · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## · Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

Recommended thickness of the material:  $\geq 0.5$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## · Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

## · Eye/face protection



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

#### · General Information

#### · Physical state

Fluid

#### · Colour:

White

#### · Odour:

Characteristic

#### · Odour threshold:

Not determined.

#### · Melting point/freezing point:

Undetermined.

#### · Boiling point or initial boiling point and boiling range

100 °C

#### · Flammability

Not applicable.

#### · Lower and upper explosion limit

#### · Lower:

Not determined.

#### · Upper:

Not determined.

#### · Flash point:

>100 °C

#### · Decomposition temperature:

Not determined.

#### · pH at 20 °C

0.3

(Contd. on page 6)

— GB —



# Safety data sheet

according to 1907/2006/EC, Article 31

Page 6/10

Printing date 23.06.2023

Revision: 23.06.2023

Version number 41 (replaces version 40)

Trade name: Pickling Agent

(Contd. of page 5)

· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	Not determined.
· <b>Dynamic:</b>	Not determined.
· <b>Solubility</b>	
· <b>water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
· <b>Vapour pressure:</b>	Not determined.
· <b>Density and/or relative density</b>	
· <b>Density at 20 °C:</b>	1.229 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>9.2 Other information</b>	
· <b>Appearance:</b>	
· <b>Form:</b>	Fluid
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Ignition temperature:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Change in condition</b>	
· <b>Evaporation rate</b>	Not determined.
· <b>Information with regard to physical hazard classes</b>	
· <b>Explosives</b>	Void
· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	May be corrosive to metals.
· <b>Desensitised explosives</b>	Void

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.

(Contd. on page 7)

— GB —



# Safety data sheet

according to 1907/2006/EC, Article 31

Page 7/10

Printing date 23.06.2023

Revision: 23.06.2023

Version number 41 (replaces version 40)

Trade name: Pickling Agent

(Contd. of page 6)

- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

### 7647-01-0 hydrochloric acid

Oral	LD50	900 mg/kg (rabbit)
------	------	--------------------

### 110-65-6 but-2-yne-1,4-diol

Oral	LD50	132 mg/kg (rat)
------	------	-----------------

Dermal	LD50	659 mg/kg (rat)
--------	------	-----------------

Inhalative	LC50 (4 h)	0.69 mg/l (rat)
------------	------------	-----------------

- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

## SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

### 110-65-6 but-2-yne-1,4-diol

EC50 (48 h)	26.79 mg/l (daphnia)
-------------	----------------------

LC50 (96 h)	53.6 mg/l (fish)
-------------	------------------

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.

(Contd. on page 8)

— GB —





# Safety data sheet

according to 1907/2006/EC, Article 31

Page 8/10

Printing date 23.06.2023

Revision: 23.06.2023

Version number 41 (replaces version 40)

Trade name: Pickling Agent

(Contd. of page 7)

## · 12.7 Other adverse effects

### · Additional ecological information:

#### · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

## \* SECTION 13: Disposal considerations

### · 13.1 Waste treatment methods

#### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### · Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

## SECTION 14: Transport information

### · 14.1 UN number or ID number

#### · ADR, IMDG, IATA

UN1760

### · 14.2 UN proper shipping name

#### · ADR

1760 CORROSIVE LIQUID, N.O.S.  
(HYDROCHLORIC ACID)

#### · IMDG, IATA

CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC  
ACID)

### · 14.3 Transport hazard class(es)

#### · ADR, IMDG, IATA



#### · Class

8 Corrosive substances.

#### · Label

8

### · 14.4 Packing group

#### · ADR, IMDG, IATA

II

(Contd. on page 9)

— GB —





# Safety data sheet

according to 1907/2006/EC, Article 31

Page 9/10

Printing date 23.06.2023

Revision: 23.06.2023

Version number 41 (replaces version 40)

Trade name: Pickling Agent

(Contd. of page 8)

· <b>14.5 Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b>	Warning: Corrosive substances.
· <b>Hazard identification number (Kemler code):</b>	80
· <b>EMS Number:</b>	F-A,S-B
· <b>Segregation groups</b>	(SGG1) Acids
· <b>Stowage Category</b>	B
· <b>Stowage Code</b>	SW2 Clear of living quarters.
· <b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	1L
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>Transport category</b>	2
· <b>Tunnel restriction code</b>	E
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	1L
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>UN "Model Regulation":</b>	UN 1760 CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID), 8, II

## SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H301 Toxic if swallowed.  
H302 Harmful if swallowed.  
H311 Toxic in contact with skin.  
H314 Causes severe skin burns and eye damage.

(Contd. on page 10)

— GB —



# Safety data sheet

according to 1907/2006/EC, Article 31

Page 10/10

Printing date 23.06.2023

Revision: 23.06.2023

Version number 41 (replaces version 40)

---

**Trade name: Pickling Agent**

---

(Contd. of page 9)

H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H331 Toxic if inhaled.  
H335 May cause respiratory irritation.  
H373 May cause damage to organs through prolonged or repeated exposure.

· **Department issuing SDS:**

Dursol-Fabrik Otto Durst GmbH & Co. KG  
Martinstraße 22  
42655 Solingen  
Germany  
Abteilung F&E / Produktsicherheit

· **Contact:** labor@autosol.de

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Met. Corr. 1: Corrosive to metals – Category 1  
Acute Tox. 3: Acute toxicity – Category 3  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Skin Sens. 1: Skin sensitisation – Category 1  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

· **\* Data compared to the previous version altered.**

---

— GB —