



Néstor Vargas
3209 Ridgehaven St, Irving TX 75062.
Mobile: +1 925 391 4084
nezztor@gmail.com

Personal Information

Birth date: March 13th, 1985; Monclova Coahuila, Mexico
Age: 33 years old
Marital Status: Married
Nationality: Mexican
Degree: Bachelor of Science, in Electronic and Communications Engineering, in UANL. Graduated 2009
Works Authorization: TN Visa
Linkedin URL: <https://www.linkedin.com/in/nestor-vargas-3a450710b/>

Work Experience:

- RF Engineer III, VoLTE Optimization Project with GTA for Sprint, Dallas TX market. (Jun 2018 to Date)
 - RF shaping analysis - SINR, RSRP, RSRQ
 - Post Processing Final Report quality check (KPIs, legends, event plots)
 - Deeper analysis on VoLTE/LTE
 - SIP drops and SIP fails analysis
 - Voice drops and Voice access fails analysis
 - Analysis of all Fails, Drops, poor SINR, low MOS areas on UEs and Scanner data analysis
 - Implementing approved change requests in OSS Ericsson, NetAct Nokia and Samsung
 - Provide analysis on Volte using various other tools - IRIS view, True call etc.
 - LTE Statistics -Sprint Tools PRTS, Checking alarms with Patrol.
- LTE RAN Design Engineer with Berean Group for Nokia and AT&T Markets, Naperville IL. (October 2017 to Jun 2018)
 - LTE Design & Provisioning, Former ALU, Nokia Equipment.SWAP BBU
 - Network data provisioning scripting for capacity expansion services and troubleshooting Nokia product line and associated OSS interfaces.
 - LTE parameters configuration management.
 - Change parameters for SCF files and executing and ensuring that the sites are alarms free.
 - CMROs DAS scripting Design & Provisioning, reconfigure IPv4 and IPv6.
 - Validation and checking issues on WPS and BTS Site Manager. Nokia NPO Eagle Tool
 - AirScale cMRO RFM swap and Carrier Growth.
 - SCF File re-configurations on BTSSM
 - Create Commissioning File, Cell Resources, MIMO Mode: 4x2 4x4, HW Selection.
 - LTE-eNodeB Carrier Add-3C CMRO/AirScale AWS3 B66
 - SharePoint managing Experience.
 - CRAN design activities.
- RF Engineer For AT&T Montana ALU project with Yupana LLC Norther Cal San Francisco CA USA (March 2017 to July 2017 finished project)
 - ALU optimization Post launch activities for 4C, 5C new carriers.
 - Follow up the KPIs on NPMO Nokia tool
 - Create KPI's Retainability, Accesibility, Throughput, VOLTE performance and AREISO reports
 - Neighboring check with WPS tool
 - Drive test verification on site post launch, TEMS and also use XCAL logs to get monitoring information
 - Automatic Cell Planning (ACP) for new sites increase coverage and capacity using Atoll tool.
- RAN Engineer for TSG (Technical Support Group) Project for AT&T Norther California, San Francisco Bay area CA USA with Yupana LLC. (Jan 2016 to March 2017)
 - Troubleshooting alarms for LTE, AWS, and PCS & GSM, Node-B /ENodeB TX /HW
 - Provide to the team update RFDS for the activities on the DAS and Macro site
 - Generate RFDS for New Site Builds using Auto form using Visio and Atoll tool.
 - Perform Montecarlo simulation capacity for new LTE carrier
 - Restoration & Troubleshooting alarms for LTE, AWS, and PCS & GSM, Node-B /ENodeB TX /HW
 - Node -B Sync Troubleshooting, Loop Check for TX/IP from Node B to RNC
 - Perform RET configuration, script verification for Argus, Kathrein, Andrew and Hexport Antenna
 - Perform and follow up to VOLTE PSAP call test, testing and submission of TVW.
 - Remotly Support for field technicians in VSWR and RSSI issues,
 - Support to Field team getting plots before and after PIM testing
 - Verification of parameter configurations using Ericsson OSS AMOS, ENM

- Carrier addition 3C, 4C, 5C RFDS for carrier addition
 - Perform Design for the site integration via Atoll work
 - Radio network parameter change impact analysis (cell status, alarm & crash impact)
 - Declare neighbor IRAT, UTRAN, EUTRAN
 - Analyze traces and exception for worst cell troubleshooting (cell tracing analysis)
 - Perform KPI monitoring (daily monitoring radio performance and RAN parameter)
 - Provide consultation and support to customers on technical matters related to LTE RAN Products
 - Multilayer and Multiband Performance for AWS, WCS, PCS and 700
 - Support to Field team in PIM testing getting VSWR and RSSI plots before and after PIM test.
 - Perform, test, suggest, Audit Features on RFDS and RNDCIQ for Northern California Project
 - VOLTE PSAP test following and reporting
 - Standardization of parameters on Ericsson OSS a scheduled Parameter Inconsistency Check according to the Network requirements.
 - Getting and Monitoring KPIS in Ericsson OSS with XShell as Ret_ERabDrop, Mob_MobilitySuccRate, Ret_ERabRetainabilityRate, Acc_InitialERabEtabSuccRate, Acc_RrcConnSetupSuccRate, Mob_HoExecSuccRate and Throughput_kbps.
 - Get for XShell Ericsson OSS RSSI, VSWR, make electrical tilts changes, get traffic on real time.
 - Integrations DUL DUW, XMU, Ericsson Equipment
- RF Engineer Agentia-STI for Spider Cloud Wireless - Small Cells Project for America Movil in Mexico City (May 2015 to may 2016)
 - RF management in Small Cells Deployment Project (SpiderCloud Wireless) with Telcel and Amerca Movil
 - Creat and Reviewing Small Cell designs using IBWAVE, getting sindoor simulation for optimization coverages
 - Rich Experience in managing & reporting of day to day Operations activities & Metrics
 - Team leader in and Optimization, Pre and Post Lounge for Indoor Small Cells Project (SpiderCloud Wireless).
 - Monitoring and analysis of post launch critical KPIS Retainability, Accessibility and Throughput. LTE and 3G
 - Analysis of KPIS, Site survey (QXDM and XCAL) and IBwave Design for enterprise projects.
 - Adjusted, 3G and LTE networks to improve performance to Radio Nodes and Services Node
 - Revised quality parameters prior to commercial used. Radio Network Quality of Service Parameters, Transport Network Quality of Service Parameters,
 - Create external and internal Neighbors list, outers Audits.
 - RF Parameters Change implementation to improve performance.
 - Populate RF design data into network design templatefor Small Cells.
 - Experience in wireless network planning and design IBwave.
 - Walk test with QXDM analysis UMTS and LTE post-processing.
 - Monitor and meet System Performance goals including Ineffective Attempts and Lost Calls in voice networks, Failed Connection Attempts and Dropped Connections in UMTS and LTE.
 - Create the Design for the new project about indoor site for America Movil.
 - PCI and PSC planning activities for new indoor sites
 - Perform eCSFB (enhanced Circuit Switch Fall back) testing on indoor sites
 - Site survey for Design Team using QXDM and TEMS
 - Perform tests coverage with QXDM on site after en post launch.
 - Run test on indoors site for checking coverage and performance
 - Contributed with design team with site survey on in building site
 - CSFB test using QXDM, TEMS and XCAL tool to get monitoring information.
 - Support, Configurations y Repair de Computers.
 - Diagnostic de fails and Installation equipment of networks data (CISCO).
 - Solutions reports on site.
 - Integration of CISCO Services Node and test performance
 - Siterra Tool for management and deployment trials projects in Region 9 MX
 - Deployment on Siterra 50 Trials projects
 - Wireless air-interfaces LTE, 802.11 WLAN indoor coverages
 - Ping Transport Layer protocols such as UDP and test analysis tools such as Wireshark.
 - iBwave design activities not certification. Site Walk Test (QXDM), Post Processing (TEMS investigation, QPST and XCAL), RF Engineering and RF parts and properties. Model Tuning for designs
 - Automatic Cell Planning (ACP) to improve coverage between carriers for indoor sites.
 - Tuning models of propagation to local morphologies using CW data for indoor coverages
 - Network Engineer – Job Stage 5 in Ericsson MX GSC, ONE RAN Project – Mexico City (Nov 2014 to May 2015)
 - Optimization of LTE and WCDMA pre and post launch based on Statistics monitoring.
 - Design and Optimization of LTE and WCDMA RAN Network and DT activities. MAPINFO and ATOLL for Designs
 - Provide to the team update RFDS.
 - Capable of analyzing Layer 3 Messages and understand traces results.
 - Worst cells analysis and recommendations
 - Parameters and Features Audit and Optimization
 - Capable of generating progress reports to the customer on a weekly basis.
 - Experience with Moshell Ericsson OSS platform and its application
 - Audit Baseline Implementation on 3G Sites
 - Sites troubleshooting (Alarms understanding, consistency check, traces)
 - Parameters Change implementation on Moshell Ericsson OSS.

- Analyzed statistical reports to detect any deviations in key performance indicators
 - Adjusted GSM, 3G and LTE networks to improve performance.
 - Monitor and trend network statistics, troubleshoot issue sites and resolve capacity issues.
 - Project for LTE and WCDMA PS and CS KPI's (HSDPA) improvement, this project were in increasing the Retainability & Accessibility within the whole Network, including dense urban & rural areas.
 - Optimization, Adjusted and Performed Troubleshooting on the 3G and LTE networks, RF performance, CDMA, Flexent Modular cells (CDMA & PCS),
 - CDMA 1X/EVDO networks.
 - Team leader Optimization in ONE RAN Project for TELCEL NodeB - eNodeB RBS6000 Eriksson series.
 - with Performance PMR's in Pre and Post SWAP ONE RAN Project
 - Monitor and meet System Performance goals including Ineffective Attempts and Lost Calls in voice networks, Failed Connection Attempts and Dropped Connections in GSM GPRS/EDGE, UMTS and LTE.
 - working with the performance team to understand issues within his/her area; help reduce Lost Calls and Ineffective Attempts using MapInfo tool
 - Planning PCI for new sites
 - Getting KPIS from Ericsson OSS as Ret_ERabDrop, Mob_MobilitySuccRate, Ret_ERabRetainabilityRate, Acc_InitialERabEstabSuccRate, Acc_RrcConnSetupSuccRate, and Throughput_kbps
- RBS Network Engineer at 3s Network in RSM CA US (May 2013 to Nov 2014)
 - Adjusted 3G and LTE networks to improve performance
 - Design and Optimization, Adjusted and Performed on the 3G and LTE networks.
 - Revised quality parameters prior to commercial used. Radio Network Quality of Service Parameters, Transport Network Quality of Service Parameters,
 - Work with RF Integration and technical support teams to resolve any hardware/technical issues and implement changes on NodeB/eNodeB RBS6000 series
 - Perform RF optimization/performance activities according to project plan and in project manager's guidance.
 - Troubleshooting 2G and 3G Nodes.
 - Cellular One Rollout Project GSM Migration, UMTS Implementation.
 - Generated periodic reports for tracing and system optimization, adding obtained results to determine appropriate actions
 - Experience with monitoring and analysis of post launch critical KPIs Retainability., Accessibility, Integrity, Mobility, IRAT HO optimization, and new feature activation.
 - Experience generating RF engineering related reports in Excel, Access, Powerpoint etc.
 - Design and Optimization of the cellular network capacity with Ericsson SWAP Project for Cellular ONE in Arizona
 - Reporting to the commercial launch and post- launch
 - Implementation and Audit Features
 - DAS installation, troubleshooting, check coverages
 - RAN Troubleshooting and Support.
- Radio Frequency, optimization and KPI's Analyst at TELCEL. Radiomovil DIPSA S.A. de C.V. Monterrey NL Mexico (February 2009 - January 2013)
 - Provide inputs for to create Design on the new projects.
 - DAS Design Coverage optimization at through Walk test Analyzed with TEMS and Atoll
 - Check the coverages are already cording to the design for special clusters.
 - Responsible gathering field measurements and reconciling them with technical and commercial requirements.
 - Perform analysis of network KPI's, troubleshoot issues, and be involved hands-on with day-to-day performance management / optimization functions
 - Generated periodic reports for tracing and system optimization, adding obtained results to determine appropriate actions
 - Ensured functionality delivered during project implementation did not deviate from the design document RFDS for indoor DAS and Macro sites. ASSET tool
 - Analyzed statistical reports to detect any deviations in key performance indices
 - Adjusted GSM, 3G and LTE networks to improve performance.
 - Monitor and trend network statistics, troubleshoot issue sites and resolve capacity issues.
 - Implementation of new features, tuning CDMA/LTE radio network parameters
 - Revised quality parameters prior to commercial used.
 - Project for WCDMA PS KPI's (HSDPA) improvement, this project were in increasing the Retainability & Accessibility within the whole Network, including dense urban & rural areas.
 - Optimization, Adjusted and Performed Troubleshooting on the 3G and LTE networks.
 - Responsible for the RF optimization of the UMTS RAN system for city
 - Supports network capacity planning and dimensioning.
 - Parameter creation for new 2G Ericsson BTS integration.
 - Experience TEMS, ARIESO, SMART, Swisqual Solutions, WindCatcher. and XCAL tool
 - DAS Optimization, site survey, checking coverages
 - Verification of cell parameters on BSC / RNC / eNodeB
 - UMTS and LTE Pre and post Launch Optimization
 - Making Arieso reportos, getting currents KPIs from that tool. Also for LTE Initial tuning making Pre and Post coverage reports, RSRP, SINR, Voice call Drops, thuroughput.

Skills:

- Analysis
- Decision Making
- Customer Service Oriented
- Adaptability

Professional Development:

- CISCO CCNA 4 Modules. In process of certification.
- OSHA
- CPR
- AT&T ask yourself

Languages:

English

Software:

Windows, Office, Packer Tracer, Boson, Remedy, SMART, MAPINFO PROFESSIONAL, SONAR, Outlook, Diversity Cell, Arieso Software OMT, Element Manager, HyperTerminal, Ericsson SiteHandler,, ARIESO, Moshell, NQDI (3G and 2G optimizer), Actix, NEMO Outdoor, Nemo Handy, Nemo Analyze, QXDM, Python, Post processing tool processing and analysis: TEMS, Windcatcher, Swisqual solutions NQDI, Diversity Cell, design tools IBWAVE, ATOLL JDSU, NodeB/eNodeB RBS6000 series, Asset, Actix, Powershell Scripting, BTS Site Manager, SAM, NPMO, NetAct, AT&T Quantum.