

EDS FLOWSENSE

The whole network. Understood.


Live operations, infiltration and inflow, pump stations and calibrated hydraulic models, on one validated record. One platform, where there used to be four suppliers.

MONITOR

ANALYSE

ENGINEER

DELIVER



Four suppliers. Or one platform.

Doing this properly has meant a logger portal, a spreadsheet study, a modelling engagement and a fortnight of reporting, each in its own format, with somebody retyping numbers in between. FlowSense carries one reading the whole way.

01 Sense The reading in the chamber, from any logger or SCADA	02 Record Validated, kept at field time, never half loaded	03 Operate Alarms, fleet health, blockages, pump stations	04 Analyse Infiltration and inflow in kilolitres, storm by storm	05 Engineer Calibrated models, the heat map, the capital plan	06 Decide Board reports and feeds, under your own name
---	--	---	--	---	--

USUALLY BOUGHT AS

A logger portal Live readings and alarms for one brand of instrument	A study A spreadsheet, once a year	A consultancy A model, delivered as a PDF	A fortnight Copying charts into a document
--	--	---	--

WITH FLOWSENSE

EDS FlowSense One record. One subscription. Every stage, and nothing retyped between them.

No other platform sold in Australia carries a reading **the whole way**, from the chamber to the capital plan, on one record and in one subscription.

The same number, everywhere

The figure in the board paper and the reading in the chamber are one number, and you can walk from one to the other.

Answers in the meeting

An overflow on Monday is read against the rain, the sites upstream and the calibrated model in minutes, not in a scope of works.

Evidence that stays yours

When the programme is funded, the working is still there, re-runnable, and exportable in open formats.

60_s

between refreshes of the whole network

5

ways in from your SCADA, no EDS software on it

8

blockage signatures, six of them from level alone


90_{days}

free trial, on your own flow history

NETWORK OVERVIEW

Every site, every minute. Worst first.

The Overview opens on what needs a person: open alarms, loggers going quiet, sites outside their usual and the rain arriving. It refreshes every sixty seconds, on any screen.



- Alarms, ranked**
Unacknowledged alarms lead the page, each a click from the site that raised it.

- Needs attention**
Recent failures first, then the backlog, each with its site and its reason.


- Since you last looked**
A written summary of what changed while you were away, naming the site to look at first.

- Rain, as it lands**
Gauges reporting rain, and radar over the network map, so weather is never read as a fault.

THE SITE WORKSPACE

One site, every channel, thirty days on one chart.

Flow, depth, velocity, rain and the logger's own health on one record, with the site's normal range drawn behind them. Whatever you are looking at travels in the link.



Against its own usual

A chip says how far the site sits from its own learned pattern for the hour.

Rain where it fell

Hourly rain from the site's own forecast model cell, drawn over the hour it fell.


Two sites, one chart

Lay another site over this one, shifted in time when the flow takes hours to arrive.

FLEET HEALTH AND ALARMS

The failing logger, named before it goes quiet.

A monitoring programme fails quietly: a battery flattens, a modem stops answering, and the quarter's report is already wrong. FlowSense watches the fleet itself.



A replace-by date for every battery

Projected from that site's own discharge trend, with the battery judged for its chemistry. A dying logger becomes a planned visit.

Late, judged site by site

Offline means a site missed its own delivery deadline, so a twice daily logger is never reported late at hour three.

Alarms that reach a person

Threshold and no data rules by email and SMS, sent once when the state changes, to people rather than to addresses.


Monday, in the inbox

A summary of the reader's own network, waiting at the start of the week.

BLOCKAGE WATCH · ON EVERY SITE

Blockages found in dry weather, weeks before they overflow.

A sewer drains almost empty overnight, and an obstruction shows in that trough long before anyone rings the council. Blockage Watch reads it on every site, rain set aside.



- 1 A decision, ranked**
The watchlist puts what needs a decision first, then what is clearing on its own.
- 3 A mechanism and an action**
Silt or grease, sudden obstruction, downstream restriction or increased load, each with what to do.

- 2 A score with its bands**
Watch from 35, warning from 55, critical from 75. A case closes itself once the signature goes.
- 4 The verdict that saves a crew**
Level up, but the pipe is passing more water: increased load, not an obstruction. No jetting.



Eight signatures, dry days only, and a one click backtest against your own overflow register. The hit rate you see is yours.

INFILTRATION AND INFLOW

Infiltration and inflow, in kilolitres.

"This catchment is wet" is not a business case. A volume, a peak, a lag and a percentage over dry weather flow is. FlowSense separates the storm from the sewage beneath it, storm by storm.

PEAK RDII 236.8 L/s	RDII VOLUME 11,568.8 kL	% OVER DWF 25.87 %	STORM LAG 1.8 h	DWF AVERAGE 17.25 L/s	NIGHT BASELINE 6.86 L/s
----------------------------------	--------------------------------------	---------------------------------	------------------------------	------------------------------------	--------------------------------------



A baseline that moves

Dry weather flow from qualifying dry days only, so a weekend or a wet winter is never charged to the storm.

Catchment closure

Upstream against downstream, aligned on travel time, so you know how much of the flow is accounted for.

Ranked across the network

Which catchment first, which can wait, and which is not a rainfall problem at all.


A price on the water

Volumes priced at your own treatment and pumping rates, carried into the capital plan unchanged.

PSM · PUMP STATION MANAGER

Station flow from the pumps you already run. No flow meter.

A wet well fills as sewage arrives and empties as the pumps move it. So a level signal, the pump run states and the well's dimensions are a flow record, and a record of every pump.



1 Every station's week

Volume moved, starts, and each pump against its rating, the station needing attention first.

3 A briefing, in words

What is worth watching and what is for the record, with a way straight to the evidence.

2 The wet well, drawn

An engineer's section of the well, with its start and stop levels and the duty band, as it stands now.


4 Pump condition, with a date

Each pump's measured delivery against its rating, a warning when its output slips, and its remaining useful life as a range.

I/I HEAT MAP

Severity painted onto the real network.

Infiltration and inflow attributed along the gravity network by catchment and flow direction, each estimate carrying its confidence. The result is a ranked list of the pipes worth sending a camera down.



Six methods

Chosen by what your data supports, and the platform says which applies.

Along the pipes

Severity follows the way the sewer drains, not a circle drawn round a meter.

Confidence, 0 to 1

Pipes far from a gauge fade, rather than pretend to a number.

Your GIS, as supplied

The council's sewer layer loads from the file it came in, and the map exports as an A4 report.

01

Measure

Storm response quantified at each gauge

02

Attribute

Carried along the network by catchment and flow

03

Rank

Pipes ordered by how likely they are sources

04


Cost

The programme priced per kilolitre removed

MODELLING PROJECTS

A calibrated model you keep, not a report you file.

Calibration, validation and a dynamic wave network model, run as a project your engineers keep. When the question comes back next year, it is run again, not commissioned again.



EVERY STORM SCORED ON ITS OWN, TO THE CIWEM CODE OF PRACTICE

-15% to +25%

Simulated peak flow against observed

-10% to +20%

Event volume against observed

1 hour

Tolerance on the timing of the peak

3 storms

The least a run needs before it may be called verified

Dynamic wave hydraulics

Pipes, pumps, gates and control rules, from the network's own dry weather state, exported to EPA SWMM 5.

The capital plan

Options ranked by net present value, benefit cost ratio and cost per kilolitre removed.

Your asset register, tested

The council's GIS checked against itself and the measured flow, each finding with its evidence.

REPORTS AND FEEDS

The board paper, from the record your operators use.

Each template is written for a different reader and generated from the same validated record, under your logo. The quarterly pack stops being a fortnight of copying charts.

A template for every reader

Executive summary, flow totals, flow analysis, engineering diagnostic, site investigation, network performance, and pump stations.

Context, not just totals

The period set against five other windows, including the same weeks last year.

Your document, not ours


Your logo and title throughout, as a branded PDF with contents and bookmarks, or a CSV bundle.

Feeds on a schedule

CSV or JSON to SFTP, FTPS or MQTT, with run history. A failed send never skips a window.

A read API and webhooks


Your historian, BI stack or GIS reads the same record the reports are written from.



OFFICE AND FIELD

The office and the manhole see the same thing.

The same account on a phone, with nothing to install and no second licence. What the crew found sits beside the data it explains, where next year's engineer will find it.



Notes with photographs

Observation, maintenance and calibration notes, with photos and video from the phone in the crew's pocket.

A link for the contractor

A single use link opens one job and nothing else. What they find comes back onto the case.

Surveys that write the paperwork

The pre-installation survey fills out the inspection report, manhole diagram included.

The instrument's history


Zero checks, reference readings and meter comparisons kept against the site, for the year somebody asks.

No field app to licence, deploy or keep in step. The crew already carries the platform.

GETTING CONNECTED

Bring the fleet you own and the SCADA you run.

Nothing here asks you to replace an instrument or start your record again. Several logger brands, two SCADA systems and a decade of spreadsheets land in one account and read as one network.



Rain at every site, without a separate subscription. Hourly rainfall from the ECMWF forecast model at each site's own grid cell, filed in the hour it fell, with the odds of rain from its 51 member ensemble and a running score of how right each outlook turned out to be.

Commissioned with you. Every connection is stood up with your IT or SCADA people, against documents written for them, and is not called done until a reading has arrived and been checked.

Hosted in Sydney DigitalOcean's Sydney region	Encrypted in transit Current TLS, with strict transport security	Two-factor sign-in Time based codes, to RFC 6238
Access to the channel Roles, pages, sites and channels, set by you	A full audit trail Who signed in, viewed, changed and exported	Write-only ingest A leaked token cannot read a stored value

ONLY ON ONE RECORD

Eight things you will not find together anywhere else.

Each answers a question an authority is asked every year. Together, on one record and one subscription, they are the reason FlowSense exists.

01 One record, end to end

The reading in the chamber and the figure in the board paper are the same number, never retyped.

02 Blockages read from the pipe

Eight dry weather signatures that name the mechanism and the action, backtested on your own overflows.

03 Flow from every pump station

Station inflow and pump condition from the level and run signals you already have.

04 Infiltration that adds up

Sanitary, groundwater and rainfall derived flow, summing exactly to the metered total.

05 Models you keep

Storm by storm calibration, a dynamic wave network and a costed plan, in one workspace.

06 Data both ways

Your SCADA in five ways, and the validated record back out to it.

07 Every number shows its working

"How this is calculated" on the figures that matter, naming the method and the standard.

08 A price on the page

Per site, everything included, unlimited users, and no editions to choose between.

Built to the published standards, and tested against them on every release

Each calculation cites the standard it follows, in the product, where your reviewer can read it.

CIWEM UDG Code of Practice, 2017

WEF MOP FD-6

WSA 02 Sewerage Code of Australia

AR&R 2019 and AS/NZS 3500.3

QARTOD

EPA SWMM 5

ISO 13381-1

Built in Australia, for Australian networks: our sewerage codes, our rainfall guidance, and the clock your crews keep.

ONE SUBSCRIPTION

Every capability. Priced by the site.

Published, because a price you can only discover through a sales cycle is itself a cost. No editions and no per user fees: everything in this brochure is in the one subscription.

FIRST 20 SITES

\$30

per site, per month

SITES 21 AND BEYOND

\$20

per site, per month

WHAT THAT MEANS FOR A REAL NETWORK	SITES	PER YEAR	PER SITE, PER MONTH
Small shire	5	\$1,800	\$30
Regional council	20	\$7,200	\$30
Mid size council	50	\$14,400	\$24
Large regional network	90	\$24,000	\$22
Bulk utility	300	\$74,400	\$21

FREE TRIAL

\$0

90 days of the whole platform, on your own uploaded flow history.

ASSISTED ONBOARDING

\$2,500

Once. GIS, sites, alarms, SCADA commissioning and training. Waived at 50 sites and above.

GUIDED CALIBRATION

\$7,500

Per catchment, optional. Calibration is included; this is EDS doing it with you.

The fine print, in full. AUD excluding GST, billed annually on twelve month terms. Bands are cumulative, so growth never re-prices the sites you already have. A site is a monitored location with at least one active channel; archived sites cost nothing. Unlimited users. SMS alerting is the only pass-through charge, at carrier cost. Cancel at renewal and your data exports with you in full.

NEXT STEP

See it on your own network.

Send us the flow history you already hold. We will stand up a 90 day trial on it and show you your infiltration ranking the same afternoon.

Or book a live demonstration, and bring your hardest question about how a figure was calculated.

CALL

1300 721 683

ONLINE

www.e-d-s.com.au

THE PLATFORM

edsflowsense.au

EDS FlowSense brochure, EDS-FS-FLG-01, revision 1.1 of 9 October 2026. Screens are photographed from the platform's demonstration account, whose sites and readings are synthetic. Capabilities are those of the released platform at the date of issue. Prices are the rates current at the date of issue. Third party names are the trademarks of their respective owners.