

A

Minor project

BY

Name : Yaparala Meena Kumari

College Name : Rajeev GAndhi Memorial College Engineering

Email id : yaparalameenakumari@gmail.com

InternShip Domain : Cyber security

Batch : November 2023 batch

On

Web application Penetration Testing(WAPT)

<http://testphp.vulnweb.com>


Procedure for the testing:

Firstly in Kali Linux we have to install OSWAP ZAP from the online website.using link: http://old.kali.org/kali/pool/main/z/zaproxy/zaproxy_2.9.0-0kali1_all.deb

Use the command to activate OSWAP ZAP in Kali

```
"sudo dpkg -i Downloads/zaproxy_2.9.0-0kali1_all.deb"
```

Now we have to open OSWAP ZAP in our kali Os it will be like this
Here we need open **Automater Scan** to do testing:



In the above diagram after opening automated scan we can see the url bar to write there we have to write the link of the website that we have to attack and then click attack button. As below:



Automated Scan



This screen allows you to launch an automated scan against an application - just enter its URL below and press 'Attack'.

Please be aware that you should only attack applications that you have been specifically given permission to test.

URL to attack: Select...

Use traditional spider: ☒


Use ajax spider: ☐ with Firefox Headless ▼

Attack Stop


Progress: Actively scanning (attacking) the URLs discovered by the spider(s)

| URLs | Added Nodes | Messages | Method | URI | Flags |
|-----------|-------------|----------|--------|--|--------------|
| Processed | | | GET | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1/ | |
| | | | GET | http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-1.html | |
| | | | GET | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/ | |
| | | | GET | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3/ | |
| | | | GET | http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-3.html | |
| | | | POST | http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-2.html | |
| | | | GET | http://testphp.vulnweb.com/cart.php | |
| | | | GET | http://testphp.vulnweb.com/secured/style.css | Out of Scope |
| | | | POST | http://www.w3.org/TR/html4/loose.dtd | |
| | | | POST | http://testphp.vulnweb.com/cart.php | |
| | | | POST | http://testphp.vulnweb.com/cart.php | |
| | | | POST | http://testphp.vulnweb.com/cart.php | |
| | | | POST | http://testphp.vulnweb.com/cart.php | |
| | | | POST | http://testphp.vulnweb.com/cart.php | |


Spider means it will count the number of urls present in the website that we are going to hack is called spider



After completion of the Spider then **Active Scan** will be started it will take a lots of time to complete the scanning of the particular website .



Here we are seeing the **history** space where we can be able to see the history of the websites that we have done scanning on them but it is my first so there is only one.



Alerts are nothing but the critical level of the problem that we are going to face during that phase.

where we are able to see the details of the alert like name of the url, risk, confidence, attack evidence, source, description about the name of the particular url.


it is of 4 types:

Red alert


Blue alert

Orange alert


Yellow alert




Here we are showing the **Orange alert** .Orange alter means we are having medium level of the risk.




Here we are showing the **Yellow alert** .Yellow alter means we are having high level of the risk.




Here we are showing the **Blue alert** .Blue alter means we are having low level of the risk.




Here we are showing the **Red alert** .Red alert means we are having Very high level of the risk.



Here we can see the **scanning** is still happening and it is at 29%.



Here the Scanning is completed successfully. And now we have to generate the report related to it by using the **report** option in the above.



Now here we have to choose in which form we need our report i choose pdf form in the **template** later at the scope stage we have keep the title,name,description of our report and we have to create the report.

Report on the scanning is below



PENETRATION TESTING ON ACUNETIX

this is testing scanning using oswap zap

Site: <http://testphp.vulnweb.com>

Generated on Sat, 9 Dec 2023 12:52:37

ZAP Version: 2.14.0

Summary of Alerts

| Risk Level | Number of Alerts |
|---------------|------------------|
| High | 4 |
| Medium | 5 |
| Low | 3 |
| Informational | 7 |

Alerts

| Name | Risk Level | Number of Instances |
|---|---------------|---------------------|
| Cross Site Scripting (Reflected) | High | 14 |
| SQL Injection | High | 7 |
| SQL Injection - MySQL | High | 7 |
| SQL Injection - SQLite | High | 1 |
| .htaccess Information Leak | Medium | 7 |
| Absence of Anti-CSRF Tokens | Medium | 40 |
| Content Security Policy (CSP) Header Not Set | Medium | 48 |
| Missing Anti-clickjacking Header | Medium | 44 |
| XSLT Injection | Medium | 2 |
| Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s) | Low | 62 |
| Server Leaks Version Information via "Server" HTTP Response Header Field | Low | 74 |
| X-Content-Type-Options Header Missing | Low | 68 |
| Authentication Request Identified | Informational | 1 |
| Charset Mismatch (Header Versus Meta Content-Type Charset) | Informational | 31 |
| GET for POST | Informational | 1 |
| Information Disclosure - Suspicious Comments | Informational | 1 |
| Modern Web Application | Informational | 9 |
| User Agent Fuzzer | Informational | 226 |
| User Controllable HTML Element Attribute (Potential XSS) | Informational | 3 |

Alert Detail

| High | Cross Site Scripting (Reflected) |
|-------------|--|
| Description | <p>Cross-site Scripting (XSS) is an attack technique that involves echoing attacker-supplied code into a user's browser instance. A browser instance can be a standard web browser client, or a browser object embedded in a software product such as the browser within WinAmp, an RSS reader, or an email client. The code itself is usually written in HTML /JavaScript, but may also extend to VBScript, ActiveX, Java, Flash, or any other browser-supported technology.</p> <p>When an attacker gets a user's browser to execute his/her code, the code will run within the security context (or zone) of the hosting web site. With this level of privilege, the code has the ability to read, modify and transmit any sensitive data accessible by the browser. A Cross-site Scripted user could have his/her account hijacked (cookie theft), their browser redirected to another location, or possibly shown fraudulent content delivered by the web site they are visiting. Cross-site Scripting attacks essentially compromise the trust relationship between a user and the web site. Applications utilizing browser object instances which load content from the file system may execute code under the local machine zone allowing for system compromise.</p> <p>There are three types of Cross-site Scripting attacks: non-persistent, persistent and DOM-based.</p> <p>Non-persistent attacks and DOM-based attacks require a user to either visit a specially crafted link laced with malicious code, or visit a malicious web page containing a web form, which when posted to the vulnerable site, will mount the attack. Using a malicious form will oftentimes take place when the vulnerable resource only accepts HTTP POST requests. In such a case, the form can be submitted automatically, without the victim's knowledge (e.g. by using JavaScript). Upon clicking on the malicious link or submitting the malicious form, the XSS payload will get echoed back and will get interpreted by the user's browser and execute. Another technique to send almost arbitrary requests (GET and POST) is by using an embedded client, such as Adobe Flash.</p> <p>Persistent attacks occur when the malicious code is submitted to a web site where it's stored for a period of time. Examples of an attacker's favorite targets often include message board posts, web mail messages, and web chat software. The unsuspecting user is not required to interact with any additional site/link (e.g. an attacker site or a malicious link sent via email), just simply view the web page containing the code.</p> |
| URL | http://testphp.vulnweb.com/hpp/?pp=%22%3E%3Cscript%3Ealert%281%29%3B%3C%2Fscript%3E |
| Method | GET |
| Attack | "><script>alert(1);</script> |
| Evidence | "><script>alert(1);</script> |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp/params.php?p=%3Cscript%3Ealert%281%29%3B%3C%2Fscript%3E&pp=12 |
| Method | GET |
| Attack | <script>alert(1);</script> |
| Evidence | <script>alert(1);</script> |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp/params.php?p=valid&pp=%3Cscript%3Ealert%281%29%3B%3C%2Fscript%3E |
| Method | GET |
| Attack | <script>alert(1);</script> |
| Evidence | <script>alert(1);</script> |

| | |
|------------|---|
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=%3Cimg+src%3Dx+onerror%3Dprompt%28%29%3E |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=%3Cimg+src%3Dx+onerror%3Dprompt%28%29%3E |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| Attack | <script>alert(1);</script> |
| Evidence | <script>alert(1);</script> |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| Attack | </td><script>alert(1);</script><td> |
| Evidence | </td><script>alert(1);</script><td> |
| Other Info | |
| URL | http://testphp.vulnweb.com/search.php?test=query |
| Method | POST |
| Attack | </h2><script>alert(1);</script><h2> |
| Evidence | </h2><script>alert(1);</script><h2> |
| Other Info | |
| URL | http://testphp.vulnweb.com/secured/newuser.php |
| Method | POST |
| Attack | <script>alert(1);</script> |
| Evidence | <script>alert(1);</script> |
| Other Info | |
| URL | http://testphp.vulnweb.com/secured/newuser.php |
| Method | POST |
| Attack | <script>alert(1);</script> |
| Evidence | <script>alert(1);</script> |
| Other | |

| | |
|------------|---|
| Info | |
| URL | http://testphp.vulnweb.com/secured/newuser.php |
| Method | POST |
| Attack | <script>alert(1);</script> |
| Evidence | <script>alert(1);</script> |
| Other Info | |
| URL | http://testphp.vulnweb.com/secured/newuser.php |
| Method | POST |
| Attack | <script>alert(1);</script> |
| Evidence | <script>alert(1);</script> |
| Other Info | |
| URL | http://testphp.vulnweb.com/secured/newuser.php |
| Method | POST |
| Attack | <script>alert(1);</script> |
| Evidence | <script>alert(1);</script> |
| Other Info | |
| URL | http://testphp.vulnweb.com/secured/newuser.php |
| Method | POST |
| Attack | <script>alert(1);</script> |
| Evidence | <script>alert(1);</script> |
| Other Info | |
| Instances | 14 |
| | <p>Phase: Architecture and Design</p> <p>Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.</p> <p>Examples of libraries and frameworks that make it easier to generate properly encoded output include Microsoft's Anti-XSS library, the OWASP ESAPI Encoding module, and Apache Wicket.</p> <p>Phases: Implementation; Architecture and Design</p> <p>Understand the context in which your data will be used and the encoding that will be expected. This is especially important when transmitting data between different components, or when generating outputs that can contain multiple encodings at the same time, such as web pages or multi-part mail messages. Study all expected communication protocols and data representations to determine the required encoding strategies.</p> <p>For any data that will be output to another web page, especially any data that was received from external inputs, use the appropriate encoding on all non-alphanumeric characters.</p> <p>Consult the XSS Prevention Cheat Sheet for more details on the types of encoding and escaping that are needed.</p> <p>Phase: Architecture and Design</p> <p>For any security checks that are performed on the client side, ensure that these checks are duplicated on the server side, in order to avoid CWE-602. Attackers can bypass the client-</p> |

| | |
|-----------|--|
| Solution | side checks by modifying values after the checks have been performed, or by changing the client to remove the client-side checks entirely. Then, these modified values would be submitted to the server. |
| | If available, use structured mechanisms that automatically enforce the separation between data and code. These mechanisms may be able to provide the relevant quoting, encoding, and validation automatically, instead of relying on the developer to provide this capability at every point where output is generated. |
| | Phase: Implementation |
| | For every web page that is generated, use and specify a character encoding such as ISO-8859-1 or UTF-8. When an encoding is not specified, the web browser may choose a different encoding by guessing which encoding is actually being used by the web page. This can cause the web browser to treat certain sequences as special, opening up the client to subtle XSS attacks. See CWE-116 for more mitigations related to encoding/escaping. |
| | To help mitigate XSS attacks against the user's session cookie, set the session cookie to be HttpOnly. In browsers that support the HttpOnly feature (such as more recent versions of Internet Explorer and Firefox), this attribute can prevent the user's session cookie from being accessible to malicious client-side scripts that use document.cookie. This is not a complete solution, since HttpOnly is not supported by all browsers. More importantly, XMLHttpRequest and other powerful browser technologies provide read access to HTTP headers, including the Set-Cookie header in which the HttpOnly flag is set. |
| | Assume all input is malicious. Use an "accept known good" input validation strategy, i.e., use an allow list of acceptable inputs that strictly conform to specifications. Reject any input that does not strictly conform to specifications, or transform it into something that does. Do not rely exclusively on looking for malicious or malformed inputs (i.e., do not rely on a deny list). However, deny lists can be useful for detecting potential attacks or determining which inputs are so malformed that they should be rejected outright. |
| | When performing input validation, consider all potentially relevant properties, including length, type of input, the full range of acceptable values, missing or extra inputs, syntax, consistency across related fields, and conformance to business rules. As an example of business rule logic, "boat" may be syntactically valid because it only contains alphanumeric characters, but it is not valid if you are expecting colors such as "red" or "blue." |
| | Ensure that you perform input validation at well-defined interfaces within the application. This will help protect the application even if a component is reused or moved elsewhere. |
| Reference | http://projects.webappsec.org/Cross-Site-Scripting https://cwe.mitre.org/data/definitions/79.html |
| CWE Id | 79 |
| WASC Id | 8 |
| Plugin Id | 40012 |

| High | SQL Injection |
|-------------|--|
| Description | SQL injection may be possible. |
| URL | http://testphp.vulnweb.com/artists.php?artist=5-2 |
| Method | GET |
| Attack | 5-2 |
| Evidence | |
| Other Info | The original page results were successfully replicated using the expression [5-2] as the parameter value The parameter value being modified was stripped from the HTML output for the purposes of the comparison |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=4-2 |
| Method | GET |
| Attack | 4-2 |

| | |
|------------|--|
| Evidence | |
| Other Info | The original page results were successfully replicated using the expression [4-2] as the parameter value The parameter value being modified was stripped from the HTML output for the purposes of the comparison |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=3+AND+1%3D1+---+ |
| Method | GET |
| Attack | 3 OR 1=1 -- |
| Evidence | |
| Other Info | The page results were successfully manipulated using the boolean conditions [3 AND 1=1 --] and [3 OR 1=1 --] The parameter value being modified was NOT stripped from the HTML output for the purposes of the comparison Data was NOT returned for the original parameter. The vulnerability was detected by successfully retrieving more data than originally returned, by manipulating the parameter |
| URL | http://testphp.vulnweb.com/product.php?pic=8-2 |
| Method | GET |
| Attack | 8-2 |
| Evidence | |
| Other Info | The original page results were successfully replicated using the expression [8-2] as the parameter value The parameter value being modified was stripped from the HTML output for the purposes of the comparison |
| URL | http://testphp.vulnweb.com/secured/newuser.php |
| Method | POST |
| Attack | ZAP' OR '1'='1' -- |
| Evidence | |
| Other Info | The page results were successfully manipulated using the boolean conditions [ZAP' AND '1'='1' --] and [ZAP' OR '1'='1' --] The parameter value being modified was stripped from the HTML output for the purposes of the comparison Data was NOT returned for the original parameter. The vulnerability was detected by successfully retrieving more data than originally returned, by manipulating the parameter |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | POST |
| Attack | ZAP' OR '1'='1' -- |
| Evidence | |
| Other Info | The page results were successfully manipulated using the boolean conditions [ZAP' AND '1'='1' --] and [ZAP' OR '1'='1' --] The parameter value being modified was NOT stripped from the HTML output for the purposes of the comparison Data was NOT returned for the original parameter. The vulnerability was detected by successfully retrieving more data than originally returned, by manipulating the parameter |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | POST |
| Attack | ZAP' OR '1'='1' -- |
| Evidence | |
| Other Info | The page results were successfully manipulated using the boolean conditions [ZAP' AND '1'='1' --] and [ZAP' OR '1'='1' --] The parameter value being modified was NOT stripped from the HTML output for the purposes of the comparison Data was NOT returned for the original parameter. The vulnerability was detected by successfully retrieving more data than originally returned, by manipulating the parameter |
| Instances | 7 |
| | Do not trust client side input, even if there is client side validation in place. |

| | |
|-----------|---|
| Solution | In general, type check all data on the server side. |
| | If the application uses JDBC, use PreparedStatement or CallableStatement, with parameters passed by '?' |
| | If the application uses ASP, use ADO Command Objects with strong type checking and parameterized queries. |
| | If database Stored Procedures can be used, use them. |
| | Do *not* concatenate strings into queries in the stored procedure, or use 'exec', 'exec immediate', or equivalent functionality! |
| | Do not create dynamic SQL queries using simple string concatenation. |
| | Escape all data received from the client. |
| | Apply an 'allow list' of allowed characters, or a 'deny list' of disallowed characters in user input. |
| | Apply the principle of least privilege by using the least privileged database user possible. |
| Reference | In particular, avoid using the 'sa' or 'db-owner' database users. This does not eliminate SQL injection, but minimizes its impact. |
| | Grant the minimum database access that is necessary for the application. |
| Reference | https://cheatsheetseries.owasp.org/cheatsheets/SQL_Injection_Prevention_Cheat_Sheet.html |
| CWE Id | 89 |
| WASC Id | 19 |
| Plugin Id | 40018 |

| High | SQL Injection - MySQL |
|-------------|--|
| Description | SQL injection may be possible. |
| URL | http://testphp.vulnweb.com/artists.php?artist=3 |
| Method | GET |
| Attack | 3 / sleep(15) |
| Evidence | |
| Other Info | The query time is controllable using parameter value [3 / sleep(15)], which caused the request to take [20,269] milliseconds, when the original unmodified query with value [3] took [256] milliseconds |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=2 |
| Method | GET |
| Attack | 2 / sleep(15) |
| Evidence | |
| Other Info | The query time is controllable using parameter value [2 / sleep(15)], which caused the request to take [20,259] milliseconds, when the original unmodified query with value [2] took [522] milliseconds |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=3 |
| Method | GET |
| Attack | 3 / sleep(15) |
| Evidence | |
| Other Info | The query time is controllable using parameter value [3 / sleep(15)], which caused the request to take [20,276] milliseconds, when the original unmodified query with value [3] took [516] milliseconds |

| | |
|------------|---|
| URL | http://testphp.vulnweb.com/product.php?pic=6 |
| Method | GET |
| Attack | 6 / sleep(15) |
| Evidence | |
| Other Info | The query time is controllable using parameter value [6 / sleep(15)], which caused the request to take [20,281] milliseconds, when the original unmodified query with value [6] took [529] milliseconds |
| URL | http://testphp.vulnweb.com/search.php?test=query |
| Method | POST |
| Attack | ZAP' / sleep(15) / ' |
| Evidence | |
| Other Info | The query time is controllable using parameter value [ZAP' / sleep(15) / '], which caused the request to take [20,280] milliseconds, when the original unmodified query with value [ZAP] took [520] milliseconds |
| URL | http://testphp.vulnweb.com/secured/newuser.php |
| Method | POST |
| Attack | ZAP' / sleep(15) / ' |
| Evidence | |
| Other Info | The query time is controllable using parameter value [ZAP' / sleep(15) / '], which caused the request to take [15,502] milliseconds, when the original unmodified query with value [ZAP] took [532] milliseconds |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | POST |
| Attack | ZAP' / sleep(15) / ' |
| Evidence | |
| Other Info | The query time is controllable using parameter value [ZAP' / sleep(15) / '], which caused the request to take [15,508] milliseconds, when the original unmodified query with value [ZAP] took [532] milliseconds |
| Instances | 7 |
| Solution | <p>Do not trust client side input, even if there is client side validation in place.</p> <p>In general, type check all data on the server side.</p> <p>If the application uses JDBC, use PreparedStatement or CallableStatement, with parameters passed by '?'</p> <p>If the application uses ASP, use ADO Command Objects with strong type checking and parameterized queries.</p> <p>If database Stored Procedures can be used, use them.</p> <p>Do *not* concatenate strings into queries in the stored procedure, or use 'exec', 'exec immediate', or equivalent functionality!</p> <p>Do not create dynamic SQL queries using simple string concatenation.</p> <p>Escape all data received from the client.</p> <p>Apply an 'allow list' of allowed characters, or a 'deny list' of disallowed characters in user input.</p> <p>Apply the principle of least privilege by using the least privileged database user possible.</p> |

| | |
|-----------|---|
| | In particular, avoid using the 'sa' or 'db-owner' database users. This does not eliminate SQL injection, but minimizes its impact. |
| | Grant the minimum database access that is necessary for the application. |
| Reference | https://cheatsheetseries.owasp.org/cheatsheets/SQL_Injection_Prevention_Cheat_Sheet.html |
| CWE Id | 89 |
| WASC Id | 19 |
| Plugin Id | 40019 |

| | |
|-------------|---|
| High | SQL Injection - SQLite |
| Description | SQL injection may be possible. |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/6.jpg |
| Method | GET |
| Attack | case randomblob(100000000) when not null then 1 else 1 end |
| Evidence | The query time is controllable using parameter value [case randomblob(100000000) when not null then 1 else 1 end], which caused the request to take [553] milliseconds, parameter value [case randomblob(100000000) when not null then 1 else 1 end], which caused the request to take [1,193] milliseconds, when the original unmodified query with value [./pictures/6.jpg] took [518] milliseconds. |
| Other Info | The query time is controllable using parameter value [case randomblob(100000000) when not null then 1 else 1 end], which caused the request to take [553] milliseconds, parameter value [case randomblob(100000000) when not null then 1 else 1 end], which caused the request to take [1,193] milliseconds, when the original unmodified query with value [./pictures/6.jpg] took [518] milliseconds. |
| Instances | 1 |
| Solution | <p>Do not trust client side input, even if there is client side validation in place.</p> <p>In general, type check all data on the server side.</p> <p>If the application uses JDBC, use PreparedStatement or CallableStatement, with parameters passed by '?'</p> <p>If the application uses ASP, use ADO Command Objects with strong type checking and parameterized queries.</p> <p>If database Stored Procedures can be used, use them.</p> <p>Do *not* concatenate strings into queries in the stored procedure, or use 'exec', 'exec immediate', or equivalent functionality!</p> <p>Do not create dynamic SQL queries using simple string concatenation.</p> <p>Escape all data received from the client.</p> <p>Apply an 'allow list' of allowed characters, or a 'deny list' of disallowed characters in user input.</p> <p>Apply the principle of least privilege by using the least privileged database user possible.</p> <p>In particular, avoid using the 'sa' or 'db-owner' database users. This does not eliminate SQL injection, but minimizes its impact.</p> <p>Grant the minimum database access that is necessary for the application.</p> |
| Reference | https://cheatsheetseries.owasp.org/cheatsheets/SQL_Injection_Prevention_Cheat_Sheet.html |
| CWE Id | 89 |
| WASC Id | 19 |

| | |
|-----------|-----------------------|
| Plugin Id | 40024 |
|-----------|-----------------------|

| Medium | .htaccess Information Leak |
|-------------|---|
| Description | htaccess files can be used to alter the configuration of the Apache Web Server software to enable/disable additional functionality and features that the Apache Web Server software has to offer. |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/.htaccess |
| Method | GET |
| Attack | |
| Evidence | HTTP/1.1 200 OK |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1/.htaccess |
| Method | GET |
| Attack | |
| Evidence | HTTP/1.1 200 OK |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/.htaccess |
| Method | GET |
| Attack | |
| Evidence | HTTP/1.1 200 OK |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3/.htaccess |
| Method | GET |
| Attack | |
| Evidence | HTTP/1.1 200 OK |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3/.htaccess |
| Method | GET |
| Attack | |
| Evidence | HTTP/1.1 200 OK |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1/.htaccess |
| Method | GET |
| Attack | |
| Evidence | HTTP/1.1 200 OK |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2/.htaccess |
| Method | GET |

| | |
|------------|---|
| Attack | |
| Evidence | HTTP/1.1 200 OK |
| Other Info | |
| Instances | 7 |
| Solution | Ensure the .htaccess file is not accessible. |
| Reference | http://www.htaccess-guide.com/ |
| CWE Id | 94 |
| WASC Id | 14 |
| Plugin Id | 40032 |

| | |
|-------------|--|
| Medium | Absence of Anti-CSRF Tokens |
| Description | <p>No Anti-CSRF tokens were found in a HTML submission form.</p> <p>A cross-site request forgery is an attack that involves forcing a victim to send an HTTP request to a target destination without their knowledge or intent in order to perform an action as the victim. The underlying cause is application functionality using predictable URL /form actions in a repeatable way. The nature of the attack is that CSRF exploits the trust that a web site has for a user. By contrast, cross-site scripting (XSS) exploits the trust that a user has for a web site. Like XSS, CSRF attacks are not necessarily cross-site, but they can be. Cross-site request forgery is also known as CSRF, XSRF, one-click attack, session riding, confused deputy, and sea surf.</p> <p>CSRF attacks are effective in a number of situations, including:</p> <ul style="list-style-type: none"> * The victim has an active session on the target site. * The victim is authenticated via HTTP auth on the target site. * The victim is on the same local network as the target site. <p>CSRF has primarily been used to perform an action against a target site using the victim's privileges, but recent techniques have been discovered to disclose information by gaining access to the response. The risk of information disclosure is dramatically increased when the target site is vulnerable to XSS, because XSS can be used as a platform for CSRF, allowing the attack to operate within the bounds of the same-origin policy.</p> |
| URL | http://testphp.vulnweb.com |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFTOKEN, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/artists.php |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFTOKEN, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/artists.php?artist=1 |
| Method | GET |

| | |
|------------|--|
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/artists.php?artist=2 |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/artists.php?artist=3 |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/cart.php |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/categories.php |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/disclaimer.php |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | GET |
| Attack | |

| | |
|------------|--|
| Evidence | <form action="" method="post" name="faddentry"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "name" "submit"]. |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 2: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/index.php |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=1 |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=2 |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=3 |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=1 |
| Method | GET |
| Attack | |

| | |
|------------|--|
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=2 |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=3 |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=4 |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/login.php |
| Method | GET |
| Attack | |
| Evidence | <form name="loginform" method="post" action="userinfo.php"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "pass" "uname"]. |
| URL | http://testphp.vulnweb.com/login.php |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 2: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/product.php?pic=1 |
| Method | GET |
| Attack | |
| Evidence | <form name='f_addcart' method='POST' action='cart.php'> |

| | |
|------------|--|
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "addcart" "price"]. |
| URL | http://testphp.vulnweb.com/product.php?pic=1 |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 2: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/product.php?pic=2 |
| Method | GET |
| Attack | |
| Evidence | <form name='f_addcart' method='POST' action='cart.php'> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "addcart" "price"]. |
| URL | http://testphp.vulnweb.com/product.php?pic=2 |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 2: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/product.php?pic=3 |
| Method | GET |
| Attack | |
| Evidence | <form name='f_addcart' method='POST' action='cart.php'> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "addcart" "price"]. |
| URL | http://testphp.vulnweb.com/product.php?pic=3 |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 2: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/product.php?pic=4 |
| Method | GET |
| Attack | |
| Evidence | <form name='f_addcart' method='POST' action='cart.php'> |

| | |
|------------|--|
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "addcart" "price"]. |
| URL | http://testphp.vulnweb.com/product.php?pic=4 |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 2: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/product.php?pic=5 |
| Method | GET |
| Attack | |
| Evidence | <form name='f_addcart' method='POST' action='cart.php'> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "addcart" "price"]. |
| URL | http://testphp.vulnweb.com/product.php?pic=5 |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 2: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/product.php?pic=6 |
| Method | GET |
| Attack | |
| Evidence | <form name='f_addcart' method='POST' action='cart.php'> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "addcart" "price"]. |
| URL | http://testphp.vulnweb.com/product.php?pic=6 |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 2: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/product.php?pic=7 |
| Method | GET |
| Attack | |
| Evidence | <form name='f_addcart' method='POST' action='cart.php'> |
| | No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, |

| | |
|------------|---|
| Other Info | csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "addcart" "price"]. |
| URL | http://testphp.vulnweb.com/product.php?pic=7 |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFTOKEN, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 2: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/signup.php |
| Method | GET |
| Attack | |
| Evidence | <form name="form1" method="post" action="/secured/newuser.php"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFTOKEN, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "signup" "ucc" "uemail" "upass" "upass2" "uphone" "username" "uuname"]. |
| URL | http://testphp.vulnweb.com/signup.php |
| Method | GET |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFTOKEN, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 2: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/cart.php |
| Method | POST |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFTOKEN, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| Attack | |
| Evidence | <form action="" method="post" name="faddentry"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFTOKEN, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "name" "submit"]. |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| | No known Anti-CSRF token [anticsrf, CSRFTOKEN, __RequestVerificationToken, |

| | |
|------------|--|
| Other Info | csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 2: "goButton" "searchFor"]. |
| URL | http://testphp.vulnweb.com/search.php?test=query |
| Method | POST |
| Attack | |
| Evidence | <form action="search.php?test=query" method="post"> |
| Other Info | No known Anti-CSRF token [anticsrf, CSRFTOKEN, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token] was found in the following HTML form: [Form 1: "goButton" "searchFor"]. |
| Instances | 40 |
| Solution | <p>Phase: Architecture and Design</p> <p>Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.</p> <p>For example, use anti-CSRF packages such as the OWASP CSRFGuard.</p> <p>Phase: Implementation</p> <p>Ensure that your application is free of cross-site scripting issues, because most CSRF defenses can be bypassed using attacker-controlled script.</p> <p>Phase: Architecture and Design</p> <p>Generate a unique nonce for each form, place the nonce into the form, and verify the nonce upon receipt of the form. Be sure that the nonce is not predictable (CWE-330).</p> <p>Note that this can be bypassed using XSS.</p> <p>Identify especially dangerous operations. When the user performs a dangerous operation, send a separate confirmation request to ensure that the user intended to perform that operation.</p> <p>Note that this can be bypassed using XSS.</p> <p>Use the ESAPI Session Management control.</p> <p>This control includes a component for CSRF.</p> <p>Do not use the GET method for any request that triggers a state change.</p> <p>Phase: Implementation</p> <p>Check the HTTP Referer header to see if the request originated from an expected page. This could break legitimate functionality, because users or proxies may have disabled sending the Referer for privacy reasons.</p> |
| Reference | http://projects.webappsec.org/Cross-Site-Request-Forgery https://cwe.mitre.org/data/definitions/352.html |
| CWE Id | 352 |
| WASC Id | 9 |
| Plugin Id | 10202 |

| | |
|-------------|---|
| Medium | Content Security Policy (CSP) Header Not Set |
| Description | Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page |

| | |
|------------|--|
| | — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files. |
| URL | http://testphp.vulnweb.com |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/AJAX/index.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/artists.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/artists.php?artist=1 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/artists.php?artist=2 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/artists.php?artist=3 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/cart.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |

| | |
|------------|---|
| URL | http://testphp.vulnweb.com/categories.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/disclaimer.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/high |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp/?pp=12 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp/params.php?p=valid&pp=12 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/index.php |
| Method | GET |

| | |
|------------|---|
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=1 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=2 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=3 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=1 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=2 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=3 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=4 |
| Method | GET |
| Attack | |
| | |

| | |
|------------|---|
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/login.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other | |

| | |
|------------|---|
| Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-1.html |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-2.html |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-3.html |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/privacy.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=1 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=2 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=3 |

| | |
|------------|---|
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=4 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=5 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=6 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=7 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/robots.txt |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/signup.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/sitemap.xml |
| Method | GET |
| | |

| | |
|---------------|---|
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/cart.php |
| Method | POST |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/search.php?test=query |
| Method | POST |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/secured/newuser.php |
| Method | POST |
| Attack | |
| Evidence | |
| Other Info | |
| Instances | 48 |
| Solution | Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header. |
| Reference | https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html http://www.w3.org/TR/CSP/ http://w3c.github.io/webappsec/specs/content-security-policy/csp-specification.dev.html http://www.html5rocks.com/en/tutorials/security/content-security-policy/ http://caniuse.com/#feat=contentsecuritypolicy http://content-security-policy.com/ |
| CWE Id | 693 |
| WASC Id | 15 |
| Plugin Id | 10038 |
| Medium | Missing Anti-clickjacking Header |
| Description | The response does not include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options to protect against 'ClickJacking' attacks. |
| URL | http://testphp.vulnweb.com |

| | |
|------------|---|
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/AJAX/index.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/artists.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/artists.php?artist=1 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/artists.php?artist=2 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/artists.php?artist=3 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/cart.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/categories.php |
| Method | GET |
| Attack | |

| | |
|------------|---|
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/disclaimer.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp/?pp=12 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp/params.php?p=valid&pp=12 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/index.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=1 |
| Method | GET |
| Attack | |
| Evidence | |
| | |

| | |
|------------|---|
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=2 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=3 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=1 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=2 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=3 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=4 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/login.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| | |

| | |
|------------|---|
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-1.html |
| Method | GET |

| | |
|------------|---|
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-2.html |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-3.html |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=1 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=2 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=3 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=4 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=5 |
| Method | GET |
| Attack | |
| | |

| | |
|------------|---|
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=6 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=7 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/signup.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/cart.php |
| Method | POST |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/search.php?test=query |
| Method | POST |
| Attack | |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/secured/newuser.php |
| Method | POST |
| Attack | |
| Evidence | |
| Other | |

| | |
|-----------|---|
| Info | |
| Instances | 44 |
| Solution | Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app. If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive. |
| Reference | https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options |
| CWE Id | 1021 |
| WASC Id | 15 |
| Plugin Id | 10020 |

| | |
|---------------|---|
| Medium | XSLT Injection |
| Description | Injection using XSL transformations may be possible, and may allow an attacker to read system information, read and write files, or execute arbitrary code. |
| URL | http://testphp.vulnweb.com/showimage.php?file=%3Cxsl%3Avalue-of+select%3D%22document%28%27http%3A%2F%2Ftestphp.vulnweb.com%3A22%27%29%22%2F%3E |
| Method | GET |
| Attack | <xsl:value-of select="document('http://testphp.vulnweb.com:22')"/> |
| Evidence | failed to open stream |
| Other Info | Port scanning may be possible. |
| URL | http://testphp.vulnweb.com/showimage.php?file=%3Cxsl%3Avalue-of+select%3D%22document%28%27http%3A%2F%2Ftestphp.vulnweb.com%3A22%27%29%22%2F%3E&size=160 |
| Method | GET |
| Attack | <xsl:value-of select="document('http://testphp.vulnweb.com:22')"/> |
| Evidence | failed to open stream |
| Other Info | Port scanning may be possible. |
| Instances | 2 |
| Solution | Sanitize and analyze every user input coming from any client-side. |
| Reference | https://www.contextis.com/blog/xslt-server-side-injection-attacks |
| CWE Id | 91 |
| WASC Id | 23 |
| Plugin Id | 90017 |

| | |
|-------------|---|
| Low | Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s) |
| Description | The web/application server is leaking information via one or more "X-Powered-By" HTTP response headers. Access to such information may facilitate attackers identifying other frameworks/components your web application is reliant upon and the vulnerabilities such components may be subject to. |
| URL | http://testphp.vulnweb.com |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |

| | |
|------------|---|
| URL | http://testphp.vulnweb.com/AJAX/index.php |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/artists.php |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/artists.php?artist=1 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/artists.php?artist=2 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/artists.php?artist=3 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/cart.php |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/categories.php |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/disclaimer.php |
| | |

| | |
|------------|---|
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp/ |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp/?pp=12 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp/params.php?p=valid&pp=12 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/index.php |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=1 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=2 |
| Method | GET |
| Attack | |

| | |
|------------|---|
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=3 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=1 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=2 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=3 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=4 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/login.php |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/ |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| | |

| | |
|------------|---|
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1/ |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/ |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3/ |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3/ |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1/ |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2/ |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-1.html |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |

| | |
|------------|---|
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-2.html |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-3.html |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/privacy.php |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=1 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=2 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=3 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=4 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=5 |
| Method | GET |

| | |
|------------|---|
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=6 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=7 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file='%20+%20pict.item(0).firstChild.nodeValue%20+%20' |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/1.jpg |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/1.jpg&size=160 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/2.jpg |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/2.jpg&size=160 |
| Method | GET |
| Attack | |

| | |
|------------|---|
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/3.jpg |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/3.jpg&size=160 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/4.jpg |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/4.jpg&size=160 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/5.jpg |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/5.jpg&size=160 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/6.jpg |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other | |

| | |
|------------|---|
| Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=../pictures/6.jpg&size=160 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=../pictures/7.jpg |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=../pictures/7.jpg&size=160 |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/signup.php |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | GET |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/cart.php |
| Method | POST |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/search.php?test=query |

| | |
|------------|--|
| Method | POST |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/secured/newuser.php |
| Method | POST |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | POST |
| Attack | |
| Evidence | X-Powered-By: PHP/5.6.40-38+ubuntu20.04.1+deb.sury.org+1 |
| Other Info | |
| Instances | 62 |
| Solution | Ensure that your web server, application server, load balancer, etc. is configured to suppress "X-Powered-By" headers. |
| Reference | http://blogs.msdn.com/b/varunm/archive/2013/04/23/remove-unwanted-http-response-headers.aspx http://www.troyhunt.com/2012/02/shhh-dont-let-your-response-headers.html |
| CWE Id | 200 |
| WASC Id | 13 |
| Plugin Id | 10037 |

| | |
|-------------|---|
| Low | Server Leaks Version Information via "Server" HTTP Response Header Field |
| Description | The web/application server is leaking version information via the "Server" HTTP response header. Access to such information may facilitate attackers identifying other vulnerabilities your web/application server is subject to. |
| URL | http://testphp.vulnweb.com |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/AJAX/index.php |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/AJAX/styles.css |
| Method | GET |
| Attack | |

| | |
|------------|---|
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/artists.php |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/artists.php?artist=1 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/artists.php?artist=2 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/artists.php?artist=3 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/cart.php |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/categories.php |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/disclaimer.php |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| | |

| | |
|------------|---|
| Other Info | |
| URL | http://testphp.vulnweb.com/Flash/add.swf |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/high |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp/ |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp/?pp=12 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp/params.php?p=valid&pp=12 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/images/logo.gif |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |

| | |
|------------|---|
| URL | http://testphp.vulnweb.com/images/remark.gif |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/index.php |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=1 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=2 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=3 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=1 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=2 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=3 |
| Method | GET |

| | |
|------------|---|
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=4 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/login.php |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/ |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1/ |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/ |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3/ |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3/ |
| Method | GET |
| Attack | |
| | |

| | |
|------------|---|
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1/ |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2/ |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/images/1.jpg |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/images/2.jpg |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/images/3.jpg |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-1.html |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-2.html |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other | |

| | |
|------------|---|
| Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-3.html |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/privacy.php |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=1 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=2 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=3 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=4 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=5 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=6 |

| | |
|------------|---|
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/product.php?pic=7 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/robots.txt |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/secured/style.css |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file='%20+%20pict.item(0).firstChild.nodeValue%20+%20' |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/1.jpg |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/1.jpg&size=160 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/2.jpg |
| Method | GET |

| | |
|------------|---|
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/2.jpg&size=160 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/3.jpg |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/3.jpg&size=160 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/4.jpg |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/4.jpg&size=160 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/5.jpg |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/5.jpg&size=160 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |

| | |
|------------|---|
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/6.jpg |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/6.jpg&size=160 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/7.jpg |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/7.jpg&size=160 |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/signup.php |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/sitemap.xml |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/style.css |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |

| | |
|------------|--|
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | GET |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/cart.php |
| Method | POST |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/search.php?test=query |
| Method | POST |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/secured/newuser.php |
| Method | POST |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | POST |
| Attack | |
| Evidence | nginx/1.19.0 |
| Other Info | |
| Instances | 74 |
| Solution | Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details. |
| Reference | http://httpd.apache.org/docs/current/mod/core.html#servertokens http://msdn.microsoft.com/en-us/library/ff648552.aspx#ht_urlscan_007 http://blogs.msdn.com/b/varunm/archive/2013/04/23/remove-unwanted-http-response-headers.aspx http://www.troyhunt.com/2012/02/shhh-dont-let-your-response-headers.html |
| CWE Id | 200 |
| WASC Id | 13 |

| | |
|-------------|--|
| Plugin Id | 10036 |
| Low | X-Content-Type-Options Header Missing |
| Description | The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing. |
| URL | http://testphp.vulnweb.com |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/AJAX/index.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/AJAX/styles.css |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/artists.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/artists.php?artist=1 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/artists.php?artist=2 |

| | |
|------------|--|
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/artists.php?artist=3 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/cart.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/categories.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/disclaimer.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/Flash/add.swf |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/guestbook.php |
| | |

| | |
|------------|--|
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/hpp/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/hpp/?pp=12 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/hpp/params.php?p=valid&pp=12 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/images/logo.gif |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/images/remark.gif |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/index.php |
| Method | GET |

| | |
|------------|--|
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=1 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=2 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=3 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=1 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=2 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=3 |
| Method | GET |
| | |

| | |
|------------|--|
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=4 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/login.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3/ |
| Method | GET |
| Attack | |

| | |
|------------|--|
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2/ |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/images/1.jpg |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/images/2.jpg |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/images/3.jpg |
| Method | GET |
| Attack | |
| | |

| | |
|------------|--|
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-1.html |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-2.html |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/RateProduct-3.html |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/product.php?pic=1 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/product.php?pic=2 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/product.php?pic=3 |
| Method | GET |
| Attack | |
| Evidence | |

| | |
|------------|--|
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/product.php?pic=4 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/product.php?pic=5 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/product.php?pic=6 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/product.php?pic=7 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/secured/style.css |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/showimage.php?file='%20+%20pict.item(0).firstChild.nodeValue%20+%20' |
| Method | GET |
| Attack | |
| Evidence | |

| | |
|------------|--|
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/1.jpg |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/1.jpg&size=160 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/2.jpg |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/2.jpg&size=160 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/3.jpg |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/3.jpg&size=160 |
| Method | GET |
| Attack | |
| Evidence | |

| | |
|------------|--|
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/4.jpg |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/4.jpg&size=160 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/5.jpg |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/5.jpg&size=160 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/6.jpg |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/6.jpg&size=160 |
| Method | GET |
| Attack | |
| Evidence | |
| | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still |

| | |
|------------|--|
| Other Info | affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/7.jpg |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/showimage.php?file=./pictures/7.jpg&size=160 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/signup.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/style.css |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/cart.php |
| Method | POST |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| Attack | |
| Evidence | |
| Other | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages |

| | |
|------------|--|
| Info | away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/search.php?test=query |
| Method | POST |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| URL | http://testphp.vulnweb.com/secured/newuser.php |
| Method | POST |
| Attack | |
| Evidence | |
| Other Info | This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses. |
| Instances | 68 |
| Solution | <p>Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages.</p> <p>If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application /web server to not perform MIME-sniffing.</p> |
| Reference | http://msdn.microsoft.com/en-us/library/ie/gg622941%28v=vs.85%29.aspx https://owasp.org/www-community/Security-Headers |
| CWE Id | 693 |
| WASC Id | 15 |
| Plugin Id | 10021 |

| Informational | Authentication Request Identified |
|---------------|--|
| Description | The given request has been identified as an authentication request. The 'Other Info' field contains a set of key=value lines which identify any relevant fields. If the request is in a context which has an Authentication Method set to "Auto-Detect" then this rule will change the authentication to match the request identified. |
| URL | http://testphp.vulnweb.com/secured/newuser.php |
| Method | POST |
| Attack | |
| Evidence | upass |
| Other Info | userParam=uemail userValue=ZAP passwordParam=upass referer=http://testphp.vulnweb.com/signup.php |
| Instances | 1 |
| Solution | This is an informational alert rather than a vulnerability and so there is nothing to fix. |
| Reference | https://www.zaproxy.org/docs/desktop/addons/authentication-helper/auth-req-id/ |
| CWE Id | |
| WASC Id | |
| Plugin Id | 10111 |

| Informational | Charset Mismatch (Header Versus Meta Content-Type Charset) |
|---------------|--|
|---------------|--|

| | |
|-------------|---|
| Description | <p>This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set.</p> <p>An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.</p> |
| URL | http://testphp.vulnweb.com |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/AJAX/index.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-1] do not match. |
| URL | http://testphp.vulnweb.com/artists.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/artists.php?artist=1 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/artists.php?artist=2 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/artists.php?artist=3 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/cart.php |
| | |

| | |
|------------|--|
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/categories.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/disclaimer.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/index.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=1 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=2 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=3 |
| Method | GET |
| Attack | |

| | |
|------------|--|
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=1 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=2 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=3 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=4 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/login.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/product.php?pic=1 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/product.php?pic=2 |
| Method | GET |
| Attack | |
| Evidence | |

| | |
|------------|--|
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/product.php?pic=3 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/product.php?pic=4 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/product.php?pic=5 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/product.php?pic=6 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/product.php?pic=7 |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/signup.php |
| Method | GET |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/cart.php |
| Method | POST |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |

| | |
|------------|---|
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/search.php?test=query |
| Method | POST |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-2] do not match. |
| URL | http://testphp.vulnweb.com/secured/newuser.php |
| Method | POST |
| Attack | |
| Evidence | |
| Other Info | There was a charset mismatch between the HTTP Header and the META content-type encoding declarations: [UTF-8] and [iso-8859-1] do not match. |
| Instances | 31 |
| Solution | Force UTF-8 for all text content in both the HTTP header and meta tags in HTML or encoding declarations in XML. |
| Reference | http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection |
| CWE Id | 436 |
| WASC Id | 15 |
| Plugin Id | 90011 |

| Informational | GET for POST |
|---------------|---|
| Description | A request that was originally observed as a POST was also accepted as a GET. This issue does not represent a security weakness unto itself, however, it may facilitate simplification of other attacks. For example if the original POST is subject to Cross-Site Scripting (XSS), then this finding may indicate that a simplified (GET based) XSS may also be possible. |
| URL | http://testphp.vulnweb.com/cart.php |
| Method | GET |
| Attack | |
| Evidence | GET http://testphp.vulnweb.com/cart.php?addcart=6&price=10000 HTTP/1.1 |
| Other Info | |
| Instances | 1 |
| Solution | Ensure that only POST is accepted where POST is expected. |
| Reference | |
| CWE Id | 16 |
| WASC Id | 20 |
| Plugin Id | 10058 |

| Informational | Information Disclosure - Suspicious Comments |
|---------------|--|
| Description | The response appears to contain suspicious comments which may help an attacker. Note: Matches made within script blocks or files are against the entire content not only comments. |

| | |
|------------|---|
| URL | http://testphp.vulnweb.com/AJAX/index.php |
| Method | GET |
| Attack | |
| Evidence | where |
| Other Info | The following pattern was used: \bWHERE\b and was detected in the element starting with: "<script type="text/javascript"> var httpreq = null; function SetContent(XML) { var items = XML.getElementsByTagName("i", see evidence field for the suspicious comment/snippet. |
| Instances | 1 |
| Solution | Remove all comments that return information that may help an attacker and fix any underlying problems they refer to. |
| Reference | |
| CWE Id | 200 |
| WASC Id | 13 |
| Plugin Id | 10027 |

| Informational | Modern Web Application |
|---------------|--|
| Description | The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one. |
| URL | http://testphp.vulnweb.com/AJAX/index.php |
| Method | GET |
| Attack | |
| Evidence | titles |
| Other Info | Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. |
| URL | http://testphp.vulnweb.com/artists.php |
| Method | GET |
| Attack | |
| Evidence | comment on this artist |
| Other Info | Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. |
| URL | http://testphp.vulnweb.com/artists.php?artist=1 |
| Method | GET |
| Attack | |
| Evidence | comment on this artist |
| Other Info | Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. |
| URL | http://testphp.vulnweb.com/artists.php?artist=2 |
| Method | GET |
| Attack | |
| Evidence | comment on this artist |
| Other Info | Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. |
| URL | http://testphp.vulnweb.com/artists.php?artist=3 |

| | |
|------------|---|
| Method | GET |
| Attack | |
| Evidence | comment on this artist |
| Other Info | Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=1 |
| Method | GET |
| Attack | |
| Evidence | comment on this picture |
| Other Info | Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. |
| URL | http://testphp.vulnweb.com/listproducts.php?artist=2 |
| Method | GET |
| Attack | |
| Evidence | comment on this picture |
| Other Info | Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=1 |
| Method | GET |
| Attack | |
| Evidence | comment on this picture |
| Other Info | Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. |
| URL | http://testphp.vulnweb.com/listproducts.php?cat=2 |
| Method | GET |
| Attack | |
| Evidence | comment on this picture |
| Other Info | Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application. |
| Instances | 9 |
| Solution | This is an informational alert and so no changes are required. |
| Reference | |
| CWE Id | |
| WASC Id | |
| Plugin Id | 10109 |

| Informational | User Agent Fuzzer |
|---------------|--|
| Description | Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response. |
| URL | http://testphp.vulnweb.com/AJAX |
| Method | GET |

| | |
|------------|--|
| Attack | Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/AJAX |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/AJAX |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/AJAX |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/AJAX |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/AJAX |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/AJAX |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/AJAX |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |

| | |
|------------|---|
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/AJAX |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/AJAX |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/AJAX |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/AJAX |
| Method | GET |
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Flash |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Flash |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Flash |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1) |
| | |

| | |
|------------|--|
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Flash |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Flash |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Flash |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Flash |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Flash |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Flash |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Flash |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |

| | |
|------------|---|
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Flash |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Flash |
| Method | GET |
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0 |
| Evidence | |

| | |
|------------|---|
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | GET |
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| Evidence | |

| | |
|------------|---|
| Other Info | |
| URL | http://testphp.vulnweb.com/high |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/high |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/high |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/high |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/high |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/high |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/high |
| Method | GET |
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| Evidence | |
| Other | |

| | |
|------------|--|
| Info | |
| URL | http://testphp.vulnweb.com/hpp |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |

| | |
|------------|---|
| URL | http://testphp.vulnweb.com/hpp |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/hpp |
| Method | GET |
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/images |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/images |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0) |
| Evidence | |
| Other Info | |
| | |

| | |
|------------|--|
| URL | http://testphp.vulnweb.com/images |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/images |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/images |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/images |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/images |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/images |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/images |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/images |

| | |
|------------|---|
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/images |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/images |
| Method | GET |
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop |
| | |

| | |
|------------|---|
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop |

| | |
|------------|---|
| Method | GET |
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1 |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1 |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1 |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1 |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1 |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1 |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-1 |

| | |
|------------|---|
| Method | GET |
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2 |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2 |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2 |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2 |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2 |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2 |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-2 |
| Method | GET |

| | |
|------------|---|
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3 |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3 |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3 |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3 |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3 |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3 |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/BuyProduct-3 |
| Method | GET |

| | |
|------------|---|
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details |
| Method | GET |
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |

| | |
|------------|---|
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer |
| Method | GET |
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| | |

| | |
|------------|---|
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3 |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3 |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3 |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3 |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3 |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3 |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/color-printer/3 |
| Method | GET |
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| Evidence | |

| | |
|------------|---|
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink |
| Method | GET |
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| Evidence | |
| | |

| | |
|------------|---|
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1 |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1 |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1 |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1 |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1 |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1 |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/network-attached-storage-dlink/1 |
| Method | GET |
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| Evidence | |
| Other | |

| | |
|------------|---|
| Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech |
| Method | GET |
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| Evidence | |
| Other Info | |

| | |
|------------|---|
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2 |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2 |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2 |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2 |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2 |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2 |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/Details/web-camera-a4tech/2 |
| Method | GET |
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| Evidence | |
| Other Info | |
| | |

| | |
|------------|--|
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/images |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/images |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/images |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/images |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/images |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/images |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/images |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/images |

| | |
|------------|---|
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/images |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/images |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/images |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/Mod_Rewrite_Shop/images |
| Method | GET |
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/robots.txt |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/robots.txt |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/robots.txt |
| | |

| | |
|------------|---|
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/robots.txt |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/robots.txt |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/robots.txt |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/robots.txt |
| Method | GET |
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/secured |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/secured |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/secured |
| Method | GET |

| | |
|------------|--|
| Attack | Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/secured |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/secured |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/secured |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/secured |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/secured |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/secured |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/secured |
| Method | GET |

| | |
|------------|---|
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/secured |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/secured |
| Method | GET |
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/signup.php |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/signup.php |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/signup.php |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/signup.php |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/sitemap.xml |

| | |
|------------|---|
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/sitemap.xml |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/sitemap.xml |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/sitemap.xml |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/sitemap.xml |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/sitemap.xml |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/sitemap.xml |
| Method | GET |
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | GET |

| | |
|------------|--|
| Attack | Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | GET |
| Attack | Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | GET |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | GET |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | GET |

| | |
|------------|---|
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | GET |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | GET |
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| Attack | Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| Attack | Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| Attack | Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |

| | |
|------------|--|
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 |

| | |
|------------|--|
| Attack | (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | POST |
| Attack | Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | POST |
| Attack | Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | POST |
| Attack | Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | POST |
| Attack | Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | POST |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | POST |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36 |

| | |
|------------|---|
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | POST |
| Attack | Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | POST |
| Attack | Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | POST |
| Attack | Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp) |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | POST |
| Attack | Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | POST |
| Attack | Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 |
| Evidence | |
| Other Info | |
| URL | http://testphp.vulnweb.com/userinfo.php |
| Method | POST |
| Attack | msnbot/1.1 (+http://search.msn.com/msnbot.htm) |
| Evidence | |
| Other Info | |
| Instances | 226 |
| Solution | |
| Reference | https://owasp.org/wstg |
| CWE Id | |

| | |
|----------------------|--|
| WASC Id | |
| Plugin Id | 10104 |
| Informational | User Controllable HTML Element Attribute (Potential XSS) |
| Description | This check looks at user-supplied input in query string parameters and POST data to identify where certain HTML attribute values might be controlled. This provides hot-spot detection for XSS (cross-site scripting) that will require further review by a security analyst to determine exploitability. |
| URL | http://testphp.vulnweb.com/guestbook.php |
| Method | POST |
| Attack | |
| Evidence | |
| Other Info | User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://testphp.vulnweb.com/guestbook.php appears to include user input in: a(n) [input] tag [value] attribute The user input found was: submit=add message The user-controlled value was: add message |
| URL | http://testphp.vulnweb.com/search.php?test=query |
| Method | POST |
| Attack | |
| Evidence | |
| Other Info | User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://testphp.vulnweb.com/search.php?test=query appears to include user input in: a(n) [input] tag [name] attribute The user input found was: goButton=go The user-controlled value was: gobutton |
| URL | http://testphp.vulnweb.com/search.php?test=query |
| Method | POST |
| Attack | |
| Evidence | |
| Other Info | User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://testphp.vulnweb.com/search.php?test=query appears to include user input in: a(n) [input] tag [value] attribute The user input found was: goButton=go The user-controlled value was: go |
| Instances | 3 |
| Solution | Validate all input and sanitize output it before writing to any HTML attributes. |
| Reference | http://websecuritytool.codeplex.com/wikipage?title=Checks#user-controlled-html-attribute |
| CWE Id | 20 |
| WASC Id | 20 |
| Plugin Id | 10031 |