
# Hospital Patient Clinical Details


## Step 1:

Click the Power Bi and click the Get data ,Imported the Hospital Patient Clinical Details-Cleaned Data.xlsx  into Power Query Editor




## Step 2:

Transform the data






| | Clinical_Record_Id | Primary_Diagnosis_Name | Disease_Severity | Secondary_Diagnosis_Code |
|---|---|---|---|---|
| 1 | CLN-100001 | Urinary Tract Infection With Pyelonephritis | Mild | E78.5 |
| 2 | CLN-100002 | Copd With Acute Exacerbation | Moderate | N18.3 |
| 3 | CLN-100003 | Congestive Heart Failure, Unspecified | Severe | E78.5 |
| 4 | CLN-100004 | Acute Myocardial Infarction | Severe | I10 |
| 5 | CLN-100005 | Community-Acquired Pneumonia | Mild | E66.0 |
| 6 | CLN-100006 | Encounter For Full-Term Normal Delivery | Mild | M54.5 |
| 7 | CLN-100007 | Community-Acquired Pneumonia | Moderate | N18.3 |
| 8 | CLN-100008 | Calculus Of Gallbladder (Cholelithiasis) | Moderate | N18.3 |
| 9 | CLN-100009 | Congestive Heart Failure, Unspecified | Moderate | M54.5 |
| 10 | CLN-100010 | Sepsis, Unspecified Organism | Severe | F41.9 |
| 11 | CLN-100011 | Fracture Of Neck Of Femur (Hip Fracture) | Severe | E78.5 |
| 12 | CLN-100012 | Urinary Tract Infection With Pyelonephritis | Mild | K21.9 |
| 13 | CLN-100013 | Community-Acquired Pneumonia | Severe | E66.0 |
| 14 | CLN-100014 | Community-Acquired Pneumonia | Moderate | M54.5 |
| 15 | CLN-100015 | Type 2 Diabetes With Hyperglycemia | Mild | K21.9 |
| 16 | CLN-100016 | Type 2 Diabetes With Hyperglycemia | Critical | F41.9 |
| 17 | CLN-100017 | Malignant Neoplasm Of Bronchus Or Lung | Moderate | N18.3 |
| 18 | CLN-100018 | Fracture Of Neck Of Femur (Hip Fracture) | Moderate | M54.5 |

## Step 3:

# Hospital Patient Clinical Details

Added a new conditional column named "Heart Rate Analysis" based on the values in the "Heart Rate BPM" column. Change the type :if the Heart Rate BPM is less than 60, the label should be "Below Normal"; if the Heart Rate BPM less than or equals to 100, the label should be "Normal"; and if the Heart Rate BPM is less than or equals to 140, the label should be "Elevated ";if the Heart Rate BPM is less than or equals to 170, the label should be "Hardcore".









## Step 4:

# Hospital Patient Clinical Details

Added a new conditional column named "Serum Creatinine Analysis" based on the values in the "Serum_Creatinine_mg_dl" column. Change the type :if the Serum_Creatinine_mg_dl is less than 0.6, the label should be "Below Normal"; if the Serum_Creatinine_mg_dl less than or equals to 1.3, the label should be "Normal"; and if the Heart Rate BPM is greater than 1.3, the label should be "Elevated ";.








## Data Modelling :


## Step 5:

Build a relationship between the “Encounter Vitals CD” and “Lab Results CD” tables based on the ‘Diagnosis & Procedures CD’ column. Click "Manage relationships" and ensure this relationship is active.

# Hospital Patient Clinical Details



# Hospital Patient Clinical Details





**Step 6:**

Added a calculated column to the Encounter Vitals CD table that calculates the average of the 'SpO2_Average' column.

Spo2 Average = AVERAGE(Encounter_Vitals_CD[Spo2_Percent])

# Hospital Patient Clinical Details





| mmhg | Diastolic_BPmmhg | Heart_Rate_bpm | Respiratory_Rate_bpm | Temperature_Celsius | Spo2_Percent | Heart Rate Analysis | Spo2 Average |
|---|---|---|---|---|---|---|---|
| 119.7 | 78.9 | 67.3 | 16.7 | 36.6 | 99.6 | Normal | 97 |
| 126.9 | 84.8 | 68.4 | 16.8 | 36.6 | 99.8 | Normal | 97 |
| 120.9 | 78.6 | 71.2 | 17.9 | 36.6 | 99.2 | Normal | 97 |
| 117.3 | 78.1 | 91.6 | 17.1 | 36.6 | 99.8 | Normal | 97 |
| 122.2 | 78.6 | 84.1 | 18.4 | 36.6 | 98.2 | Normal | 97 |
| 143.7 | 93 | 97.4 | 16.8 | 36.6 | 96.6 | Normal | 97 |
| 141.3 | 91.1 | 67.9 | 16 | 36.6 | 98.2 | Normal | 97 |
| 116 | 78.5 | 71.3 | 14.9 | 36.6 | 97.6 | Normal | 97 |
| 142.4 | 89.6 | 81 | 15.5 | 36.6 | 100 | Normal | 97 |
| 126.8 | 86.2 | 79.4 | 16.3 | 36.6 | 98.8 | Normal | 97 |
| 137 | 91.9 | 80.1 | 12.6 | 36.6 | 99.6 | Normal | 97 |
| 131.3 | 88 | 82.1 | 15.6 | 36.6 | 97 | Normal | 97 |
| 121.5 | 84.1 | 82.5 | 14 | 36.6 | 99.8 | Normal | 97 |
| 114.2 | 77.7 | 79.6 | 17.4 | 36.6 | 98.7 | Normal | 97 |
| 121.7 | 79.8 | 75.2 | 16 | 36.6 | 97.4 | Normal | 97 |
| 132.5 | 84.9 | 84.4 | 20.2 | 36.6 | 97.7 | Normal | 97 |
| 102.5 | 67.5 | 75.4 | 13.6 | 36.6 | 98.2 | Normal | 97 |
| 125.9 | 84.9 | 66.8 | 14.2 | 36.6 | 99.8 | Normal | 97 |
| 135.2 | 86 | 71.6 | 16.1 | 36.6 | 98.8 | Normal | 97 |
| 175.1 | 109.7 | 81.4 | 20.2 | 36.6 | 99.6 | Normal | 97 |

## Step 7:

Added a calculated column to the Diagnosis&Procedures CD table that calculates the average of the 'Disease Severity range' column.

**Disease Severity range = switch('Diagnosis&Procedures CD'[Disease_Severity],"Mild",1,"Moderate",2,"Severe",3,"Critical",4,0)**

# Hospital Patient Clinical Details




| le | Primary_Procedure_Code | Primary_Procedure_Name | Procedure_Complexity | Hospital_Acquired_Infection | Disease Severity range |
|---|---|---|---|---|---|
| | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 | 2 |
| | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 | 3 |
| | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 | 2 |
| | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 | 2 |
| | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 | 2 |
| | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 | 2 |
| | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 | 1 |
| | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 | 1 |
| | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 | 2 |
| | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 | 3 |
| | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 | 1 |
| | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 | 1 |
| | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 | 1 |
| | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 | 2 |
| | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 | 1 |
| | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 | 3 |
| | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 | 2 |
| | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 | 2 |
| | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 | 2 |
| | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 | 2 |


## Calculating New Measures

### Step 8:

The DAX function designed to calculate the high WBC count has been successfully created.

```
High WBC Count = CALCULATE([Total Encounters],'Lab Results
CD'[White_Blood_Cell_Count]>11.0)
```

# Hospital Patient Clinical Details





| Clinical_Record_Id | Primary_Diagnosis_Name | Disease_Severity | Secondary_Diagnosis_Code | Primary_Procedure_Code | Primary_Procedure_Name |
|---|---|---|---|---|---|
| CLN-100007 | Community-Acquired Pneumonia | Moderate | N18.3 | 99223 | Inpatient Pulmonary Evaluation & |
| CLN-100013 | Community-Acquired Pneumonia | Severe | E66.0 | 99223 | Inpatient Pulmonary Evaluation & |
| CLN-100014 | Community-Acquired Pneumonia | Moderate | M54.5 | 99223 | Inpatient Pulmonary Evaluation & |
| CLN-100021 | Community-Acquired Pneumonia | Moderate | E78.5 | 99223 | Inpatient Pulmonary Evaluation & |
| CLN-100029 | Community-Acquired Pneumonia | Moderate | M54.5 | 99223 | Inpatient Pulmonary Evaluation & |
| CLN-100048 | Community-Acquired Pneumonia | Moderate | E78.5 | 99223 | Inpatient Pulmonary Evaluation & |
| CLN-100049 | Community-Acquired Pneumonia | Mild | I25.10 | 99223 | Inpatient Pulmonary Evaluation & |
| CLN-100055 | Community-Acquired Pneumonia | Mild | E66.0 | 99223 | Inpatient Pulmonary Evaluation & |
| CLN-100059 | Community-Acquired Pneumonia | Moderate | N18.3 | 99223 | Inpatient Pulmonary Evaluation & |
| CLN-100064 | Community-Acquired Pneumonia | Severe | K21.9 | 99223 | Inpatient Pulmonary Evaluation & |
| CLN-100071 | Community-Acquired Pneumonia | Mild | K21.9 | 99223 | Inpatient Pulmonary Evaluation & |
| CLN-100079 | Community-Acquired Pneumonia | Mild | F41.9 | 99223 | Inpatient Pulmonary Evaluation & |
| CLN-100110 | Community-Acquired Pneumonia | Mild | M54.5 | 99223 | Inpatient Pulmonary Evaluation & |
| CLN-100117 | Community-Acquired Pneumonia | Moderate | E66.0 | 99223 | Inpatient Pulmonary Evaluation & |
| CLN-100118 | Community-Acquired Pneumonia | Mild | N18.3 | 99223 | Inpatient Pulmonary Evaluation & |
| CLN-100119 | Community-Acquired Pneumonia | Severe | I25.10 | 99223 | Inpatient Pulmonary Evaluation & |
| CLN-100129 | Community-Acquired Pneumonia | Moderate | E66.0 | 99223 | Inpatient Pulmonary Evaluation & |
| CLN-100133 | Community-Acquired Pneumonia | Moderate | I25.10 | 99223 | Inpatient Pulmonary Evaluation & |
| CLN-100139 | Community-Acquired Pneumonia | Moderate | M54.5 | 99223 | Inpatient Pulmonary Evaluation & |
| CLN-100168 | Community-Acquired Pneumonia | Moderate | F41.9 | 99223 | Inpatient Pulmonary Evaluation & |

## Step 9:

The DAX function designed to calculate the total hospital infection has been successfully created.

Total Hospital Infection = SUM('Diagnosis&Procedures CD'[Hospital_Acquired_Infection])

# Hospital Patient Clinical Details





| Secondary_Diagnosis_Code | Primary_Procedure_Code | Primary_Procedure_Name | Procedure_Complexity | Hospital_Acquired_Infection |
|---|---|---|---|---|
| N18.3 | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 |
| E66.0 | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 |
| M54.5 | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 |
| E78.5 | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 |
| M54.5 | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 |
| E78.5 | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 |
| I25.10 | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 |
| E66.0 | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 |
| N18.3 | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 |
| K21.9 | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 |
| K21.9 | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 |
| F41.9 | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 |
| M54.5 | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 |
| E66.0 | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 |
| N18.3 | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 |
| I25.10 | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 |
| E66.0 | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 |
| I25.10 | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 |
| M54.5 | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 |
| F41.9 | 99223 | Inpatient Pulmonary Evaluation & Sputum Culture | None | 0 |

## Step 10:

The DAX function designed to calculate the total patient count has been successfully created.

```
Patient Count = DISTINCTCOUNT(Encounter_Vitals_CD[Patient_Id])
```

# Hospital Patient Clinical Details





| Clinical_Record_Id | Encounter_Id2 | Patient_Id | Primary_Diagnosis_Code | Systolic_BP_mmhg | Diastolic_BPmmhg | Heart_Rate_bpm | Respiratory_Rate_ |
|---|---|---|---|---|---|---|---|
| CLN-100001 | ENC-100001 | PAT-10001 | N39.0 | 119.7 | 78.9 | 67.3 | |
| CLN-100024 | ENC-100024 | PAT-10009 | E11.9 | 126.9 | 84.8 | 68.4 | |
| CLN-100031 | ENC-100031 | PAT-10011 | K80.2 | 120.9 | 78.6 | 71.2 | |
| CLN-100044 | ENC-100044 | PAT-10015 | I50.9 | 117.3 | 78.1 | 91.6 | |
| CLN-100049 | ENC-100049 | PAT-10018 | J18.9 | 122.2 | 78.6 | 84.1 | |
| CLN-100053 | ENC-100053 | PAT-10018 | I50.9 | 143.7 | 93 | 97.4 | |
| CLN-100071 | ENC-100071 | PAT-10025 | J18.9 | 141.3 | 91.1 | 67.9 | |
| CLN-100073 | ENC-100073 | PAT-10026 | O80 | 116 | 78.5 | 71.3 | |
| CLN-100081 | ENC-100081 | PAT-10030 | A41.9 | 142.4 | 89.6 | 81 | |
| CLN-100123 | ENC-100123 | PAT-10050 | K80.2 | 126.8 | 86.2 | 79.4 | |
| CLN-100125 | ENC-100125 | PAT-10052 | S72.0 | 137 | 91.9 | 80.1 | |
| CLN-100127 | ENC-100127 | PAT-10052 | J44.1 | 131.3 | 88 | 82.1 | |
| CLN-100132 | ENC-100132 | PAT-10053 | J44.1 | 121.5 | 84.1 | 82.5 | |
| CLN-100140 | ENC-100140 | PAT-10057 | E11.9 | 114.2 | 77.7 | 79.6 | |
| CLN-100151 | ENC-100151 | PAT-10060 | S72.0 | 121.7 | 79.8 | 75.2 | |
| CLN-100152 | ENC-100152 | PAT-10060 | E11.9 | 132.5 | 84.9 | 84.4 | |
| CLN-100157 | ENC-100157 | PAT-10061 | K80.2 | 102.5 | 67.5 | 75.4 | |
| CLN-100159 | ENC-100159 | PAT-10061 | O80 | 125.9 | 84.9 | 66.8 | |
| CLN-100165 | ENC-100165 | PAT-10063 | J20.9 | 135.2 | 86 | 71.6 | |
| CLN-100171 | ENC-100171 | PAT-10065 | I50.9 | 175.1 | 109.7 | 81.4 | |

## Step 11:

The DAX function designed to calculate the sum of Spo2 Value has been successfully created.

Spo2 Value = SUM(Encounter_Vitals_CD[Diastolic_BPmmhg])





| Clinical_Record_Id | Encounter_Id2 | Patient_Id | Primary_Diagnosis_Code | Systolic_BP_mmhg | Diastolic_BPmmhg | Heart_Rate_bpm | Respiratory_Rate_ |
|---|---|---|---|---|---|---|---|
| CLN-100001 | ENC-100001 | PAT-10001 | N39.0 | 119.7 | 78.9 | 67.3 | |
| CLN-100024 | ENC-100024 | PAT-10009 | E11.9 | 126.9 | 84.8 | 68.4 | |
| CLN-100031 | ENC-100031 | PAT-10011 | K80.2 | 120.9 | 78.6 | 71.2 | |
| CLN-100044 | ENC-100044 | PAT-10015 | I50.9 | 117.3 | 78.1 | 91.6 | |
| CLN-100049 | ENC-100049 | PAT-10018 | J18.9 | 122.2 | 78.6 | 84.1 | |
| CLN-100053 | ENC-100053 | PAT-10018 | I50.9 | 143.7 | 93 | 97.4 | |
| CLN-100071 | ENC-100071 | PAT-10025 | J18.9 | 141.3 | 91.1 | 67.9 | |
| CLN-100073 | ENC-100073 | PAT-10026 | O80 | 116 | 78.5 | 71.3 | |
| CLN-100081 | ENC-100081 | PAT-10030 | A41.9 | 142.4 | 89.6 | 81 | |
| CLN-100123 | ENC-100123 | PAT-10050 | K80.2 | 126.8 | 86.2 | 79.4 | |
| CLN-100125 | ENC-100125 | PAT-10052 | S72.0 | 137 | 91.9 | 80.1 | |
| CLN-100127 | ENC-100127 | PAT-10052 | J44.1 | 131.3 | 88 | 82.1 | |
| CLN-100132 | ENC-100132 | PAT-10053 | J44.1 | 121.5 | 84.1 | 82.5 | |
| CLN-100140 | ENC-100140 | PAT-10057 | E11.9 | 114.2 | 77.7 | 79.6 | |
| CLN-100151 | ENC-100151 | PAT-10060 | S72.0 | 121.7 | 79.8 | 75.2 | |
| CLN-100152 | ENC-100152 | PAT-10060 | E11.9 | 132.5 | 84.9 | 84.4 | |
| CLN-100157 | ENC-100157 | PAT-10061 | K80.2 | 102.5 | 67.5 | 75.4 | |
| CLN-100159 | ENC-100159 | PAT-10061 | O80 | 125.9 | 84.9 | 66.8 | |
| CLN-100165 | ENC-100165 | PAT-10063 | J20.9 | 135.2 | 86 | 71.6 | |
| CLN-100171 | ENC-100171 | PAT-10065 | I50.9 | 175.1 | 109.7 | 81.4 | |

# Hospital Patient Clinical Details

## Step 12:

The DAX function designed to calculate the total clinical record has been successfully created.

Total Clinical Record = COUNT('Lab Results CD'[Clinical_Record_Id])




| Clinical_Record_Id | Encounter_Id2 | Patient_Id | Primary_Diagnosis_Code | Systolic_BP_mmhg | Diastolic_BPmmhg | Heart_Rate_bpm | Respiratory_Rate_ |
|---|---|---|---|---|---|---|---|
| CLN-100001 | ENC-100001 | PAT-10001 | N39.0 | 119.7 | 78.9 | 67.3 | |
| CLN-100024 | ENC-100024 | PAT-10009 | E11.9 | 126.9 | 84.8 | 68.4 | |
| CLN-100031 | ENC-100031 | PAT-10011 | K80.2 | 120.9 | 78.6 | 71.2 | |
| CLN-100044 | ENC-100044 | PAT-10015 | I50.9 | 117.3 | 78.1 | 91.6 | |
| CLN-100049 | ENC-100049 | PAT-10018 | J18.9 | 122.2 | 78.6 | 84.1 | |
| CLN-100053 | ENC-100053 | PAT-10018 | I50.9 | 143.7 | 93 | 97.4 | |
| CLN-100071 | ENC-100071 | PAT-10025 | J18.9 | 141.3 | 91.1 | 67.9 | |
| CLN-100073 | ENC-100073 | PAT-10026 | O80 | 116 | 78.5 | 71.3 | |
| CLN-100081 | ENC-100081 | PAT-10030 | A41.9 | 142.4 | 89.6 | 81 | |
| CLN-100123 | ENC-100123 | PAT-10050 | K80.2 | 126.8 | 86.2 | 79.4 | |
| CLN-100125 | ENC-100125 | PAT-10052 | S72.0 | 137 | 91.9 | 80.1 | |
| CLN-100127 | ENC-100127 | PAT-10052 | J44.1 | 131.3 | 88 | 82.1 | |
| CLN-100132 | ENC-100132 | PAT-10053 | J44.1 | 121.5 | 84.1 | 82.5 | |
| CLN-100140 | ENC-100140 | PAT-10057 | E11.9 | 114.2 | 77.7 | 79.6 | |
| CLN-100151 | ENC-100151 | PAT-10060 | S72.0 | 121.7 | 79.8 | 75.2 | |
| CLN-100152 | ENC-100152 | PAT-10060 | E11.9 | 132.5 | 84.9 | 84.4 | |
| CLN-100157 | ENC-100157 | PAT-10061 | K80.2 | 102.5 | 67.5 | 75.4 | |
| CLN-100159 | ENC-100159 | PAT-10061 | O80 | 125.9 | 84.9 | 66.8 | |
| CLN-100165 | ENC-100165 | PAT-10063 | J20.9 | 135.2 | 86 | 71.6 | |
| CLN-100171 | ENC-100171 | PAT-10065 | I50.9 | 175.1 | 109.7 | 81.4 | |


Table: Encounter_Vitals_CD (1,053 rows) Column: Total Clinical Record (0 distinct values)

## Step 13:

The DAX function designed to calculate the total encounters has been successfully created.

Total Encounters = COUNT(Encounter_Vitals_CD[Encounter_Id2])

# Hospital Patient Clinical Details





| Clinical_Record_Id | Encounter_Id2 | Patient_Id | Primary_Diagnosis_Code | Systolic_BP_mmhg | Diastolic_BPmmhg | Heart_Rate_bpm | Respiratory_Rate |
|---|---|---|---|---|---|---|---|
| CLN-100001 | ENC-100001 | PAT-10001 | N39.0 | 119.7 | 78.9 | 67.3 | |
| CLN-100024 | ENC-100024 | PAT-10009 | E11.9 | 126.9 | 84.8 | 68.4 | |
| CLN-100031 | ENC-100031 | PAT-10011 | K80.2 | 120.9 | 78.6 | 71.2 | |
| CLN-100044 | ENC-100044 | PAT-10015 | I50.9 | 117.3 | 78.1 | 91.6 | |
| CLN-100049 | ENC-100049 | PAT-10018 | J18.9 | 122.2 | 78.6 | 84.1 | |
| CLN-100053 | ENC-100053 | PAT-10018 | I50.9 | 143.7 | 93 | 97.4 | |
| CLN-100071 | ENC-100071 | PAT-10025 | J18.9 | 141.3 | 91.1 | 67.9 | |
| CLN-100073 | ENC-100073 | PAT-10026 | O80 | 116 | 78.5 | 71.3 | |
| CLN-100081 | ENC-100081 | PAT-10030 | A41.9 | 142.4 | 89.6 | 81 | |
| CLN-100123 | ENC-100123 | PAT-10050 | K80.2 | 126.8 | 86.2 | 79.4 | |
| CLN-100125 | ENC-100125 | PAT-10052 | S72.0 | 137 | 91.9 | 80.1 | |
| CLN-100127 | ENC-100127 | PAT-10052 | J44.1 | 131.3 | 88 | 82.1 | |
| CLN-100132 | ENC-100132 | PAT-10053 | J44.1 | 121.5 | 84.1 | 82.5 | |
| CLN-100140 | ENC-100140 | PAT-10057 | E11.9 | 114.2 | 77.7 | 79.6 | |
| CLN-100151 | ENC-100151 | PAT-10060 | S72.0 | 121.7 | 79.8 | 75.2 | |
| CLN-100152 | ENC-100152 | PAT-10060 | E11.9 | 132.5 | 84.9 | 84.4 | |
| CLN-100157 | ENC-100157 | PAT-10061 | K80.2 | 102.5 | 67.5 | 75.4 | |
| CLN-100159 | ENC-100159 | PAT-10061 | O80 | 125.9 | 84.9 | 66.8 | |
| CLN-100165 | ENC-100165 | PAT-10063 | J20.9 | 135.2 | 86 | 71.6 | |
| CLN-100171 | ENC-100171 | PAT-10065 | I50.9 | 175.1 | 109.7 | 81.4 | |

## Step 14:

The DAX function designed to calculate the average glucose has been successfully created.

Average Glucose = AVERAGE('Lab Results CD'[Blood_Glucose_mg_dl])


# Hospital Patient Clinical Details




| Clinical_Record_Id | Blood_Glucose_mg_dl | Serum_Creatinine_mg_dl | Hemoglobin_g_dl | White_Blood_Cell_Count | Serum Creatinine Analysis |
|---|---|---|---|---|---|
| CLN-100003 | 118.5 | 2.89 | 15.1 | 25.9 | Elevated |
| CLN-100004 | 92.8 | 1.46 | 13.9 | 22.3 | Elevated |
| CLN-100010 | 76.8 | 2.15 | 13.2 | 14 | Elevated |
| CLN-100011 | 93.3 | 2.97 | 9.6 | 12.7 | Elevated |
| CLN-100012 | 114.8 | 1.64 | 12.4 | 6.3 | Elevated |
| CLN-100013 | 113.4 | 1.74 | 13 | 23.8 | Elevated |
| CLN-100015 | 233.7 | 1.6 | 15.8 | 4.8 | Elevated |
| CLN-100016 | 184.3 | 2.75 | 10 | 22.6 | Elevated |
| CLN-100020 | 102.6 | 1.79 | 13.3 | 22.9 | Elevated |
| CLN-100022 | 79.1 | 1.44 | 11.1 | 16.4 | Elevated |
| CLN-100032 | 109.7 | 2.3 | 12.2 | 16.9 | Elevated |
| CLN-100033 | 113.6 | 2.92 | 11.5 | 14.8 | Elevated |
| CLN-100035 | 113.8 | 3.01 | 14.3 | 20.1 | Elevated |
| CLN-100036 | 84.4 | 3.5 | 8.2 | 8.2 | Elevated |
| CLN-100037 | 108.4 | 1.9 | 16.1 | 27 | Elevated |
| CLN-100038 | 84.8 | 1.32 | 13.2 | 19.1 | Elevated |
| CLN-100039 | 115.9 | 1.6 | 8.9 | 6.4 | Elevated |
| CLN-100041 | 85.3 | 3 | 13.2 | 7 | Elevated |
| CLN-100048 | 73.3 | 1.4 | 14.2 | 11.1 | Elevated |
| CLN-100053 | 113.6 | 2.02 | 14.5 | 14.3 | Elevated |
| CLN-100054 | 94.5 | 1.74 | 15 | 17.5 | Elevated |

## Step 15:


I am creating a new dashboard named Dashboard 1 :Patient Vital Signs & Diagnostic Insights




## Step 16:


The card visual has been successfully created.Patient count,Total Encounters,Spo2 value&Total Clinical Record

# Hospital Patient Clinical Details




## Step 17:


A **clustered column** chart was successfully generated to visualize variations in heart rate details across the patient dataset.




## Step 18:

The newly generated **funnel chart** displays variations in patient temperature segmented by primary diagnosis code.


# Hospital Patient Clinical Details





## Step 19:

Successfully implemented a **donut chart** to visualize patient volume by primary diagnosis code.

# Hospital Patient Clinical Details




# Hospital Patient Clinical Details




## Step 20:


I am creating a new dashboard named Dashboard 2 :Patient Laboratory Diagnostics Dashboard





## Step 21:

The card visual has been successfully created.

# Hospital Patient Clinical Details





**Step 22:**
Successfully implemented a **stacked bar** chart to visualize total serum creatinine volume by analysis category.




**Step 23:**
Successfully created a **stacked column chart** displaying the total white blood cell count and sum of hemoglobin by analysis category .


# Hospital Patient Clinical Details





**Step 24:**
Create a **slicer** for blood glucose analysis.

# Hospital Patient Clinical Details








## Step 25:


I am creating a new dashboard named Dashboard 3 :Patient Laboratory Diagnostics Dashboard

# Hospital Patient Clinical Details




## Step 26:


The card visual has been successfully created.




## Step 27:


Successfully created a **stacked column chart** displaying the distribution of disease severity ranges and analysis by analysis category.

# Hospital Patient Clinical Details




## Step 28:


Successfully deployed a **tile-styled button slicer** using the secondary diagnosis code field, segmented by analysis category.




## Step 29:

Successfully deployed a **list slicer** using the primary procedure name field, segmented by analysis category.

# Hospital Patient Clinical Details




## Step 30:


Successfully deployed a summary **table** displaying primary diagnosis names alongside the count of primary procedure codes by analysis category.

| Primary_Diagnosis_Name | Count of Primary_Procedure_Code |
|---|---|
| Acute Bronchitis (Pediatric Enriched) | 25 |
| Acute Myocardial Infarction | 85 |
| Calculus Of Gallbladder (Cholelithiasis) | 110 |
| Community-Acquired Pneumonia | 132 |
| Congestive Heart Failure, Unspecified | 70 |
| Copd With Acute Exacerbation | 56 |
| Encounter For Full-Term Normal Delivery | 20 |
| Fracture Of Neck Of Femur (Hip Fracture) | 64 |
| Malignant Neoplasm Of Bronchus Or Lung | 77 |
| Sepsis, Unspecified Organism | 123 |
| Severe Osteoarthritis Of Knee | 58 |
| **Total** | **1053** |

## Step 31:

Deployed a **pie chart** visualizing disease severity ranges across analysis categories.

# Hospital Patient Clinical Details




## Step 32:

I am creating a new dashboard named Dashboard 4:Patient Laboratory Diagnostics Dashboard

