LAB 8 TASK

Web Engineering

Submitted by: **HASSAN SHAH**

Roll No: **2410_0099**

Batch: **BSCS SPRING 2024**

"On my honor, as student of Sir Syed CASE Institute Islamabad, I have neither given nor received unauthorized assistance on this academic work."

Submitted to:

SIR HASSAN SHAH

DATE:

21-04-2026

Clone repo

```
PROBLEMS    OUTPUT    DEBUG CONSOLE    TERMINAL    PORTS                    powershell

PS E:\uni all work\SEMESTER 5\Mid Term\Web Engineering\lab\sol\lab 8> git clone https://github.com/Meer-Hassan-Shah
/REACT-JS.git
Cloning into 'REACT-JS'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
PS E:\uni all work\SEMESTER 5\Mid Term\Web Engineering\lab\sol\lab 8>
```

Node Installed

```
Command Prompt

Microsoft Windows [Version 10.0.26200.8246]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Meer Hassan Shah>node -v
'node' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\Meer Hassan Shah>node -v
v24.15.0

C:\Users\Meer Hassan Shah>
```

Creating react App

```
    + FullyQualifiedErrorId : UnauthorizedAccess
PS E:\uni all work\SEMESTER 5\Mid Term\Web Engineering\lab\sol\lab 8> Set-ExecutionPolicy -Scope Cu
rrentUser -ExecutionPolicy RemoteSigned
PS E:\uni all work\SEMESTER 5\Mid Term\Web Engineering\lab\sol\lab 8> npx create-react-app lab8
Need to install the following packages:
create-react-app@5.1.0
Ok to proceed? (y) y
npm warn deprecated uid-number@0.0.6: This package is no longer supported.
npm warn deprecated rimraf@2.7.1: Rimraf versions prior to v4 are no longer supported
npm warn deprecated fstream-ignore@1.0.5: This package is no longer supported.
npm warn deprecated fstream@1.0.12: This package is no longer supported.
npm warn deprecated inflight@1.0.6: This module is not supported, and leaks memory. Do not use it.
Check out lru-cache if you want a good and tested way to coalesce async requests by a key value, wh
ich is much more comprehensive and powerful.
npm warn deprecated glob@7.2.3: Old versions of glob are not supported, and contain widely publiciz
ed security vulnerabilities, which have been fixed in the current version. Please update. Support f
or old versions may be purchased (at exorbitant rates) by contacting i@izs.me
npm warn deprecated tar@2.2.2: Old versions of tar are not supported, and contain widely publicized
 security vulnerabilities, which have been fixed in the current version. Please update. Support for
 old versions may be purchased (at exorbitant rates) by contacting i@izs.me
create-react-app is deprecated.

You can find a list of up-to-date React frameworks on react.dev
For more info see:https://react.dev/link/cra
```

```
You can find a list of up-to-date React frameworks on react.dev
For more info see:https://react.dev/link/cra

This error message will only be shown once per install.

Creating a new React app in E:\uni all work\SEMESTER 5\Mid Term\Web Engineering\lab\sol\lab 8\lab8.

Installing packages. This might take a couple of minutes.
Installing react, react-dom, and react-scripts with cra-template...


added 1298 packages in 3m

268 packages are looking for funding
  run `npm fund` for details
```

```
Installing template dependencies using npm...

added 17 packages, and removed 1 package in 10s

267 packages are looking for funding
  run `npm fund` for details
Removing template package using npm...


removed 1 package, and audited 1314 packages in 11s

267 packages are looking for funding
  run `npm fund` for details

26 vulnerabilities (9 low, 3 moderate, 14 high)

To address issues that do not require attention, run:
  npm audit fix

To address all issues (including breaking changes), run:
  npm audit fix --force

Run `npm audit` for details.
```

```
PROBLEMS    OUTPUT    DEBUG CONSOLE    TERMINAL    PORTS

26 vulnerabilities (9 low, 3 moderate, 14 high)

To address issues that do not require attention, run:
  npm audit fix

To address all issues (including breaking changes), run:
  npm audit fix --force

Run `npm audit` for details.

Success! Created lab8 at E:\uni all work\SEMESTER 5\Mid Term\Web Engineering\lab\sol\lab 8\lab8
Inside that directory, you can run several commands:

  npm start
    Starts the development server.

  npm run build
    Bundles the app into static files for production.

  npm test
    Starts the test runner.

  npm run eject
    Removes this tool and copies build dependencies, configuration files
```

Run and test the application.

```
    npm start
      Starts the development server.

    npm run build
      Bundles the app into static files for production.

    npm test
      Starts the test runner.

    npm run eject
      Removes this tool and copies build dependencies, configuration files
      and scripts into the app directory. If you do this, you can’t go back!

  We suggest that you begin by typing:

    cd lab8
    npm start

  Happy hacking!
  PS E:\uni all work\SEMESTER 5\Mid Term\Web Engineering\lab\sol\lab 8>
```

```
npm error enoent Could not read package.json: Error: ENOENT: no such file or directory, open 'E:\un
i all work\SEMESTER 5\Mid Term\Web Engineering\lab\sol\lab 8\package.json'
npm error enoent This is related to npm not being able to find a file.
npm error enoent
npm error A complete log of this run can be found in: C:\Users\Meer Hassan Shah\AppData\Local\npm-c
ache\_logs\2026-04-21T17_15_36_455Z-debug-0.log
PS E:\uni all work\SEMESTER 5\Mid Term\Web Engineering\lab\sol\lab 8> cd lab8
cd : Cannot find path 'E:\uni all work\SEMESTER 5\Mid Term\Web Engineering\lab\sol\lab 8\lab8'
because it does not exist.
At line:1 char:1
+ cd lab8
+ ~~~~~~~
    + CategoryInfo          : ObjectNotFound: (E:\uni all work...\sol\lab 8\lab8:String) [Set-Loc
   ation], ItemNotFoundException
    + FullyQualifiedErrorId : PathNotFound,Microsoft.PowerShell.Commands.SetLocationCommand

PS E:\uni all work\SEMESTER 5\Mid Term\Web Engineering\lab\sol\lab 8> cd REACT-JS
PS E:\uni all work\SEMESTER 5\Mid Term\Web Engineering\lab\sol\lab 8\REACT-JS> cd lab8
PS E:\uni all work\SEMESTER 5\Mid Term\Web Engineering\lab\sol\lab 8\REACT-JS\lab8> npm start

> lab8@0.1.0 start
> react-scripts start
```

```
PS E:\uni all work\SEMESTER 5\Mid Term\Web Engineering\lab\sol\lab 8\REACT-JS\lab8> npm start

> lab8@0.1.0 start
> react-scripts start

(node:7676) [DEP0176] DeprecationWarning: fs.F_OK is deprecated, use fs.constants.F_OK instead
(Use `node --trace-deprecation ...` to show where the warning was created)
(node:7676) [DEP_WEBPACK_DEV_SERVER_ON_AFTER_SETUP_MIDDLEWARE] DeprecationWarning: 'onAfterSetupMid
dleware' option is deprecated. Please use the 'setupMiddlewares' option.
(node:7676) [DEP_WEBPACK_DEV_SERVER_ON_BEFORE_SETUP_MIDDLEWARE] DeprecationWarning: 'onBeforeSetupM
iddleware' option is deprecated. Please use the 'setupMiddlewares' option.
Starting the development server...
Compiled successfully!

You can now view lab8 in the browser.

  Local:            http://localhost:3000
  On Your Network:  http://192.168.0.107:3000

Note that the development build is not optimized.
To create a production build, use npm run build.

webpack compiled successfully
PS E:\uni all work\SEMESTER 5\Mid Term\Web Engineering\lab\sol\lab 8\REACT-JS\lab8> npx install -D
tailwindcss@3.4.0 postcss autoprefixer
npm error could not determine executable to run
```





Install and configure Tailwind CSS



```
PROBLEMS    OUTPUT    DEBUG CONSOLE    TERMINAL    PORTS

tailwindcss@3.4.0 postcss autoprefixer

added 3 packages, removed 2 packages, changed 1 package, and audited 1315 packages in 9s

268 packages are looking for funding
  run `npm fund` for details

26 vulnerabilities (9 low, 3 moderate, 14 high)

To address issues that do not require attention, run:
  npm audit fix

To address all issues (including breaking changes), run:
  npm audit fix --force

Run `npm audit` for details.
PS E:\uni all work\SEMESTER 5\Mid Term\Web Engineering\lab\sol\lab 8\REACT-JS\lab8>
```

```
PROBLEMS    OUTPUT    DEBUG CONSOLE    TERMINAL    PORTS

tailwindcss@3.4.0 postcss autoprefixer

added 3 packages, removed 2 packages, changed 1 package, and audited 1315 packages in 9s

268 packages are looking for funding
  run `npm fund` for details

26 vulnerabilities (9 low, 3 moderate, 14 high)

To address issues that do not require attention, run:
  npm audit fix

To address all issues (including breaking changes), run:
  npm audit fix --force

Run `npm audit` for details.
PS E:\uni all work\SEMESTER 5\Mid Term\Web Engineering\lab\sol\lab 8\REACT-JS\lab8> npx tailwindcss
 init -p

Created Tailwind CSS config file: tailwind.config.js
Created PostCSS config file: postcss.config.js
PS E:\uni all work\SEMESTER 5\Mid Term\Web Engineering\lab\sol\lab 8\REACT-JS\lab8>
```

Explore the folder structure of the React project



tailwind.config.js U

REACT-JS > lab8 > tailwind.config.js > <unknown> > plugins

```javascript
/** @type {import('tailwindcss').Config} */
module.exports = {
  content: ["./src/**/*.{js,jsx,ts,tsx}"],
  theme: {
    extend: {},
  },
  plugins: [],
}
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

tailwind.config.js U postcss.config.js U

REACT-JS > lab8 > postcss.config.js > <unknown> > plugins

```javascript
module.exports = {
  plugins: {
    "@tailwindcss/postcss": {},
    autoprefixer: {},
  },
}
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS



Configure and push files to your GitHub repository

```
PROBLEMS 3   OUTPUT   DEBUG CONSOLE   TERMINAL   PORTS

 create mode 100644 lab8/src/App.css
 create mode 100644 lab8/src/App.js
 create mode 100644 lab8/src/App.test.js
 create mode 100644 lab8/src/index.css
 create mode 100644 lab8/src/index.js
 create mode 100644 lab8/src/logo.svg
 create mode 100644 lab8/src/reportWebVitals.js
 create mode 100644 lab8/src/setupTests.js
 create mode 100644 lab8/tailwind.config.js
PS E:\uni all work\SEMESTER 5\Mid Term\Web Engineering\lab\sol\lab 8\REACT-JS\lab8> git push origin
 main
Enumerating objects: 26, done.
Counting objects: 100% (26/26), done.
Delta compression using up to 8 threads
Compressing objects: 100% (25/25), done.
Writing objects: 100% (25/25), 173.42 KiB | 10.20 MiB/s, done.
Total 25 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Meer-Hassan-Shah/REACT-JS.git
   ccd8399..12b65fd  main -> main
PS E:\uni all work\SEMESTER 5\Mid Term\Web Engineering\lab\sol\lab 8\REACT-JS\lab8>
```


add new node js repo · Meer-H
github.com/Meer-Hass
Filter files...
lab8
.gitignore
README.md
package-lock.json
package.json
postcss.config.js
public
favicon.ico
index.html
logo192.png
logo512.png
manifest.json
robots.txt
src
App.css
App.js


add new node js repo · Meer-H
github.com/Meer-Hassan
postcss.config.js
public
favicon.ico
index.html
logo192.png
logo512.png
manifest.json
robots.txt
src
App.css
App.js
App.test.js
index.css
index.js
logo.svg
reportWebVitals.js
setupTests.js
tailwind.config.js

THE END!!!!!!