
GAMECO

Team 04: Marcus Lorenzana, Marvin Lopez, Marcos Gonzales, Desiree Johnson

Contents

Description of Organization:	3
Conceptual Design:	4
Conceptual Database Schema:	6
Relational Database Schema	7
Database Implementation	
Application Implementation	10
Demo	10
Milestones	16
Collaboration Distribution:	16
Testing	



Description of Organization:

The company will sell products, specifically games that are strictly digital codes. The customer uses the webpage to enter their details in order to place an order for an item, and receiving the order should be relatively instantaneous. Once the customer submits an order as soon as the order is processed and verified, an email will be sent to the user within about an hour containing the redeemable code for the product that will be activated on the platform of their choice (PC, Xbox, PlayStation, Nintendo). Since the store will operate with digital items only, there will be no need for a warehouse nor will there be any shipping data. The customer should be able to access their codes at any time through the website if they accidently lose their code. There are three main category of users: The customers, suppliers, and employees. The customers will buy from the store which contains a catalog of video games on different platforms. There will be multiple suppliers that will supply games to our company and they will receive royalty on the items that sell. The manager (an employee) will be the one that contacts the supplier and orders games for our digital inventory. There will also be customer support representatives, who will have access to basic customer information and past transactions. There is also a database administrator who will deal with security updates and changes to the database (if necessary).

Some examples of this eCommerce setup is the digital section of Amazon.com, Greenmangaming.com, or any website that sells products that can be redeemed through online game codes.

Conceptual Design:

Person: This is the primary entity that gives personal information about Employees and Customers. This entity will hold attributes such as FName, LName, State, Zip, Address, Phone#, Status, DOB, and a primary key "ID".

Customer: The customer will be able to buy products from the online store and will interact only with the front end website and customer support. They will be able to create/edit their personal information and send these queries to the database without really knowing what's happening in

Customer Representative Check Stock Check Orders Cancel Orders Orders Inventory

the back-end. Customer would have an age greater than 18 to place orders and as such will sign a policy agreement upon registering. Customer has an indirect relationship with the supplier and a direct relationship with our company via the products from the website. He/she will "Buy" 1 or more products (games) from the site store if the item is stock. The customer should be able to delete their account but will keep transaction details.

Supplier: The suppliers supply our online games. The supplier has a direct relationship with the manager, as the manager will place 1 or more orders for new games from the supplier or to restock current inventory. The supplier will be its own entity, not inheriting any of the attributes from Person. Its attributes will be the company name it represents, personal information, and its own unique supplier ID, SID.

Database Administrator: Handles the security and upgrades to the MySQL database. Has access of the database itself and is able to make changes to the tables, etc. The DBA will need

to give (or remove) permissions to employees and trouble shoot problems dealing with the database.


Customer Service Rep: Will be able to access customer information and game information. The customer will contact the support for help with their product through a submission form on the website. They will also be able to submit trouble ticket to DBA and Manager (for issues with dealing with supplier if necessary). If the key does not work they will contact customer support by sending in a support ticket. The customer support will determine whether or not they will get a refund.

Manager: This is a subclass of Employee and inherits person attributes. The manager will place orders from the supplier for more game keys. Will utilize the action entity "Order" to place 1 or more orders for game codes to hold in the digital inventory. Manager will also receive trouble tickets or alerts from the system to indicate low inventory.

Game: Will hold all the details about the game and its availability such as Title, Date released, Developer, Publisher, Genre, and price.

Transactions: This entity holds information about all transactions involving the sellers, customers, and the manager. Each transaction has its own unique transaction ID which will aid in the lookup of specific transactions and help the customer support representative as well to review mistakes on orders when contacted on such an issue.

Conceptual Database Schema:



Relational Database Schema

Method 1

Person (ID, Status, Phone#, Street, ZipCode, City, State, LastName, FirstName, DOB_Day, DOB_Month, DOB_Year)

FDs:

ZipCode,State → City

ID → Status, FirstName, LastName, DOB_Day, DOB_Month, DOB_Year

Phone# Street

Normal Form: BCNF/3NF

Employee (DeptName, EID)

FDs:

EID → DeptName

Normal Form: BCNF

Customer (PolicyAgree, CID)

FDs:

CID → PolicyAgree

Normal Form: BCNF

ServRep (SRID)

FDs: SRID

Normal Form: BCNF

Data Base Administrator (DID)

FDs: DID

Normal Form: BCNF

Manager (MID)

FDs:

Normal Form: BCNF

Transactions (TransID, Day, Month, Time, Year)

FDs:

TransID → Day, Month, Time, Year

Normal Form: BCNF/3NF

**Orders (Quantity, PayAmt, Invoice#, MID, <u>Trans ID</u>, KeyCode)
**original table converted to two tables to increase normalization

Orders_Invoice (Quantity, PayAmt, Invoice#, Trans_ID)Trans_ID ref TransID

FDs:

Invoice# → Quantity, PayAmt, TransID

TransID → Invoice#

Normal Form: 3NF

Orders (Trans_ID, KeyCode, MID) MID ref MID, Trans_ID ref TransID, KeyCode ref Key_Co

FDs:

TransID → Key_Code,MID Key_Code → TransID,MID

Normal Form: 3NF

Games (Key Code, Avail_To_Buy, Developer, Platform, Genre, Title, Price)

FDs:

Key_Code → Developer, Platform, Genre, Title, Price, Avail_To_Buy (superkey)

Platform → Developer (trivial)

Normal Form: 3NF

Supplier (SID, Phone#, Co_Name, State, Street, City, Zipcode)

FDs:
Zipcode,State -- City
SID -- Co_Name, Phone#
Street

Normal Form: BCNF/3NF

Purchase (CID, Key_Code , Trans_ID, Total, Last4_CC#)

FDs:
Trans_ID -- Total,Last4_CC#,CID, Key_Code
Key_Code -- CID,Trans_ID

Normal Form: 3NF

Supplies (SID, Key_Code)

FDs:
Key_Code -- SID

Normal Form: 3NF

Contacts (TransID, CID, SRID, purchase_ref_#)

FDs:
purchase_ref_# -- CID (purchase_ref_# not part of any candidate key)
TransID -- CID,SRID

Normal Form: 2NF

Database Implementation

For the project we used many SQL queries to create, update, insert and alter the tables and columns.

We also implemented some triggers, an example of the trigger is in the inventory table when the games has run out of game codes. The table would report to the webpage that it is out of stock and the manager would have to order some more codes or remove the game.

The lessons we learned was that it was difficult to translate the projects E/R scheme to a proper database. So the group created new tables, delete redundant ones, change the BCF forms, and primary keys. The experienced we gained was how to implement Efficient SQL Coding.

We created the database with a SQL script "Mydb6.sql" in MySQL database an example SQL command we

Implemented is

```
CREATE TABLE IF NOT EXISTS `gameK` (
  `item_ids` int(10) unsigned NOT NULL,
  `gameKey` varchar(30) NOT NULL
)
```

This would create the table "gameK" that would hold the id of the items and game's keys. The way we populated the tables was using SQL insert.

```
INSERT INTO `gameK` (`item_ids`, `gameKey`) VALUES
(7, 'n1');
```

The tables "order", "order_contents", "shop", "users" are created and populated the same way. A query's we used was to see if the tables populated.

```
SELECT * FROM `gamek`;
```

We also had to alter some tables so we used

```
ALTER TABLE `shop`
MODIFY `item_id` int(10) unsigned NOT NULL
AUTO INCREMENT, AUTO INCREMENT=9;
```


For instance the query alters the table "shop" and changes the column "item id".

Application Implementation

For the implementation of the database we created a local server and created a website "Gameco", using html, and PHP code. Some of the key functions we used was sort the games we have, create a cart of games you have selected, register user's to the database, checking if the customer or manager are users in the database, for the manager adding games to inventory, and show users transaction history. Some of the functions we didn't implement was having the customer contact "Gameco" If a problem would arise.


Demo

For the front page we have a selection page. You could either select if you are a manager or a customer. Once the option has been selected




The next page the user would see depending of the selection is the logon page, for the customer they would also see the register button.

Manager Login



If the registration button is pressed you be taken to the page where you would see the form to fill out to be added the database.




Once you have logged in you would see the home page the options you have are to home, shop Transaction history, and logout.






If you select shop it would take you to the page where you can buy the game keys




In this page you can sort the games by platform (e.g. PlayStation), name or price. Once you select the games you want to buy you can go to the cart and checkout. In the checkout section you can see the games you have selected and how many you want to buy.







Since you selected the games and how many keys you want to buy the website would tell if you are successful.



If the inventory unavailable you would see that the inventory is unavailable. If unavailable you would see that it is "OUT OF STOCK" in the shopping page.



If you log in the managers page and you go to the shop page, you would see the extra option of "CONTATACTING THE SELLER"



With this option you can add inventory to the database by making an order form the seller.





Once you make an order the shop page is updated with the latest order. This is the basic implementation of the video game shopping website.

The way we tried to communicate and share data was through GitHub and eclipse, with some people it was easier than others.

As you can tell we didn't achieve all that we originally planned to but we did program a basic working website, if the team had more time the website would look more elegant and refined.

Milestones

For the milestones we did achieve the easy milestones, and most of the hard milestones with the exception of the club membership idea.

Easy milestone: implementing the conceptual database into MySQL and designing the front end website.

Hard milestone: Figuring out PHP and connecting the website with the MySQL database. We would also like to implement a club membership if time permits. The idea is that a customer could sign up for a premium membership for a monthly fee and have access to discounts and other worthwhile features.

Collaboration Distribution:

Marcus Lorenzana:

- First draft of ER diagram on paper.
- Midpoint report and midpoint presentation slides.
- Company snapshot.
- Initial front end implementation using bootstrap (inside the backups/bootstrap directory).
- PHP registration, customer support, and game search forms for the initial front end bootstrap website.
- Rough draft of EER diagram used mainly for understanding how to setup our MySQL database.
- On the final application, created separate pages for manager and customer.
- Implemented the retrieval of the customer's redeemable keys at checkout with the help of Desiree. Also added external website navigation to redeem their keys for whichever platform they bought for.
- Implemented seller requests on the manager's login to add more games to the database/website.
- Minor changes to physical database and edits to the database building script.
- Various front end additions such as dropdowns, etc.

Marcos Gonzales:

- -Created the relational database schema
- -Created the final physical MySQL database
- -Provided the foundation of the final website application which handles add to cart functionality, login, registration, and displaying the products on the page.
- -Added functionality for sorting the games based on price, platform, etc.
- -Added functionality for retrieving transaction history for customer and transaction history lookup for manager.

Desiree Johnson:

- -Polished ER diagram and changed the relations of transactions.
- -Created the functional dependencies with the relational database schema and normal forms.
- -Helped with midpoint presentation slides and did the final presentation slides.

-Helped implement retrieval of keys at checkout.

Marvin Lopez:

- -Implemented the ER diagram in yED and made various changes and fixes to it.
- -Created the Use Cases diagram to help convey the actions of different users.
- -Created the final report.

A significant portion of the time was spent implementing the physical database and creating the PHP scripts along with the HTML to get the web application working properly. We initially attempted to create a responsive and well-designed website using bootstrap as a framework but found that the code made things complicated and we decided on a simple looking but more functional website application that allowed us to communicate easier with the database and make changes to the website where necessary. Given more time, we would have probably implemented what we have in our web application now with the bootstrap website.

Testing:

The following queries were tested via myql command line scripts. The following script were tested to see the correct information was being returned and them implemented into php code.

We used this test to see if we can pull a user from the data base.

We used this tes to see if a manager could enter a new game.

We used this test to populate the shop with all the games by availability.

```
| Description of Alien.
                                                              | pics/ps4/alienisolation.jpg | 27.00 | ps4-002
 7 | Batman Arkham Origins
Warner Bros. | Nintendo | 8 |
8 | Hyrule Warriors |
Team Ninja | Nintendo | 9 |
55 | newGame |
developer | platform | 3 |
                                     | Description of Batman.
                                                               | pics/nintendo/batmanao.jpg |
                                                                                               35.00 | ntd-001
                                    | Description of HW.
                                                              | pics/nintendo/hyrule.jpg | 88.00 | ntd-002
                                                               | image
                                                                                         1
                                     | description
                                                                                               44.00 | new1
+------
8 rows in set (0.00 sec)
mysql>
mysql>
mysql>
mysql>
mysql> UPDATE shop SET available = '0' WHERE item id = 55;
Query OK, 1 row affected (0.00 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mvsal>
mysql> select * from shop where available > 0;
                                                                                       | item price | item key
               | platform | available |
 developer
+----+
 | Description of Diablo.
      2 | Diablo III
                                                               | pics/pc/diablo3.jpg
                                                                                       | 19.99 | pc-002
                                     | Description of Battlefield 4. | pics/xbox/bf4.jpg
                                                                                              9.99 | xbx-001
                                                                                       1
 4 | Destiny
Bungie | Xbox | 5 |
5 | Assassin's Creed IV: Black Flag | Description of ACIV.
Ubisoft | PS4 | 6 |
6 | Alien Isolation | Description of Alien.
Creative Assembly | PS4 | 7 |
7 | Batman Arkham Origins | Description of Batman.
Warner Bros. | Nintendo | 8 |
8 | Hyrule Warriors | Description of HW.
Team Ninja | Nintendo | 9 |
                                    | Description of Destiny. | pics/xbox/destiny.jpg
                                                                                       | 19.99 | xbx-002
                                                              | pics/ps4/aciv.jpg
                                                                                       | 39.09 | ps4-001
                                                              | pics/ps4/alienisolation.jpg | 27.00 | ps4-002
                                    | Description of Batman.
                                                              | pics/nintendo/batmanao.jpg | 35.00 | ntd-001
                                                               | pics/nintendo/hyrule.jpg |
                                                                                               88.00 | ntd-002
7 rows in set (0.00 sec)
mysql> /*note newGame now gone*/
mysql>
_{\rm mysql}^{-} select * from shop where available = 0;
+----+
                         | item id | item name
platform | available |
1 | Counter Strike: Global Offensive | Description of Gamel. | pics/pc/csgo.jpg | 29.99 | pc-001 | Valve | PC
     platform | 0 | +-----
2 rows in set (0.00 sec)
```

We used this test to see to populate a list of all games regardless of availability.

```
mysql> /*load all games, used to populate list*/
mysql> use mydb6;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A
Database changed
mysql>
mysql> SELECT * FROM shop;
| item_price |
+----+
     1 | Counter Strike: Global Offensive | Description of Game1.
                                                       | pics/pc/csqo.jpg
                                                                             1
                                                                                   29.99 | pc-001
 | 19.99 | pc-002
                                                                             1
                                                                                   9.99 | xbx-001
                                                       | pics/xbox/destiny.jpg
                                                                             | 19.99 | xbx-002
 Bungie | Xbox | 5 | 5 | 5 | Assassin's Creed IV: Black Flag | Description of ACIV.
                                                       | pics/ps4/aciv.jpg | 39.09 | ps4-001
 Ubisoft | PS4 | 6 | 6 | Creative Assembly | PS4 | 7 |
                                | Description of Alien.
                                                       | pics/ps4/alienisolation.jpg | 27.00 | ps4-002
```

7 Batman Arkham Origins Warner Bros. Nintendo	Description of Batma:	n. pics/nintendo/batma	anao.jpg	35.00	ntd-00
8 Hyrule Warriors Team Ninja Nintendo	Description of HW.	pics/nintendo/hyru			ntd-00
*** 8 rows in set (0.00 sec)	+				
<pre>mysql> mysql> /*test to populate shop page mysql> mysql> select item_name, item_desc, approximately item_desc, approximately item_desc, approximately item_name, item_desc, approximately item_desc, approximate</pre>	<pre>item_img, item_price, item_id f</pre>				
	'	'	item_price		'
Battlefield 4 Destiny Assassin's Creed IV: Black Flag Alien Isolation Batman Arkham Origins Hyrule Warriors	Description of Gamel. Description of Diablo. Description of Battlefield 4. Description of Destiny. Description of ACIV. Description of Alien.	pics/pc/diablo3.jpg pics/xbox/bf4.jpg pics/xbox/destiny.jpg pics/ps4/aciv.jpg pics/ps4/alienisolation.jpg pics/nintendo/batmanao.jpg pics/nintendo/hyrule.jpg	35.00 88.00	. 2 3 4 5 6 7	+
8 rows in set (0.00 sec)	+	+	+	+	÷
<pre>mysql> mysql> exit</pre>					

We used the following test to populate the shop page by name

item_id item_name em_key developer	platform ava	ilable		item_img	item_price	I
		'		·	,	
		Description o	f Alien.	pics/ps4/alienisolation.jpg	27.00	ps4-00
Creative Assembly PS4						
5 Assassin's Creed I	V: Black Flag	Description o	f ACIV.	pics/ps4/aciv.jpg	39.09	ps4-00
Ubisoft PS4	6					
7 Batman Arkham Orig:		Description o	f Batman.	pics/nintendo/batmanao.jpg	35.00	ntd-00
Warner Bros. Nintendo						
3 Battlefield 4		Description o	f Battlefield 4.	pics/xbox/bf4.jpg	9.99	xbx-00
DICE Xbox						
1 Counter Strike: Glo		Description o	f Game1.	pics/pc/csgo.jpg	29.99	pc-00
	0					
4 Destiny		Description o	f Destiny.	pics/xbox/destiny.jpg	19.99	xbx-0
Bungie Xbox						
2 Diablo III		Description o	f Diablo.	pics/pc/diablo3.jpg	19.99	pc-00
Blizzard PC			_			
8 Hyrule Warriors		Description o	f HW.	pics/nintendo/hyrule.jpg	88.00	ntd-0
Team Ninja Nintendo	9					

We used the following test to populate the shop page by price descending.

em_key	item_name developer 	plat		il	.able				item_img		_price
	+ Hyrule Warriors	'				of	HW.	ı	pics/nintendo/hyrule.jpg	ı	88.00 ntd
	a Nintendo				-				1 313		
5 [Assassin's Creed	IV: Bl	lack Flag	1	Description	of	ACIV.	1	pics/ps4/aciv.jpg	1	39.09 ps4
Jbisoft	PS4		6								
7	Batman Arkham Orio	gins		1	Description	of	Batman.	-1	pics/nintendo/batmanao.jpg	1	35.00 ntd
	os. Nintendo										
	Counter Strike: G	lobal		1	Description	of	Game1.	- 1	pics/pc/csgo.jpg	1	29.99 pc-
	PC		0								
	Alien Isolation			1	Description	of	Alien.	- 1	pics/ps4/alienisolation.jpg		27.00 ps4
	Assembly PS4		7				-1.33				40.00.
	Diablo III		0.1	1	Description	ΟĬ	Diablo.	- 1	pics/pc/diablo3.jpg	1	19.99 pc-
	PC	I	2		D		D+!				19.99 xbx
4	Xbox	1	5 I	1	Description	OI	Destiny.	- 1	pics/xbox/destiny.jpg	1	19.99 XDX
	Battlefield 4	1	2	1	Description	οf	Battlefield 4	1	pics/xbox/bf4.jpg	1	9.99 xbx
	Xbox	1	3 1	1	Description	OI	Datticia 4.		pics/Abox/Di4.jpg	1	J. JJ KDK

We used the following test to populate the shop page by PS4. mysgl> SELECT * FROM shop WHERE platform = 'PS4';

Mysq1> SELECT " FROM SHOP WHERE PIACTORN			
item_id item_name developer platform available	+ + item_desc	item_img	item_price item_key

```
5 | Assassin's Creed IV: Black Flag | Description of ACIV. | pics/ps4/aciv.jpg |
·
+-----+
We used the following test to populate the shop page by Xbox
mysql> SELECT * FROM shop WHERE platform = 'Xbox';
| item_id | item_name | item_desc
                                                           | item_price | item_key | developer | platform
                                          | item img
 available |
     3 | Battlefield 4 | Description of Battlefield 4. | pics/xbox/bf4.jpg |
                                                                 9.99 | xbx-001 | DICE
     | Destripy | Description of Destiny. | pics/xbox/destiny.jpg | 19.99 | xbx-002 | Bungie | Xbox
We used the following test to populate the shop page by Nintendo.
mysql> SELECT * FROM shop WHERE platform = 'Nintendo';
| item_id | item_name
                       | item_desc
                                          | item_img
                                                                | item price | item key | developer
platform | available |
      7 | Batman Arkham Origins | Description of Batman. | pics/nintendo/batmanao.jpg | 35.00 | ntd-001 | Warner Bros. |
     8 | Hyrule Warriors | Description of HW. | pics/nintendo/hyrule.jpg | 88.00 | ntd-002 | Team Ninja |
        9 |
2 rows in set (0.00 sec)
We used the following test to populate the shop page by PC.
mysql> SELECT * FROM shop WHERE platform = 'PC';
| item_id | item_name
platform | available |
   1 | Counter Strike: Global Offensive | Description of Game1. | pics/pc/csgo.jpg | 29.99 | pc-001 | Valve |
                 | Description of Diablo. | pics/pc/diablo3.jpg | 19.99 | pc-002 | Blizzard |
     2 | Diablo III
2 rows in set (0.00 sec)
mysql>
mysql>
We used the following test to test inserts which would be used for registering a user.
mysql>
mysql> /*test to insert parameters , used for register*/
mvsal>
mysql>
mysql> INSERT INTO users (first_name, last_name, email, pass, reg_date, City , Street, Zip) VALUES ('marcos', 'gonzales',
'mg@email.com', 'pass', NOW(), 'SA', 'Street', 78216 );
Query OK, 1 row affected (0.00 sec)
mysql>
mysql> /*check database, note difference in password, we used SHA1 encryption when passed into the database by php*/
mysql>
mysql> select * from users where first_name = 'marcos' and last_name = 'gonzales';
                                                                                    | City |
 | reg date
Zip | Street | DOB |
    125 | marcos
                | gonzales | marcos@yahoo.com | dfadc855249b015fd2bb015c0b099b2189c58748 | 2014-12-03 00:48:02 | 123 |
78216 | 123 | NULL |
| 2014-12-10 20:14:09 | SA |
2 rows in set (0.00 sec)
```

mysql>

Aborted mysql>

mysql> Ctrl-C -- exit!

We used the following test to populate transaction history.

user_id	 first_name	+ last_name +	+ order_id +	+ order_date +	+ item_id +	+ price	+
		kitty	. 2	2014-12-03 10:17:34			Counter Strike: Global Offensive
		kitty] 3	2014-12-03 19:50:14		29.99	
		kitty	4	2014-12-03 19:54:25		29.99	
1 1	kitty	kitty	1 5	2014-12-03 19:54:57	1	29.99	Counter Strike: Global Offensive
1 1	kitty	kitty	6	2014-12-03 19:55:16	1	29.99	Counter Strike: Global Offensive
1 1		kitty	1 7	2014-12-03 20:15:09	1	29.99	Counter Strike: Global Offensive
1 1	kitty	kitty	8	2014-12-03 20:15:24	1	29.99	Counter Strike: Global Offensive
1 1	kitty	kitty	9	2014-12-03 20:15:37	1	29.99	Counter Strike: Global Offensive
1 1	kitty	kitty	10	2014-12-03 20:15:44	1	29.99	Counter Strike: Global Offensive
1 1	kitty	kitty	11	2014-12-03 20:18:32	1	29.99	Counter Strike: Global Offensive
1 1	kitty	kitty	12	2014-12-03 20:18:39	1	29.99	Counter Strike: Global Offensive
1 1	kitty	kitty	13	2014-12-03 20:18:44	1	29.99	Counter Strike: Global Offensive
1 1	kitty	kitty	14	2014-12-03 20:19:17	1	29.99	Counter Strike: Global Offensive
1	kitty	kitty	15	2014-12-03 20:24:18	1	29.99	Counter Strike: Global Offensive
1 1	kitty	kitty	16	2014-12-03 20:24:29	1	29.99	Counter Strike: Global Offensive
1	kitty	kitty	17	2014-12-03 20:24:36	1	29.99	Counter Strike: Global Offensive
1 1	kitty	kitty	18	2014-12-03 20:24:51	1	29.99	Counter Strike: Global Offensive
1	kitty	kitty	19	2014-12-03 20:26:48	1	29.99	Counter Strike: Global Offensive
1 1	kitty	kitty	20	2014-12-03 20:29:57	1	29.99	Counter Strike: Global Offensive
1 1	kittv	kitty	21	2014-12-03 20:30:07	1	29.99	Counter Strike: Global Offensive
1		kitty	. 22	2014-12-03 20:30:16	1	29.99	Counter Strike: Global Offensive
1		kittv	. 23	2014-12-03 20:30:26	1	29.99	Counter Strike: Global Offensive
		kitty	24	2014-12-03 20:30:39	1	29.99	Counter Strike: Global Offensive
1		kittv	I 25	2014-12-03 20:38:27	1	29.99	Counter Strike: Global Offensive
1	kittv	kittv	I 26	2014-12-03 20:39:22		29.99	Counter Strike: Global Offensive
1	kitty	kitty	27	2014-12-03 20:40:54	1	29.99	Counter Strike: Global Offensive
		kittv	28	2014-12-03 20:41:00	1	29.99	Counter Strike: Global Offensive
		kitty	I 29	2014-12-03 20:41:10		29.99	Counter Strike: Global Offensive
		kitty	i 30	2014-12-03 20:41:17	I 1	29.99	Counter Strike: Global Offensive
		kitty	31			29.99	Counter Strike: Global Offensive
		kitty	32			29.99	Counter Strike: Global Offensive
		kitty	33			29.99	
	-	kitty	1 34			29.99	Counter Strike: Global Offensive
		kitty	i 35			29.99	
		kitty	1 36			29.99	Counter Strike: Global Offensive
		kitty	37			29.99	Counter Strike: Global Offensive
		kitty	i 38			29.99	Counter Strike: Global Offensive
		kitty	1 39			29.99	
		kitty	1 40			29.99	
		kitty	1 41			29.99	
	-	kitty	1 42			29.99	Counter Strike: Global Offensive
		kitty		2014-12-03 20:57:10		29.99	
+	 L	<i>-</i>	,		+	 	+

42 rows in set (0.00 sec)

mysql>

mysql>

We used the following test to test orders could be entered for record keeping.

We used the following test to test selecting a game to add to a cart. The item id will come from php

1 row in set (0.00 sec)

We used the following test to populate order history by customer id, the id would come from

```
mysql> /*test to get history of a user by user id, used by manager to look up a specific cusotmer history*/
mysql>
mysql> SELECT users.user_id, users.first_name, users.last_name, order_contents.order_id, orders.order_date,
```

user_id	first_name	last_name	order_id	order_date	item_id	price	item_name
		kitty	2	2014-12-03 10:17:34	1	29.99	Counter Strike: Global Offensiv
		kitty	3		1	29.99	Counter Strike: Global Offensiv
		kitty	4	2014-12-03 19:54:25	1	29.99	Counter Strike: Global Offensiv
1		kitty	5	2014-12-03 19:54:57	1	29.99	Counter Strike: Global Offensiv
1	kitty	kitty	6	2014-12-03 19:55:16	1	29.99	Counter Strike: Global Offensiv
1	kitty	kitty	7	2014-12-03 20:15:09	1	29.99	Counter Strike: Global Offensiv
1	kitty	kitty	8	2014-12-03 20:15:24	1	29.99	Counter Strike: Global Offensiv
1	kitty	kitty	9	2014-12-03 20:15:37	1	29.99	Counter Strike: Global Offensiv
1	kitty	kitty	10	2014-12-03 20:15:44	1	29.99	Counter Strike: Global Offensiv
1	kitty	kitty	11	2014-12-03 20:18:32	1	29.99	Counter Strike: Global Offensiv
1	kitty	kitty	12	2014-12-03 20:18:39	1	29.99	Counter Strike: Global Offensiv
1	kitty	kitty	13	2014-12-03 20:18:44	1	29.99	Counter Strike: Global Offensiv
1	kitty	kitty	14	2014-12-03 20:19:17	1	29.99	Counter Strike: Global Offensiv
1	kitty	kitty	15	2014-12-03 20:24:18	1	29.99	Counter Strike: Global Offensiv
1	kitty	kittv	16	2014-12-03 20:24:29	i 1	29.99	Counter Strike: Global Offensiv
1	kitty	kittv	17	2014-12-03 20:24:36	i 1	29.99	Counter Strike: Global Offensiv
		kitty	I 18	2014-12-03 20:24:51	i 1	29.99	Counter Strike: Global Offensiv
		kitty	19	2014-12-03 20:26:48	i 1	29.99	Counter Strike: Global Offensiv
		kitty	. 20	2014-12-03 20:29:57	i 1	29.99	Counter Strike: Global Offensi
		kitty	i 21	2014-12-03 20:30:07	i 1	29.99	Counter Strike: Global Offensiv
		kitty	I 22		i 1	29.99	
		kitty	I 23		i 1		
		kitty	1 24		i 1		
		kitty	1 25		i 1		
		kitty	1 26		i 1		
		kitty	. 27		i 1		
		kitty	1 28				
		kitty	1 29				
	-	kitty	30		1 1		
		kitty	31		1 1		
		kitty	32		1 1		
		kitty	1 33		1 1		
		kitty	1 34		1 1		
		kitty	1 35		1 1		
		kitty	I 36		1 1		
		kitty	I 37		1 1		
		kitty	1 38		-		
		kitty kittv	1 39			29.99	
		kitty kittv	1 40		1 1		
			I 40		1 1		
		kitty	I 41				Counter Strike: Global Offension
		kitty					Counter Strike: Global Offension
1	kitty	kitty	1 43	2014-12-03 20:57:10	1	∠9.99	counter Strike: Global Offensiv

The following test involved the creation of a trigger. On update it will check if the new availability was set to zero. The manager footer page will check on the trigger table and echo a the manager a message that there are out of stock items. As a precaution, it would update as availability as 1(true) if the update was not zero in the event the manager was adding games versus the customer buying games.

```
/***** trigger which goes off, where there is a game out of stock, sends a notification to
manager
DELIMITER $$
create trigger empty_trigger after update
for each row begin
  if new.available = '0' then
   update empty set emptycheck = '1' where id = 1;
   end if;
END$$
DELIMITER ;
mysql>
mvsql> exit
select * from empty;
| emptycheck | id |
```

Over all most of the testing was done via mysql workbench for ease of use and it would give wrong syntax as red underlines before even attempting the query. We found that testing was very important to this project and allowed us to use the php sql query more effectively.

In summary we found the project to be an overall pleasant experience, and what we learned is that around every corner there is something new to learn about sql and its applications.