

# db\_bench results

## 1. Write-only

```
meet@DESKTOP-20D4N8C:~/mtech-research/rocksdb/build$ ./db_bench --
benchmarks="fillseq" \
  --num=10000000 --key_size=16 --value_size=100 \
  --db=/tmp/rocksdb_test --disable_wal=false
Set seed to 1782730164857897 because --seed was 0
Initializing RocksDB Options from the specified file
Initializing RocksDB Options from command-line flags
Integrated BlobDB: blob cache disabled
RocksDB:    version 11.6.0
Date:       Mon Jun 29 10:49:24 2026
CPU:        12 * Intel(R) Core(TM) i5-10505 CPU @ 3.20GHz
CPUCache:   12288 KB
Keys:        16 bytes each (+ 0 bytes user-defined timestamp)
Values:      100 bytes each (50 bytes after compression)
Entries:     10000000
Prefix:      0 bytes
Keys per prefix: 0
RawSize:     1106.3 MB (estimated)
FileSize:    629.4 MB (estimated)
Write rate:  0 bytes/second
Read rate:   0 ops/second
Compression: Snappy
Compression sampling rate: 0
Memtablerep: SkipListFactory
Perf Level:  1

-----
Initializing RocksDB Options from the specified file
Initializing RocksDB Options from command-line flags
Integrated BlobDB: blob cache disabled
DB path: [/tmp/rocksdb_test]
fillseq      :          1.932 micros/op 517654 ops/sec 19.318 seconds 10000000
operations;   57.3 MB/s
```

---

```
meet@DESKTOP-20D4N8C:~/mtech-research/rocksdb/build$ ./db_bench --
benchmarks="fillseqdeterministic" \
  --num=10000000 --key_size=16 --value_size=100 \
  --db=/tmp/rocksdb_test \
  --disable_auto_compactions=1
Set seed to 1782750781119690 because --seed was 0
Initializing RocksDB Options from the specified file
```

```
Initializing RocksDB Options from command-line flags
Integrated BlobDB: blob cache disabled
RocksDB:    version 11.6.0
Date:       Mon Jun 29 16:33:01 2026
CPU:        12 * Intel(R) Core(TM) i5-10505 CPU @ 3.20GHz
CPUCache:   12288 KB
Keys:       16 bytes each (+ 0 bytes user-defined timestamp)
Values:     100 bytes each (50 bytes after compression)
Entries:    10000000
Prefix:     0 bytes
Keys per prefix: 0
RawSize:    1106.3 MB (estimated)
FileSize:   629.4 MB (estimated)
Write rate: 0 bytes/second
Read rate: 0 ops/second
Compression: Snappy
Compression sampling rate: 0
Memtablerep: SkipListFactory
Perf Level: 1
```

```
-----
Initializing RocksDB Options from the specified file
Initializing RocksDB Options from command-line flags
Integrated BlobDB: blob cache disabled
DB path: [/tmp/rocksdb_test]
n is too small to fill 7 levels
fillseqdeterministic :      2.232 micros/op 448056 ops/sec 24.774 seconds
11100000 operations;    49.6 MB/s
Fatal error during "fillseqdeterministic": DoDeterministicCompact: n too
small
```

```
meet@DESKTOP-20D4N8C:~/mtech-research/rocksdb/build$ ./db_bench --
benchmarks="fillseqdeterministic" \
  --num=10000000 --key_size=16 --value_size=100 \
  --db=/tmp/rocksdb_test \
  --disable_auto_compactions=1 \
  --num_levels=3
Set seed to 1782750880819778 because --seed was 0
Initializing RocksDB Options from the specified file
Initializing RocksDB Options from command-line flags
Integrated BlobDB: blob cache disabled
RocksDB:    version 11.6.0
Date:       Mon Jun 29 16:34:40 2026
CPU:        12 * Intel(R) Core(TM) i5-10505 CPU @ 3.20GHz
CPUCache:   12288 KB
Keys:       16 bytes each (+ 0 bytes user-defined timestamp)
Values:     100 bytes each (50 bytes after compression)
Entries:    10000000
Prefix:     0 bytes
Keys per prefix: 0
```

RawSize: 1106.3 MB (estimated)  
FileSize: 629.4 MB (estimated)  
Write rate: 0 bytes/second  
Read rate: 0 ops/second  
Compression: Snappy  
Compression sampling rate: 0  
Memtablerep: SkipListFactory  
Perf Level: 1

-----  
Initializing RocksDB Options from the specified file

Initializing RocksDB Options from command-line flags

Integrated BlobDB: blob cache disabled

DB path: [/tmp/rocksdb\_test]

22. finished 11000000 ops

2

----- DB 0 LSM -----

Level[0]: /000059.sst(size: 5390472 bytes)

Level[1]: /000070.sst - /000070.sst(total size: 63419207 bytes)

Level[2]: /000060.sst - /000069.sst(total size: 644789363 bytes)

fillseqdeterministic : 2.894 micros/op 345564 ops/sec 31.832 seconds  
11000000 operations; 38.2 MB/s

---

```
meet@DESKTOP-20D4N8C:~/mtech-research/rocksdb/build$ ./db_bench --  
benchmarks="fillrandom" \  
  --num=10000000 --key_size=16 --value_size=100 \  
  --threads=16 --db=/tmp/rocksdb_test
```

Set seed to 1782751026368509 because --seed was 0

Initializing RocksDB Options from the specified file

Initializing RocksDB Options from command-line flags

Integrated BlobDB: blob cache disabled

RocksDB: version 11.6.0

Date: Mon Jun 29 16:37:06 2026

CPU: 12 \* Intel(R) Core(TM) i5-10505 CPU @ 3.20GHz

CPUCache: 12288 KB

Keys: 16 bytes each (+ 0 bytes user-defined timestamp)

Values: 100 bytes each (50 bytes after compression)

Entries: 10000000

Prefix: 0 bytes

Keys per prefix: 0

RawSize: 1106.3 MB (estimated)

FileSize: 629.4 MB (estimated)

Write rate: 0 bytes/second

Read rate: 0 ops/second

Compression: Snappy

Compression sampling rate: 0

Memtablerep: SkipListFactory

Perf Level: 1

-----  
Initializing RocksDB Options from the specified file  
Initializing RocksDB Options from command-line flags  
Integrated BlobDB: blob cache disabled  
DB path: [/tmp/rocksdb\_test]  
fillrandom : 364.738 micros/op 43866 ops/sec 3647.459 seconds  
160000000 operations; 4.9 MB/s

```
meet@DESKTOP-20D4N8C:~/mtech-research/rocksdb/build$ ./db_bench --  
benchmarks="filluniquerandomdeterministic" \  
--num=10000000 --key_size=16 --value_size=100 \  
--threads=1 --db=/tmp/rocksdb_test \  
--disable_auto_compactions=1 \  
--num_levels=3
```

Set seed to 1782755045878670 because --seed was 0  
Initializing RocksDB Options from the specified file  
Initializing RocksDB Options from command-line flags  
Integrated BlobDB: blob cache disabled  
RocksDB: version 11.6.0  
Date: Mon Jun 29 17:44:05 2026  
CPU: 12 \* Intel(R) Core(TM) i5-10505 CPU @ 3.20GHz  
CPUCache: 12288 KB  
Keys: 16 bytes each (+ 0 bytes user-defined timestamp)  
Values: 100 bytes each (50 bytes after compression)  
Entries: 10000000  
Prefix: 0 bytes  
Keys per prefix: 0  
RawSize: 1106.3 MB (estimated)  
FileSize: 629.4 MB (estimated)  
Write rate: 0 bytes/second  
Read rate: 0 ops/second  
Compression: Snappy  
Compression sampling rate: 0  
Memtablerep: SkipListFactory  
Perf Level: 1

-----  
Initializing RocksDB Options from the specified file  
Initializing RocksDB Options from command-line flags  
Integrated BlobDB: blob cache disabled  
DB path: [/tmp/rocksdb\_test]  
22. finished 11000000 ops

2

----- DB 0 LSM -----  
Level[0]: /000059.sst(size: 5393044 bytes)  
Level[1]: /000070.sst - /000070.sst(total size: 63419140 bytes)

```
Level[2]: /000060.sst - /000069.sst(total size: 644030619 bytes)
filluniquerandomdeterministic :      4.765 micros/op 209877 ops/sec 52.412
seconds 11000000 operations;    23.2 MB/s
```

---

```
meet@DESKTOP-20D4N8C:~/mtech-research/rocksdb/build$ ./db_bench --
benchmarks="fillsync" \
  --num=1000000 --key_size=16 --value_size=100 \
  --sync=true --db=/tmp/rocksdb_test
Set seed to 1782755147171361 because --seed was 0
Initializing RocksDB Options from the specified file
Initializing RocksDB Options from command-line flags
Integrated BlobDB: blob cache disabled
RocksDB:    version 11.6.0
Date:       Mon Jun 29 17:45:47 2026
CPU:        12 * Intel(R) Core(TM) i5-10505 CPU @ 3.20GHz
CPUCache:   12288 KB
Keys:       16 bytes each (+ 0 bytes user-defined timestamp)
Values:     100 bytes each (50 bytes after compression)
Entries:    1000000
Prefix:     0 bytes
Keys per prefix: 0
RawSize:    110.6 MB (estimated)
FileSize:   62.9 MB (estimated)
Write rate: 0 bytes/second
Read rate: 0 ops/second
Compression: Snappy
Compression sampling rate: 0
Memtablerep: SkipListFactory
Perf Level: 1
-----
Initializing RocksDB Options from the specified file
Initializing RocksDB Options from command-line flags
Integrated BlobDB: blob cache disabled
DB path: [/tmp/rocksdb_test]
fillsync    :      4.380 micros/op 228322 ops/sec 4.380 seconds 1000000
operations;  25.3 MB/s (1000 ops)
```

---

```
meet@DESKTOP-20D4N8C:~/mtech-research/rocksdb/build$ ./db_bench --
benchmarks="fill100K" \
  --num=1000000 --key_size=16 \
  --db=/tmp/rocksdb_test
Set seed to 1782755255120999 because --seed was 0
Initializing RocksDB Options from the specified file
```

```
Initializing RocksDB Options from command-line flags
Integrated BlobDB: blob cache disabled
RocksDB:    version 11.6.0
Date:       Mon Jun 29 17:47:35 2026
CPU:        12 * Intel(R) Core(TM) i5-10505 CPU @ 3.20GHz
CPUCache:   12288 KB
Keys:       16 bytes each (+ 0 bytes user-defined timestamp)
Values:     100 bytes each (50 bytes after compression)
Entries:    1000000
Prefix:     0 bytes
Keys per prefix: 0
RawSize:    110.6 MB (estimated)
FileSize:   62.9 MB (estimated)
Write rate: 0 bytes/second
Read rate: 0 ops/second
Compression: Snappy
Compression sampling rate: 0
Memtablerep: SkipListFactory
Perf Level: 1
```

```
-----
Initializing RocksDB Options from the specified file
Initializing RocksDB Options from command-line flags
Integrated BlobDB: blob cache disabled
DB path: [/tmp/rocksdb_test]
fill100K      :      120.583 micros/op 8293 ops/sec 120.583 seconds 1000000
operations;   791.0 MB/s (1000 ops)
```

---

```
meet@DESKTOP-20D4N8C:~/mtech-research/rocksdb/build$ ./db_bench --
benchmarks="overwrite" \
  --num=10000000 --key_size=16 --value_size=100 \
  --threads=16 --use_existing_db=1 --db=/tmp/rocksdb_test
Set seed to 1782755427057748 because --seed was 0
Initializing RocksDB Options from the specified file
Initializing RocksDB Options from command-line flags
Integrated BlobDB: blob cache disabled
RocksDB:    version 11.6.0
Date:       Mon Jun 29 17:50:27 2026
CPU:        12 * Intel(R) Core(TM) i5-10505 CPU @ 3.20GHz
CPUCache:   12288 KB
Keys:       16 bytes each (+ 0 bytes user-defined timestamp)
Values:     100 bytes each (50 bytes after compression)
Entries:    10000000
Prefix:     0 bytes
Keys per prefix: 0
RawSize:    1106.3 MB (estimated)
FileSize:   629.4 MB (estimated)
```

Write rate: 0 bytes/second  
Read rate: 0 ops/second  
Compression: Snappy  
Compression sampling rate: 0  
Memtablerep: SkipListFactory  
Perf Level: 1

-----  
DB path: [/tmp/rocksdb\_test]  
overwrite : 367.352 micros/op 43553 ops/sec 3673.602 seconds  
160000000 operations; 4.8 MB/s

---

```
meet@DESKTOP-20D4N8C:~/mtech-research/rocksdb/build$ ./db_bench --  
benchmarks="deleteseq" \
```

```
--num=1000000 --use_existing_db=1 --db=/tmp/rocksdb_test
```

Set seed to 1782759140368612 because --seed was 0

Initializing RocksDB Options from the specified file

Initializing RocksDB Options from command-line flags

Integrated BlobDB: blob cache disabled

RocksDB: version 11.6.0

Date: Mon Jun 29 18:52:20 2026

CPU: 12 \* Intel(R) Core(TM) i5-10505 CPU @ 3.20GHz

CPUCache: 12288 KB

Keys: 16 bytes each (+ 0 bytes user-defined timestamp)

Values: 100 bytes each (50 bytes after compression)

Entries: 1000000

Prefix: 0 bytes

Keys per prefix: 0

RawSize: 110.6 MB (estimated)

FileSize: 62.9 MB (estimated)

Write rate: 0 bytes/second

Read rate: 0 ops/second

Compression: Snappy

Compression sampling rate: 0

Memtablerep: SkipListFactory

Perf Level: 1

-----  
DB path: [/tmp/rocksdb\_test]  
deleteseq : 1.847 micros/op 541293 ops/sec 1.847 seconds 1000000  
operations;

---

```
meet@DESKTOP-20D4N8C:~/mtech-research/rocksdb/build$ ./db_bench --  
benchmarks="deleterandom" \
```

```
--num=1000000 --use_existing_db=1 --db=/tmp/rocksdb_test
```

```
Set seed to 1782759181611792 because --seed was 0
Initializing RocksDB Options from the specified file
Initializing RocksDB Options from command-line flags
Integrated BlobDB: blob cache disabled
RocksDB:    version 11.6.0
Date:       Mon Jun 29 18:53:02 2026
CPU:        12 * Intel(R) Core(TM) i5-10505 CPU @ 3.20GHz
CPUCache:   12288 KB
Keys:        16 bytes each (+ 0 bytes user-defined timestamp)
Values:      100 bytes each (50 bytes after compression)
Entries:    1000000
Prefix:      0 bytes
Keys per prefix: 0
RawSize:     110.6 MB (estimated)
FileSize:    62.9 MB (estimated)
Write rate:  0 bytes/second
Read rate:   0 ops/second
Compression: Snappy
Compression sampling rate: 0
Memtablerep: SkipListFactory
Perf Level:  1
-----
DB path: [/tmp/rocksdb_test]
deleterandom :      4.463 micros/op 224067 ops/sec 4.463 seconds 1000000
operations;
```

---

## 2. Read-Only

```
meet@DESKTOP-20D4N8C:~/mtech-research/rocksdb/build$ ./db_bench --
benchmarks="readseq" \
  --num=10000000 --use_existing_db=1 \
  --threads=16 --db=/tmp/rocksdb_test
Set seed to 1782759239466216 because --seed was 0
Initializing RocksDB Options from the specified file
Initializing RocksDB Options from command-line flags
Integrated BlobDB: blob cache disabled
RocksDB:    version 11.6.0
Date:       Mon Jun 29 18:54:02 2026
CPU:        12 * Intel(R) Core(TM) i5-10505 CPU @ 3.20GHz
CPUCache:   12288 KB
Keys:        16 bytes each (+ 0 bytes user-defined timestamp)
Values:      100 bytes each (50 bytes after compression)
Entries:    10000000
Prefix:      0 bytes
Keys per prefix: 0
RawSize:     1106.3 MB (estimated)
```



FileSize: 629.4 MB (estimated)  
Write rate: 0 bytes/second  
Read rate: 0 ops/second  
Compression: Snappy  
Compression sampling rate: 0  
Memtablerep: SkipListFactory  
Perf Level: 1

-----  
DB path: [/tmp/rocksdb\_test]  
readseq : 1.482 micros/op 9839494 ops/sec 14.635 seconds  
144000000 operations; 1088.5 MB/s

---

```
meet@DESKTOP-20D4N8C:~/mtech-research/rocksdb/build$ ./db_bench --  
benchmarks="readreverse" \  
  --num=10000000 --use_existing_db=1 \  
  --threads=16 --db=/tmp/rocksdb_test
```

Set seed to 1782759318488430 because --seed was 0  
Initializing RocksDB Options from the specified file  
Initializing RocksDB Options from command-line flags  
Integrated BlobDB: blob cache disabled

RocksDB: version 11.6.0  
Date: Mon Jun 29 18:55:18 2026  
CPU: 12 \* Intel(R) Core(TM) i5-10505 CPU @ 3.20GHz  
CpuCache: 12288 KB  
Keys: 16 bytes each (+ 0 bytes user-defined timestamp)  
Values: 100 bytes each (50 bytes after compression)  
Entries: 10000000  
Prefix: 0 bytes  
Keys per prefix: 0  
RawSize: 1106.3 MB (estimated)  
FileSize: 629.4 MB (estimated)  
Write rate: 0 bytes/second  
Read rate: 0 ops/second  
Compression: Snappy  
Compression sampling rate: 0  
Memtablerep: SkipListFactory  
Perf Level: 1

-----  
DB path: [/tmp/rocksdb\_test]  
readreverse : 1.840 micros/op 8203435 ops/sec 17.554 seconds  
144000000 operations; 907.5 MB/s

```
meet@DESKTOP-20D4N8C:~/mtech-research/rocksdb/build$ ./db_bench --
benchmarks="readrandom" \
  --num=10000000 --reads=10000000 --use_existing_db=1 \
  --threads=16 --db=/tmp/rocksdb_test
Set seed to 1782759374599180 because --seed was 0
Initializing RocksDB Options from the specified file
Initializing RocksDB Options from command-line flags
Integrated BlobDB: blob cache disabled
RocksDB:    version 11.6.0
Date:       Mon Jun 29 18:56:14 2026
CPU:        12 * Intel(R) Core(TM) i5-10505 CPU @ 3.20GHz
CPUCache:   12288 KB
Keys:       16 bytes each (+ 0 bytes user-defined timestamp)
Values:     100 bytes each (50 bytes after compression)
Entries:    10000000
Prefix:     0 bytes
Keys per prefix: 0
RawSize:    1106.3 MB (estimated)
FileSize:   629.4 MB (estimated)
Write rate: 0 bytes/second
Read rate:  0 ops/second
Compression: Snappy
Compression sampling rate: 0
Memtablerep: SkipListFactory
Perf Level: 1
-----
DB path: [/tmp/rocksdb_test]
readrandom    :      39.620 micros/op 400045 ops/sec 399.955 seconds
160000000 operations;  39.8 MB/s (8998429 of 10000000 found)
```

---

```
meet@DESKTOP-20D4N8C:~/mtech-research/rocksdb/build$ ./db_bench --
benchmarks="readmissing" \
  --num=1000000 --use_existing_db=1 \
  --threads=16 --db=/tmp/rocksdb_test
Set seed to 1782759824809519 because --seed was 0
Initializing RocksDB Options from the specified file
Initializing RocksDB Options from command-line flags
Integrated BlobDB: blob cache disabled
RocksDB:    version 11.6.0
Date:       Mon Jun 29 19:03:44 2026
CPU:        12 * Intel(R) Core(TM) i5-10505 CPU @ 3.20GHz
CPUCache:   12288 KB
Keys:       16 bytes each (+ 0 bytes user-defined timestamp)
Values:     100 bytes each (50 bytes after compression)
Entries:    1000000
Prefix:     0 bytes
```

Keys per prefix: 0  
RawSize: 110.6 MB (estimated)  
FileSize: 62.9 MB (estimated)  
Write rate: 0 bytes/second  
Read rate: 0 ops/second  
Compression: Snappy  
Compression sampling rate: 0  
Memtablerep: SkipListFactory  
Perf Level: 1

---

DB path: [/tmp/rocksdb\_test]  
readmissing : 59.360 micros/op 263791 ops/sec 60.654 seconds 16000000  
operations; (0 of 1000000 found)

---

```
meet@DESKTOP-20D4N8C:~/mtech-research/rocksdb/build$ ./db_bench --  
benchmarks="readtocache" \  
--num=10000000 --use_existing_db=1 \  
--db=/tmp/rocksdb_test
```

Set seed to 1782759967592719 because --seed was 0  
Initializing RocksDB Options from the specified file  
Initializing RocksDB Options from command-line flags  
Integrated BlobDB: blob cache disabled

RocksDB: version 11.6.0  
Date: Mon Jun 29 19:06:07 2026  
CPU: 12 \* Intel(R) Core(TM) i5-10505 CPU @ 3.20GHz  
CPUTCache: 12288 KB  
Keys: 16 bytes each (+ 0 bytes user-defined timestamp)  
Values: 100 bytes each (50 bytes after compression)  
Entries: 10000000  
Prefix: 0 bytes  
Keys per prefix: 0  
RawSize: 1106.3 MB (estimated)  
FileSize: 629.4 MB (estimated)  
Write rate: 0 bytes/second  
Read rate: 0 ops/second  
Compression: Snappy  
Compression sampling rate: 0  
Memtablerep: SkipListFactory  
Perf Level: 1

---

DB path: [/tmp/rocksdb\_test]  
readtocache : 0.476 micros/op 2102206 ops/sec 4.281 seconds 9000000  
operations; 232.6 MB/s

---

```

meet@DESKTOP-20D4N8C:~/mtech-research/rocksdb/build$ ./db_bench --
benchmarks="multireadrandom" \
  --num=5000000 --batch_size=8 --multiread_batched=true \
  --use_existing_db=1 --threads=4 \
  --cache_size=300000000 --db=/tmp/rocksdb_test
Set seed to 1782760525123415 because --seed was 0
Initializing RocksDB Options from the specified file
Initializing RocksDB Options from command-line flags
Integrated BlobDB: blob cache disabled
RocksDB:    version 11.6.0
Date:       Mon Jun 29 19:15:25 2026
CPU:        12 * Intel(R) Core(TM) i5-10505 CPU @ 3.20GHz
CPUCache:   12288 KB
Keys:        16 bytes each (+ 0 bytes user-defined timestamp)
Values:      100 bytes each (50 bytes after compression)
Entries:     5000000
Prefix:      0 bytes
Keys per prefix: 0
RawSize:     553.1 MB (estimated)
FileSize:    314.7 MB (estimated)
Write rate:  0 bytes/second
Read rate:   0 ops/second
Compression: Snappy
Compression sampling rate: 0
Memtablerep: SkipListFactory
Perf Level:  1
-----
entries_per_batch = 8
DB path: [/tmp/rocksdb_test]
multireadrandom :      9.542 micros/op 407817 ops/sec 49.042 seconds
20000000 operations;   36.1 MB/s (4000950 of 5000000 found)

```

### 3. Mixed Read-Write Workloads

```

meet@DESKTOP-20D4N8C:~/mtech-research/rocksdb/build$ ./db_bench --
benchmarks="readwhilewriting" \
  --num=10000000 --use_existing_db=1 \
  --duration=60 --threads=16 \
  --benchmark_write_rate_limit=2097152 \
  --db=/tmp/rocksdb_test
Set seed to 1782760686309553 because --seed was 0
Initializing RocksDB Options from the specified file
Initializing RocksDB Options from command-line flags
Integrated BlobDB: blob cache disabled
RocksDB:    version 11.6.0
Date:       Mon Jun 29 19:18:06 2026

```

```
CPU:          12 * Intel(R) Core(TM) i5-10505 CPU @ 3.20GHz
CPUCache:     12288 KB
Keys:         16 bytes each (+ 0 bytes user-defined timestamp)
Values:       100 bytes each (50 bytes after compression)
Entries:      10000000
Prefix:       0 bytes
Keys per prefix: 0
RawSize:      1106.3 MB (estimated)
FileSize:     629.4 MB (estimated)
Write rate:   2097152 bytes/second
Read rate:    0 ops/second
Compression:  Snappy
Compression sampling rate: 0
Memtablerep: SkipListFactory
Perf Level:   1

-----
DB path: [/tmp/rocksdb_test]
readwhilewriting :      62.877 micros/op 254299 ops/sec 60.067 seconds
15274984 operations;    25.4 MB/s (877505 of 969999 found)
```

---

```
meet@DESKTOP-20D4N8C:~/mtech-research/rocksdb/build$ ./db_bench --
benchmarks="readwhilemerging" \
  --num=10000000 --use_existing_db=1 \
  --threads=16 \
  --benchmark_write_rate_limit=2097152 \
  --db=/tmp/rocksdb_test \
  --merge_operator="put"
Set seed to 1782761060161893 because --seed was 0
Initializing RocksDB Options from the specified file
Initializing RocksDB Options from command-line flags
Integrated BlobDB: blob cache disabled
RocksDB:      version 11.6.0
Date:         Mon Jun 29 19:24:20 2026
CPU:          12 * Intel(R) Core(TM) i5-10505 CPU @ 3.20GHz
CPUCache:     12288 KB
Keys:         16 bytes each (+ 0 bytes user-defined timestamp)
Values:       100 bytes each (50 bytes after compression)
Entries:      10000000
Prefix:       0 bytes
Keys per prefix: 0
RawSize:      1106.3 MB (estimated)
FileSize:     629.4 MB (estimated)
Write rate:   2097152 bytes/second
Read rate:    0 ops/second
Compression:  Snappy
Compression sampling rate: 0
```

Memtablerep: SkipListFactory

Perf Level: 1

-----

DB path: [/tmp/rocksdb\_test]

readwhilemerging : 80.900 micros/op 196345 ops/sec 814.888 seconds  
160000000 operations; 20.7 MB/s (9511339 of 10000000 found)

---

```
meet@DESKTOP-20D4N8C:~/mtech-research/rocksdb/build$ ./db_bench --
```

```
benchmarks="readrandomwriterandom" \  
  --num=10000000 --use_existing_db=1 \  
  --threads=16 --readwritepercent=50 \  
  --benchmark_write_rate_limit=2097152 \  
  --db=/tmp/rocksdb_test
```

Set seed to 1782761978842888 because --seed was 0

Initializing RocksDB Options from the specified file

Initializing RocksDB Options from command-line flags

Integrated BlobDB: blob cache disabled

RocksDB: version 11.6.0

Date: Mon Jun 29 19:39:38 2026

CPU: 12 \* Intel(R) Core(TM) i5-10505 CPU @ 3.20GHz

CPUCache: 12288 KB

Keys: 16 bytes each (+ 0 bytes user-defined timestamp)

Values: 100 bytes each (50 bytes after compression)

Entries: 10000000

Prefix: 0 bytes

Keys per prefix: 0

RawSize: 1106.3 MB (estimated)

FileSize: 629.4 MB (estimated)

Write rate: 2097152 bytes/second

Read rate: 0 ops/second

Compression: Snappy

Compression sampling rate: 0

Memtablerep: SkipListFactory

Perf Level: 1

-----

DB path: [/tmp/rocksdb\_test]

```
Segmentation fault ./db_bench --benchmarks="readrandomwriterandom" -  
-num=10000000 --use_existing_db=1 --threads=16 --readwritepercent=50 --  
benchmark_write_rate_limit=2097152 --db=/tmp/rocksdb_test
```

---

```
meet@DESKTOP-20D4N8C:~/mtech-research/rocksdb/build$ ./db_bench --
```

```
benchmarks="updaterandom" \  
  --num=10000000 --use_existing_db=1 \  
  --
```

```
--threads=16 \  
--benchmark_write_rate_limit=2097152 \  
--db=/tmp/rocksdb_test  
Set seed to 1782763124124951 because --seed was 0  
Initializing RocksDB Options from the specified file  
Initializing RocksDB Options from command-line flags  
Integrated BlobDB: blob cache disabled  
RocksDB:    version 11.6.0  
Date:       Mon Jun 29 19:58:44 2026  
CPU:        12 * Intel(R) Core(TM) i5-10505 CPU @ 3.20GHz  
CPUCache:   12288 KB  
Keys:       16 bytes each (+ 0 bytes user-defined timestamp)  
Values:     100 bytes each (50 bytes after compression)  
Entries:    10000000  
Prefix:     0 bytes  
Keys per prefix: 0  
RawSize:    1106.3 MB (estimated)  
FileSize:   629.4 MB (estimated)  
Write rate: 2097152 bytes/second  
Read rate: 0 ops/second  
Compression: Snappy  
Compression sampling rate: 0  
Memtablerep: SkipListFactory  
Perf Level: 1  
-----  
DB path: [/tmp/rocksdb_test]  
updaterandom :      886.195 micros/op 18052 ops/sec 8863.029 seconds  
160000000 operations;    4.0 MB/s ( updates:10000000 found:10000000)
```

---

```
meet@DESKTOP-20D4N8C:~/mtech-research/rocksdb/build$ ./db_bench --  
benchmarks="seekrandomwhilewriting" \  
--num=10000000 --use_existing_db=1 \  
--threads=16 --seek_nexts=10 \  
--benchmark_write_rate_limit=2097152 \  
--db=/tmp/rocksdb_test  
Set seed to 1782792423428780 because --seed was 0  
Initializing RocksDB Options from the specified file  
Initializing RocksDB Options from command-line flags  
Integrated BlobDB: blob cache disabled  
RocksDB:    version 11.6.0  
Date:       Tue Jun 30 04:07:04 2026  
CPU:        12 * Intel(R) Core(TM) i5-10505 CPU @ 3.20GHz  
CPUCache:   12288 KB  
Keys:       16 bytes each (+ 0 bytes user-defined timestamp)  
Values:     100 bytes each (50 bytes after compression)  
Entries:    10000000
```

Prefix: 0 bytes  
Keys per prefix: 0  
RawSize: 1106.3 MB (estimated)  
FileSize: 629.4 MB (estimated)  
Write rate: 2097152 bytes/second  
Read rate: 0 ops/second  
Compression: Snappy  
Compression sampling rate: 0  
Memtablerep: SkipListFactory  
Perf Level: 1

-----  
DB path: [/tmp/rocksdb\_test]  
seekrandomwhilewriting : 140.035 micros/op 114014 ops/sec 1403.330  
seconds 160000000 operations; 141.8 MB/s (10000000 of 10000000 found)