

Create VM from...

Name *

practical-exam-vm

Region *

asia-south1 (Mumbai)

Zone *

asia-south1-a

Region is permanent

Zone is permanent

Generate machine type suggestions with Gemini

General purpose

Compute optimized

Memory optimized

Storage optimized

GPUs

TPUs

Machine types for common workloads, optimized for cost and flexibility

	Series	Description	vCPUs	Memory	CPU Platform
☐	C4	Consistently high performance	2 - 288	4 - 2,232 GB	Intel Emerald
☐	C4A	Arm-based consistently high performance	1 - 96	2 - 768 GB	Google Axion
☐	C4D	Consistently high performance	2 - 384	3 - 3,072 GB	AMD Turin
☐	N4	Flexible & cost-optimized	2 - 80	4 - 640 GB	Intel Emerald
☐	N4A	Arm-based flexibility & cost optimization	1 - 64	2 - 512 GB	Google Axion
☐	N4D	Flexible & cost-optimized	2 - 96	4 - 768 GB	AMD Turin
☐	C3	Consistently high performance	4 - 192	8 - 1,536 GB	Intel Sapphire
☐	C3D	Consistently high performance	4 - 360	8 - 2,880 GB	AMD Genoa
☒	E2	Low cost, day-to-day computing	0.25 - 32	1 - 128 GB	Intel Broadwe
☐	N2	Balanced price & performance	2 - 224	2 - 896 GB	AMD Milan

Create

Cancel

Equivalent code

☐	N2D	Balanced price & performance	2 - 224	2 - 896 GB	AMD Milan
☐	T2A	Scale-out workloads	1 - 48	4 - 192 GB	Ampere Altra
☐	T2D	Scale-out workloads	1 - 60	4 - 240 GB	AMD Milan
☐	N1	Balanced price & performance	0.25 - 96	0.6 - 624 GB	Intel Skylake

Machine type

Choose a machine type with preset amounts of vCPUs and memory that suit most workloads. Or, you can create a custom machine for your workload's particular needs. [Learn more](#)

Preset

Custom

e2-micro (2 vCPU, 1 core, 1 GB memory)

vCPU

0.25-2 vCPU (1 shared core)

Memory

1 GB

Advanced configurations

Provisioning model

VM provisioning model

Standard

Determines how long your VMs will run. Choice is permanent

VM provisioning model advanced settings

Create

Cancel

Equivalent code

Create VM from...

Networking

Firewall ⓘ

Select firewall rules to allow specific network traffic from the Internet. Firewall rules will only be applied when an instance is created.

☒ Allow HTTP traffic

☒ Allow HTTPS traffic

☐ Allow Load Balancer Health Checks

Network tags ⓘ

Network tags

http-server × https-server × ⓘ

Hostname ⓘ

Hostname ⓘ

Set a custom hostname for this instance or leave it default. Choice is permanent

IP forwarding ⓘ

☐ Enable

Network performance configuration

Network bandwidth ⓘ

☐ Enable per VM Tier_1 networking performance

Create Cancel Equivalent code

Create VM from...

Network interfaces ⓘ

Network interface is permanent

Edit network interface ⓘ

Network * default ⓘ

Subnetwork * default IPv4 (10.160.0.0/20) ⓘ

ⓘ

To use IPv6, you need an IPv6 subnet range.

Learn more ↗

Network interface card — ⓘ

IP stack type

☒ IPv4 (single-stack)

☐ IPv4 and IPv6 (dual-stack)

☐ IPv6 (single-stack)

Primary internal IPv4 address — ⓘ

Ephemeral (Automatic)

Create Cancel Equivalent code

VM instances ⓘ

Filter Enter property name or value ⓘ

☐ Status	Name ↑	Zone	Machine type	Recommendations	In use by	Internal IP	E	Connect
☒	practical-exam-vm	asia-south1-a	e2-micro			10.160.0.4 (nic0)	3	SSH ↗

SSH-in-browser

```
Linux practical-exam-vm 6.1.0-49-cloud-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.1.174-1 (2026-05-26) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
meetalshi19@practical-exam-vm:~$ whoami
meetalshi19
meetalshi19@practical-exam-vm:~$
```

SSH-in-browser

```
Linux practical-exam-vm 6.1.0-49-cloud-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.1.174-1 (2026-05-26) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
meetalshi19@practical-exam-vm:~$ whoami
meetalshi19
meetalshi19@practical-exam-vm:~$ mkdir practical_exam
meetalshi19@practical-exam-vm:~$ cd practical_exam
meetalshi19@practical-exam-vm:~/practical_exam$ pwd
/home/meetalshi19/practical_exam
meetalshi19@practical-exam-vm:~/practical_exam$ mkdir scripts
meetalshi19@practical-exam-vm:~/practical_exam$ mkdir outputs
meetalshi19@practical-exam-vm:~/practical_exam$ mkdir logs
meetalshi19@practical-exam-vm:~/practical_exam$ ls -l
total 12
drwxr-xr-x 2 meetalshi19 meetalshi19 4096 Jun 10 06:23 logs
drwxr-xr-x 2 meetalshi19 meetalshi19 4096 Jun 10 06:23 outputs
drwxr-xr-x 2 meetalshi19 meetalshi19 4096 Jun 10 06:23 scripts
meetalshi19@practical-exam-vm:~/practical_exam$
```

SSH-in-browser

```
meetalshi19@practical-exam-vm:~/practical_exam$ pwd
/home/meetalshi19/practical_exam
meetalshi19@practical-exam-vm:~/practical_exam$ whoami
meetalshi19
meetalshi19@practical-exam-vm:~/practical_exam$ hostname
practical-exam-vm
meetalshi19@practical-exam-vm:~/practical_exam$
```

```
meetalshi19@practical-exam-vm:~/practical_exam$ pwd
/home/meetalshi19/practical_exam
meetalshi19@practical-exam-vm:~/practical_exam$ ls
logs  outputs  scripts
meetalshi19@practical-exam-vm:~/practical_exam$ cd scripts
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ touch file1.txt
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ touch file2.txt
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ touch file3.txt
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ touch file4.txt
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ touch file5.txt
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ ls
file1.txt file2.txt file3.txt file4.txt file5.txt
meetalshi19@practical-exam-vm:~/practical_exam/scripts$
```

SSH-in-browser

```
meetalshi19@practical-exam-vm:~/practical_exam$ pwd
/home/meetalshi19/practical_exam
meetalshi19@practical-exam-vm:~/practical_exam$ ls
logs  outputs  scripts
meetalshi19@practical-exam-vm:~/practical_exam$ cd scripts
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ touch file1.txt
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ touch file2.txt
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ touch file3.txt
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ touch file4.txt
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ touch file5.txt
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ ls
file1.txt file2.txt file3.txt file4.txt file5.txt
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ cp file1.txt ../outputs
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ cp file2.txt ../outputs
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ pwd
/home/meetalshi19/practical_exam/scripts
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ cd ..
meetalshi19@practical-exam-vm:~/practical_exam$ cd outputs
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ ls
file1.txt file2.txt
meetalshi19@practical-exam-vm:~/practical_exam/outputs$
```

SSH-in-browser

```
meetalsh19@practical-exam-vm:~/practical_exam$ pwd
/home/meetalsh19/practical_exam
meetalsh19@practical-exam-vm:~/practical_exam$ ls
logs  outputs  scripts
meetalsh19@practical-exam-vm:~/practical_exam$ cd scripts
meetalsh19@practical-exam-vm:~/practical_exam/scripts$ touch file1.txt
meetalsh19@practical-exam-vm:~/practical_exam/scripts$ touch file2.txt
meetalsh19@practical-exam-vm:~/practical_exam/scripts$ touch file3.txt
meetalsh19@practical-exam-vm:~/practical_exam/scripts$ touch file4.txt
meetalsh19@practical-exam-vm:~/practical_exam/scripts$ touch file5.txt
meetalsh19@practical-exam-vm:~/practical_exam/scripts$ ls
file1.txt file2.txt file3.txt file4.txt file5.txt
meetalsh19@practical-exam-vm:~/practical_exam/scripts$ cp file1.txt ../outputs
meetalsh19@practical-exam-vm:~/practical_exam/scripts$ cp file2.txt ../outputs
meetalsh19@practical-exam-vm:~/practical_exam/scripts$ pwd
/home/meetalsh19/practical_exam/scripts
meetalsh19@practical-exam-vm:~/practical_exam/scripts$ cd ..
meetalsh19@practical-exam-vm:~/practical_exam$ cd outputs
meetalsh19@practical-exam-vm:~/practical_exam/outputs$ ls
file1.txt file2.txt
meetalsh19@practical-exam-vm:~/practical_exam/outputs$ mv file1.txt renamed_file1.txt
meetalsh19@practical-exam-vm:~/practical_exam/outputs$ ls
file2.txt renamed_file1.txt
meetalsh19@practical-exam-vm:~/practical_exam/outputs$
```

SSH-in-browser

```
meetalsh19@practical-exam-vm:~/practical_exam$ pwd
/home/meetalsh19/practical_exam
meetalsh19@practical-exam-vm:~/practical_exam$ ls
logs  outputs  scripts
meetalsh19@practical-exam-vm:~/practical_exam$ cd scripts
meetalsh19@practical-exam-vm:~/practical_exam/scripts$ touch file1.txt
meetalsh19@practical-exam-vm:~/practical_exam/scripts$ touch file2.txt
meetalsh19@practical-exam-vm:~/practical_exam/scripts$ touch file3.txt
meetalsh19@practical-exam-vm:~/practical_exam/scripts$ touch file4.txt
meetalsh19@practical-exam-vm:~/practical_exam/scripts$ touch file5.txt
meetalsh19@practical-exam-vm:~/practical_exam/scripts$ ls
file1.txt file2.txt file3.txt file4.txt file5.txt
meetalsh19@practical-exam-vm:~/practical_exam/scripts$ cp file1.txt ../outputs
meetalsh19@practical-exam-vm:~/practical_exam/scripts$ cp file2.txt ../outputs
meetalsh19@practical-exam-vm:~/practical_exam/scripts$ pwd
/home/meetalsh19/practical_exam/scripts
meetalsh19@practical-exam-vm:~/practical_exam/scripts$ cd ..
meetalsh19@practical-exam-vm:~/practical_exam$ cd outputs
meetalsh19@practical-exam-vm:~/practical_exam/outputs$ ls
file1.txt file2.txt
meetalsh19@practical-exam-vm:~/practical_exam/outputs$ mv file1.txt renamed_file1.txt
meetalsh19@practical-exam-vm:~/practical_exam/outputs$ ls
file2.txt renamed_file1.txt
meetalsh19@practical-exam-vm:~/practical_exam/outputs$ rm file2.txt
meetalsh19@practical-exam-vm:~/practical_exam/outputs$ ls
renamed_file1.txt
meetalsh19@practical-exam-vm:~/practical_exam/outputs$
```

SSH-in-browser

```
meetalsh19@practical-exam-vm:~/practical_exam/outputs$ cd ..
meetalsh19@practical-exam-vm:~/practical_exam$ cd ..
meetalsh19@practical-exam-vm:~$ ls
practical_exam
meetalsh19@practical-exam-vm:~$ cd ..
meetalsh19@practical-exam-vm:/home$ ls
meetalsh19
meetalsh19@practical-exam-vm:/home$ cd ..
meetalsh19@practical-exam-vm:/$ ls
bin boot dev etc home lib lib64 lost+found media mnt opt proc root run sbin srv sys usr var
meetalsh19@practical-exam-vm:/$ ls -la
. .. bin boot dev etc home lib lib64 lost+found media mnt opt proc root run sbin srv sys usr var
meetalsh19@practical-exam-vm:/$
```

SSH-in-browser

```
meetalsh19@practical-exam-vm:~/practical_exam/outputs$ cd ..
meetalsh19@practical-exam-vm:~/practical_exam$ cd ..
meetalsh19@practical-exam-vm:~$ ls
practical_exam
meetalsh19@practical-exam-vm:~$ cd ..
meetalsh19@practical-exam-vm:/home$ ls
meetalsh19
meetalsh19@practical-exam-vm:/home$ cd ..
meetalsh19@practical-exam-vm:/$ ls
bin boot dev etc home lib lib64 lost+found media mnt opt proc root run sbin srv sys usr var
meetalsh19@practical-exam-vm:/$ ls -la
. .. bin boot dev etc home lib lib64 lost+found media mnt opt proc root run sbin srv sys usr var
meetalsh19@practical-exam-vm:/$ cd home
meetalsh19@practical-exam-vm:/home$ cd meetalsh19
meetalsh19@practical-exam-vm:~$ df -h
Filesystem      Size  Used Avail Use% Mounted on
udev            447M   0  447M   0% /dev
tmpfs           97M   536K   97M   1% /run
/dev/sda1       9.7G   2.7G   6.5G  29% /
tmpfs           485M   0   485M   0% /dev/shm
tmpfs          5.0M   0   5.0M   0% /run/lock
/dev/sda15      124M   12M   113M  10% /boot/efi
tmpfs           97M   0   97M   0% /run/user/1000
meetalsh19@practical-exam-vm:~$
```

SSH-in-browser

```
meetalsh19@practical-exam-vm:~$ free -h
              total        used        free      shared  buff/cache   available
Mem:          969Mi         428Mi        190Mi        536Ki         489Mi        540Mi
Swap:           0B           0B           0B
meetalsh19@practical-exam-vm:~$
```

SSH-in-browser

```
meetalshi19@practical-exam-vm:~$ ps aux
USER      PID %CPU %MEM    VSZ   RSS TTY      STAT START   TIME COMMAND
root         1  0.1  1.1 167972 11212 ?        Ss   06:20   0:01 /sbin/init
root         2  0.0  0.0      0     0 ?        S    06:20   0:00 [kthreadd]
root         3  0.0  0.0      0     0 ?        I<   06:20   0:00 [rcu_gp]
root         4  0.0  0.0      0     0 ?        I<   06:20   0:00 [rcu_par_gp]
root         5  0.0  0.0      0     0 ?        I<   06:20   0:00 [slub_flushwq]
root         6  0.0  0.0      0     0 ?        I<   06:20   0:00 [netns]
root         8  0.0  0.0      0     0 ?        I<   06:20   0:00 [kworker/0:0H-events_highpri]
root        10  0.0  0.0      0     0 ?        I<   06:20   0:00 [mm_percpu_wq]
root        11  0.0  0.0      0     0 ?        I    06:20   0:00 [rcu_tasks_kthread]
root        12  0.0  0.0      0     0 ?        I    06:20   0:00 [rcu_tasks_rude_kthread]
root        13  0.0  0.0      0     0 ?        I    06:20   0:00 [rcu_tasks_trace_kthread]
root        14  0.0  0.0      0     0 ?        S    06:20   0:00 [ksoftirqd/0]
root        15  0.0  0.0      0     0 ?        I    06:20   0:00 [rcu_preempt]
root        16  0.0  0.0      0     0 ?        S    06:20   0:00 [migration/0]
root        18  0.0  0.0      0     0 ?        S    06:20   0:00 [cpuhp/0]
root        19  0.0  0.0      0     0 ?        S    06:20   0:00 [cpuhp/1]
root        20  0.0  0.0      0     0 ?        S    06:20   0:00 [migration/1]
root        21  0.0  0.0      0     0 ?        S    06:20   0:00 [ksoftirqd/1]
root        23  0.0  0.0      0     0 ?        I<   06:20   0:00 [kworker/1:0H-events_highpri]
root        25  0.0  0.0      0     0 ?        I    06:20   0:00 [kworker/u4:l-events_unbound]
root        26  0.0  0.0      0     0 ?        S    06:20   0:00 [kdevtmpfs]
root        27  0.0  0.0      0     0 ?        I<   06:20   0:00 [inet_frag_wq]
root        28  0.0  0.0      0     0 ?        S    06:20   0:00 [kauditd]
root        29  0.0  0.0      0     0 ?        I    06:20   0:00 [kworker/1:1-cgroup_free]
root        30  0.0  0.0      0     0 ?        S    06:20   0:00 [khungtaskd]
root        31  0.0  0.0      0     0 ?        S    06:20   0:00 [oom_reaper]
root        33  0.0  0.0      0     0 ?        I<   06:20   0:00 [writeback]
root        34  0.0  0.0      0     0 ?        S    06:20   0:00 [kcompactd0]
root        35  0.0  0.0      0     0 ?        SN   06:20   0:00 [ksmd]
root        36  0.0  0.0      0     0 ?        SN   06:20   0:00 [khugepaged]
root        37  0.0  0.0      0     0 ?        I<   06:20   0:00 [kintegrityd]
root        38  0.0  0.0      0     0 ?        I<   06:20   0:00 [khlockd]
root        39  0.0  0.0      0     0 ?        I<   06:20   0:00 [blkcg_punt_bio]
root        40  0.0  0.0      0     0 ?        I<   06:20   0:00 [tpm_dev_wq]
root        41  0.0  0.0      0     0 ?        I<   06:20   0:00 [kworker/0:1H-kblockd]
root        42  0.0  0.0      0     0 ?        S    06:20   0:00 [kswapd0]
root        48  0.0  0.0      0     0 ?        I<   06:20   0:00 [kthrotld]
root        50  0.0  0.0      0     0 ?        I    06:20   0:00 [kworker/1:2-events_power_efficient]
root        54  0.0  0.0      0     0 ?        I<   06:20   0:00 [acpi_thermal_pm]
root        55  0.0  0.0      0     0 ?        I<   06:20   0:00 [nvme-wq]
root        56  0.0  0.0      0     0 ?        I<   06:20   0:00 [nvme-reset-wq]
root        57  0.0  0.0      0     0 ?        I<   06:20   0:00 [nvme-delete-wq]
```

SSH-in-browser

```
meetalshi19@practical-exam-vm:~$ cd practical_exam
meetalshi19@practical-exam-vm:~/practical_exam$ ls
logs  outputs  scripts
meetalshi19@practical-exam-vm:~/practical_exam$ cd scripts
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ touch file1.sh
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ touch file2.sh
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ touch file3.sh
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ touch file4.sh
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ cd ..
meetalshi19@practical-exam-vm:~/practical_exam$ find ~/practical_exam -name "*.sh"
/home/meetalshi19/practical_exam/scripts/file4.sh
/home/meetalshi19/practical_exam/scripts/file2.sh
/home/meetalshi19/practical_exam/scripts/file1.sh
/home/meetalshi19/practical_exam/scripts/file3.sh
meetalshi19@practical-exam-vm:~/practical_exam$
```

SSH-in-browser

```
meetalshi19@practical-exam-vm:~/practical_exam$ cd logs
meetalshi19@practical-exam-vm:~/practical_exam/logs$ touch secure_data.txt
meetalshi19@practical-exam-vm:~/practical_exam/logs$ chmod 640 secure_data.txt
meetalshi19@practical-exam-vm:~/practical_exam/logs$ ls -l secure_data.txt
-rw-r----- 1 meetalshi19 meetalshi19 0 Jun 10 06:47 secure_data.txt
meetalshi19@practical-exam-vm:~/practical_exam/logs$
```

SSH-in-browser

[UPLOAD FILE](#)

```
meetalshi19@practical-exam-vm:~/practical_exam/logs$ cd ..
meetalshi19@practical-exam-vm:~/practical_exam$ id
uid=1000(meetalshi19) gid=1003(meetalshi19) groups=1003(meetalshi19),4(adm),30(dip),44(video),46(plugdev),1000(google-nuders),1001(docker),1002(lxd)
meetalshi19@practical-exam-vm:~/practical_exam$ groups
meetalshi19 adm dip video plugdev google-nuders docker lxd
meetalshi19@practical-exam-vm:~/practical_exam$
```

SSH-in-browser

```
meetalshi19@practical-exam-vm:~/practical_exam$ cd outputs
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ nano practical.sh
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ chmod +x practical.sh
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ cat practical.sh
#!/bin/bash
echo "Welcome to Cloud Computing"
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ ./practical.sh
Welcome to Cloud Computing
meetalshi19@practical-exam-vm:~/practical_exam/outputs$
```

SSH-in-browser

```
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ nano practical2.sh
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ chmod +x practical2.sh
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ cat practical2.sh
#!/bin/bash
echo "Enter your Name: "
read USERNAME
echo "Welcome, $USERNAME"
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ ./practical2.sh
Enter your Name:
Meet
Welcome, Meet
meetalshi19@practical-exam-vm:~/practical_exam/outputs$
```

SSH-in-browser

```
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ nano practica3.sh
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ chmod +x practical3.sh
chmod: cannot access 'practical3.sh': No such file or directory
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ chmod +x practica3.sh
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ cat practica3.sh
#!/bin/bash
echo "Enter 2 Numbers: "
read a b
if [ $a -gt $b]
then
echo "$a is Greater"
else
echo "$b is Greater"
fi
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ ./practica3.sh
Enter 2 Numbers:
3 4
./practica3.sh: line 4: [: missing `]'
4 is Greater
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ nano practica3.sh
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ ./practica3.sh
Enter 2 Numbers:
5 9
9 is Greater
meetalshi19@practical-exam-vm:~/practical_exam/outputs$
```

SSH-in-browser

```
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ nano practica3.sh
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ cat practica3.sh
#!/bin/bash
echo "Enter a Number: "
read a
if [ $a%2 == 0 ]
then
echo "$a is even"
else
echo "$a is odd"
fi
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ ./practica3.sh
Enter a Number:
3
3 is odd
meetalshi19@practical-exam-vm:~/practical_exam/outputs$
```

SSH-in-browser

```
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ nano practica3.sh
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ cat practica3.sh
#!/bin/bash
for i in {1..20}
do
echo $i
done
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ ./practica3.sh
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
meetalshi19@practical-exam-vm:~/practical_exam/outputs$
```

SSH-in-browser

```
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ cat practica3.sh
#!/bin/bash

i=20

while [ $i -ge 1 ]
do
    echo $i
    i=$((i-1))
done
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ ./practica3.sh
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
meetalshi19@practical-exam-vm:~/practical_exam/outputs$
```

SSH-in-browser

```
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ cat practica3.sh
#!/bin/bash

read num

for i in {1..10}
do
    echo "$num x $i = $((num*i))"
done
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ ./practica3.sh
4
4 x 1 = 4
4 x 2 = 8
4 x 3 = 12
4 x 4 = 16
4 x 5 = 20
4 x 6 = 24
4 x 7 = 28
4 x 8 = 32
4 x 9 = 36
4 x 10 = 40
meetalshi19@practical-exam-vm:~/practical_exam/outputs$
```

SSH-in-browser

```
meetalshi19@practical-exam-vm:~/practical_exam/outputs$ cd ..
meetalshi19@practical-exam-vm:~/practical_exam$ cd script
-bash: cd: script: No such file or directory
meetalshi19@practical-exam-vm:~/practical_exam$ cd scripts
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ practical4.sh
-bash: practical4.sh: command not found
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ nano practical.sh
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ chmod +x practical4.sh
chmod: cannot access 'practical4.sh': No such file or directory
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ chmod +x practical.sh
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ cat practica.sh
cat: practica.sh: No such file or directory
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ cat practical.sh
#!/bin/bash

count=$(ls | wc -l)

echo $count
meetalshi19@practical-exam-vm:~/practical_exam/scripts$ ./practical.sh
10
meetalshi19@practical-exam-vm:~/practical_exam/scripts$
```