


First , creating first record

localhost:3000

Name: Meet
Age: 26
Username: meet123

Meet	26	meet123	Create User
------	----	---------	-------------

MongoDb Compass ScreenShot



Adding more records

< > localhost:3000

Name: Meet
Age: 26
Username: meet123

Name: riddhi
Age: 22
Username: riddhi00

Name...	Age...	Username...	Create User
---------	--------	-------------	-------------

And this is the screenshot of MongoDB compass

Filter

Type a query: { field: 'value' }

Reset

Find

</>

Mor

ADD DATA

EXPORT COLLECTION

1 - 2 of 2

<

>

_id: ObjectId('6455dbae130bdb186c451eb7')

name: "Meet"

age: 26

username: "meet123"

__v: 0

_id: ObjectId('6455dc0848a1e5db440c2b6d')

name: "riddhi"

age: 22

username: "riddhi00"

Adding records

Name: Meet

Age: 26

Username: meet123

Name: riddhi

Age: 22

Username: riddhi00

<input type="text" value="Raj"/>	<input type="text" value="28"/>	<input type="text" value="raj@321"/>	<input type="button" value="Create User"/>
----------------------------------	---------------------------------	--------------------------------------	--

After adding Records

Name: Meet

Age: 26

Username: meet123

Username: mect125

Name: riddhi

Age: 22

Username: riddhi00

Name: Raj

Age: 28

Agc. 26

Username: raj@321

Name: Adarsh

Age: 35

Username: adarsh@3021

Name...	Age...	Username...	Create User
---------	--------	-------------	-------------

MongoDB Compass after adding records gets automatically added to it

```
age: 20
username: "meet123"
__v: 0
```

```
_id: ObjectId('6455dc0848a1e5db440c2b6d')
name: "riddhi"
age: 22
username: "riddhi00"
```

```
_id: ObjectId('6455fea40fbd930bda808a85')
name: "Raj"
age: 28
username: "raj@321"
__v: 0
```

```
_id: ObjectId('6455fed40fbd930bda808a87')
name: "Adarsh"
age: 35
username: "adarsh@3021"
__v: 0
```