AIDS MICROPROCESSOR LAB S21 BATCH (2023-24)

Experiment 6(a) Title: Assembly language programming to find the GCD of two numbers

Name of student: Meet Raut Class Roll Number: 2201084

Date of Performance: 18/03/2024

Batch: S2-1 Timing: 3:00-5:00 Date of Submission: 18/03/2024

Assembly language code

```
DATA_SEG SEGMENT
  NUM1 DW 85
  NUM2 DW 119
  GCD DW ?
DATA_SEG ENDS
CODE_SEG SEGMENT
ASSUME CS:CODE_SEG,DS:DATA_SEG
START: MOV AX,DATA_SEG
MOV DS,AX
MOV AX, NUM1                    #move first number to AX
MOV BX, NUM2                    #move second number to BX
CMP AX, BX                      #compare the two numbers
JAE AGAIN
XCHG AX, BX                     #move the larger number into AX
 AGAIN:
MOV DX, 00                      #initialise DX with 0
DIV BX                          #divide DX:AX by BX
CMP DX, 0                       #verify if the remainder is zero
JZ EXIT                         #jump if the remainder is zero
```

```
MOV AX, BX                    #move the quotient into AX
MOV BX, DX                    #move remainder into BX
JMP AGAIN                     #repeat until GCD is found
 EXIT:
MOV GCD, BX
MOV AH, 4CH  ;exit to DOS
INT 21H

CODE_SEG ENDS
END START
```

Result:



Experiment 6(b) Title: Assembly language programming to find the LCM of two numbers using software tool TASM 1.4

Name of student: Meet Raut Class Roll Number: 2201084

Date of Performance: 18/03/2024

Batch: S2-1 Timing: 3:00-5:00 Date of Submission: 18/03/2024

Assembly language code

```
DATA_SEG SEGMENT
   NUM1 DW 85
   NUM2 DW 119
   GCD DW 00
   LCM DW 00
DATA_SEG ENDS

CODE_SEG SEGMENT
ASSUME CS:CODE_SEG, DS:DATA_SEG

START:
MOV AX,DATA_SEG          #initialisation
MOV DS,AX
MOV AX, NUM1        # move first number to AX
MOV BX, NUM2          # move second number to BX
CMP AX, BX             # compare the two numbers
JAE AGAIN
XCHG AX, BX            # move the larger number into AX
```

```
AGAIN:
        MOV DX, 00          #initialise DX with 0
        DIV BX              # divide DX:AX by BX

 CMP DX, 0                  # verify if the remainder is zero
 JZ EXIT                    # jump if the remainder is zero
MOV AX, BX                  # move the quotient into AX
 MOV BX, DX                 # move remainder into BX
 JMP AGAIN                  # repeat until GCD is found
 EXIT:
      MOV GCD, BX           #move result into GCD
    MOV AX, NUM1            #move first number to AX
MOV BX, NUM2                #move second number to BX
 MUL BX                     # multiply

MOV CX, GCD                 #move GCD into CX
 MOV LCM, AX                #move the result into LCM
 MOV AH, 4CH                #exit to DOS
INT 21H
 CODE_SEG ENDS
 END START
```

Result:



CONCLUSION: LO 2, LO 3 mapped.

---**********---