

Python MCQ Question Paper

Q1. Which keyword makes a variable global inside a function?

- A. global
- B. nonlocal
- C. extern
- D. public

Q2. What will be printed? `def func(x): if x > 5: return x * 2 elif x > 0: return x + 10 else: return x - 5 result = func(3) print(result)`

- A. 6
- B. 13
- C. -2
- D. 8

Q3. What does `@classmethod` decorator do?

- A. Makes method private
- B. Method receives class as first argument
- C. Creates class attribute
- D. Defines constructor

Q4. What is `collections.deque` optimized for?

- A. Random access
- B. Fast appends/pops from both ends
- C. Sorting
- D. Searching

Q5. What does `operator` module provide?

- A. Math operations
- B. Function versions of operators
- C. String operations
- D. File operations

Q6. What is the output of `range(0, 15, 2)`?

- A. [0, 2, 4, 6]
- B. range(0, 15, 2)
- C. List of numbers
- D. Error

Q7. Which is more memory efficient for large datasets?

- A. List comprehension
- B. Generator expression
- C. Map function
- D. For loop

Q8. Which method splits a string into a list?

- A. divide()
- B. split()
- C. separate()
- D. break()

Q9. Which Python version introduced f-strings?

- A. Python 3.5
- B. Python 3.6
- C. Python 3.7
- D. Python 3.8

Q10. Which module provides mathematical functions?

- A. math
- B. numbers
- C. calc
- D. arithmetic

Q11. What method checks if all characters are uppercase?

- A. isupper()
- B. ishigh()
- C. uppercase()
- D. ismajor()

Q12. Which mode appends to end of existing file?

- A. a
- B. w
- C. r
- D. x

Q13. Which of the following is a mutable data type?

- A. tuple
- B. string
- C. list
- D. int

Q14. What does enumerate() return?

- A. List of numbers
- B. Enumerate object with index-value pairs
- C. Dictionary
- D. Set

Q15. What is a lambda function?

- A. Named function
- B. Anonymous function
- C. Class method
- D. Built-in function

Q16. What happens when a function has no return statement?

- A. Returns 0
- B. Returns None
- C. Raises error
- D. Returns empty string

Q17. What does dict.get() return for non-existent keys?

- A. KeyError
- B. None
- C. Empty string
- D. Error

Q18. Which module is used for system-specific parameters?

- A. os
- B. sys
- C. platform
- D. system

Q19. Which exception occurs when accessing non-existent attribute?

- A. AttributeError
- B. NameError
- C. KeyError
- D. ValueError

Q20. What will be printed? `for i in range(3): for j in range(2): if i == j: print(f'{i}{j}')`

- A. 00 and 11
- B. 01 and 10
- C. 00 01 10 11
- D. Error

Q21. What is the output of range(0, 5, 2)?

- A. [0, 2, 4]
- B. range(0, 5, 2)
- C. List of numbers
- D. Error

Q22. Which keyword is used to handle exceptions?

- A. catch
- B. except
- C. handle
- D. error

Q23. Which statement is used to exit a loop prematurely?

- A. continue
- B. break
- C. pass
- D. return

Q24. Which method adds multiple elements to a set?

- A. add()
- B. insert()
- C. update()
- D. extend()

Q25. What is the best practice for file operations?

- A. Always use try-finally
- B. Use with statement
- C. Manual file.close()
- D. Let Python handle it

Q26. What does file.tell() return?

- A. File size
- B. Current position in file
- C. File name
- D. File mode

Q27. Which method removes the first occurrence of a value from a list?

- A. remove()
- B. delete()
- C. pop()
- D. discard()

Q28. Which block executes regardless of exceptions?

- A. try
- B. except
- C. else
- D. finally

Q29. What does enumerate() function return?

- A. List of tuples
- B. Enumerate object with index-value pairs
- C. Dictionary
- D. Set of numbers

Q30. What method fills string with zeros?

- A. fill()
- B. zfill()
- C. pad()
- D. zero()

Q31. What is method overriding?

- A. Creating multiple methods with same name
- B. Redefining parent class method in child class
- C. Calling parent method from child
- D. Using multiple inheritance

Q32. Which method checks if set contains all elements of another?

- A. superset()
- B. issuperset()
- C. contains()
- D. includes()

Q33. Which method closes a file?

- A. close()
- B. end()
- C. finish()
- D. stop()

Q34. Which statement skips the rest of current iteration?

- A. break
- B. continue
- C. pass
- D. return

Q35. Which decorator preserves function metadata?

- A. @preserve
- B. @wraps
- C. @metadata
- D. @info

Q36. Which operator checks for membership?

- A. in
- B. is
- C. has
- D. contains

Q37. What method capitalizes first letter of each word?

- A. capitalize()
- B. title()
- C. upper()
- D. proper()

Q38. Which method counts occurrences of an element in a list?

- A. count()
- B. frequency()
- C. occurrences()
- D. times()

Q39. Which creates an immutable version of a set?

- A. immutableset()
- B. frozenset()
- C. fixedset()
- D. constantset()

Q40. What is a closure in Python?

- A. A type of loop
- B. A function that captures variables from outer scope
- C. A way to close files
- D. A conditional statement

Q41. Which sorting algorithm is used by Python's sorted()?

- A. Quick Sort
- B. Merge Sort
- C. Tim Sort
- D. Bubble Sort

Q42. Which method removes leading whitespace?

- A. lstrip()
- B. leftstrip()
- C. ltrim()
- D. removeLeft()

Q43. What is the base class for all exceptions?

- A. Error
- B. Exception
- C. BaseException
- D. RuntimeError

Q44. What will while 2 > 0: break print?

- A. Nothing
- B. Infinite loop
- C. 2
- D. Error

Q45. Which method returns dictionary keys and values as tuples?

- A. pairs()
- B. items()
- C. tuples()
- D. entries()

Q46. What method removes all elements from a list?

- A. clear()
- B. empty()
- C. removeAll()
- D. delete()

Q47. Which creates iterator of infinite counting numbers?

- A. count()
- B. infinite()
- C. range()
- D. sequence()

Q48. What does os module provide?

- A. Object serialization
- B. Operating system interface
- C. Ordered structures
- D. Output streaming

Q49. What is the result? a, b = 5, 10 print('big' if a > b else 'small')

- A. big
- B. small
- C. true
- D. Error

Q50. Which function returns a reversed iterator?

- A. reverse()
- B. reversed()
- C. flip()
- D. backward()