

Vitals — Run of Show

บทพูดเป็นภาษาอังกฤษ · คำอธิบายไทยอยู่ใต้แต่ละช่วง — Twelve slides, spoken — 7:35 of words at 145wpm, which is roughly seven minutes read aloud. Written to be read off a screen while standing up, so the sentences are short and the clauses don't nest. Anything in the script you can't say out loud in one breath, cut.

RUNTIME **7:35** 12 SLIDES 60-SECOND CUT INCLUDED DEMO IS LIVE, NOT RECORDED

BEFORE YOU RECORD

- Run the demo once, cold, before the take.** The rejection on slide 07 has to be the program actually saying no, not a screenshot. If it's a screenshot, say so.
- The first fifteen seconds decide it.** Judges have hundreds of these. Open on the patient, not on the problem statement.
- Slow down on the three hashes.** That's the moment the claim becomes checkable. Let it sit.
- Timings are measured, not estimated.** Each clock is that beat's actual word count at 145 words a minute. If you naturally run faster, the whole thing shortens proportionally — don't try to hit the marks.
- Never say "certificate", "badge", or "credentials on the blockchain" — every judge has a reflex against all three.

01 Cold open

0:00 — 0:18 · 18s

ON SCREEN Title slide. Or better: the game already running, monitor visible, vitals moving.

A nineteen-year-old walks into an emergency room. Ten minutes ago she ate something with shrimp in it. Her throat is closing.

You have about four minutes. The simulation will not wait for you.

That's Vitals. **Anyone can play it. Nobody can fake the replay.**

ไทย · สิ่งที่กำลังสื่อ

สิ่งที่ทำ: เริ่มในเหตุการณ์เลย ไม่แนะนำตัว ไม่บอกว่ากำลังทำอะไรอยู่ — ให้คนฟังอยู่ในห้องฉุกเฉินก่อนจะรู้ว่ากำลังดูอะไร

ประโยคที่ต้องลง: “Anyone can play it. Nobody can fake the replay.” — สองครึ่งของโปรเจ็คอยู่ในประโยคเดียว

DELIVERY Do not introduce yourself first. Do not say "hi, we're building". Start inside the case — the judge should be in the room before they know what they're watching.

02 The problem

0:18 – 0:49 · 31s

ON SCREEN Slide 02 — 4,350+ schools · ~23 countries · 130–147 countries applying

Every medical student runs hundreds of encounters like that. Every one is scored. Every score is thrown away.

Since 2024, to practise in the US, your school needs a WFME-recognised accreditor. About twenty-three countries have one. There are over four thousand medical schools on earth.

So most graduates alive cannot prove what they can do — not because nobody measured them, but because nobody can check it. **The evidence exists. The trust layer doesn't.**

ไทย · สิ่งที่กำลังสื่อ

สิ่งที่ทำ: ชี้ช่องว่าง — วัดกันมาแล้วเป็นร้อยครั้ง แต่ไม่มีใครตรวจสอบได้ ตั้งแต่ปี 2024 การจะเรียนต่อในสหรัฐฯ ต้องจบจากโรงเรียนที่มีหน่วยรับรองซึ่ง WFME ยอมรับ

จังหวะสำคัญ: วาง “ยี่สิบสามประเทศ” ชนกับ “สี่พันโรงเรียน” ให้คนฟังได้ยินช่องว่างนั้น อย่ารีบข้ามไปเรื่องเทคโนโลยี

DELIVERY Land "twenty-three" and "four thousand" against each other. That gap is the whole slide — don't rush past it to get to the technology.

03 It already runs

0:49 – 1:33 · 44s

ON SCREEN Slide 03 — three tapes, three results, then the three hashes

This isn't a mockup. Three people played that case.

The first gives adrenaline, oxygen, lays her flat, keeps her for observation. She lives.

The second gives the adrenaline, then stands her up. In anaphylaxis the ventricle is empty — standing someone up can kill them. She survives, but the harm is on the record.

Look at the hashes. **Same outcome. Completely different leaf.** We didn't record whether she lived. We recorded how you got there.

The third gives antihistamines and waits.

— PAUSE —

She dies. Nobody scripted that. There's no losing branch in a story tree — the physiology killed her, the way it would have.

ไทย · สิ่งที่กำลังสื่อ

สิ่งที่ทำ: พิสูจน์ว่ามีมันจริง ด้วยคนเล่นสามคนบนเคสเดียวกัน

หัวใจอยู่ที่คนที่สอง — ให้ adrenaline ถูก แต่พยางค์ ในภาวะแพ้รุนแรงหัวใจแทบไม่มีเลือดคั่ง การลุกยืนเข้าคนได้ เธอรอด แต่ harm ติดอยู่ในบันทึก และ **hash ต่างกัน ทั้งที่ผลลัพธ์เหมือนกัน**

หยุดหลังคำว่า “stands her up” — หมอในห้องจะมีปฏิกิริยา และปฏิกิริยานั้นขายความสมจริงได้ดีกว่าคำอธิบายใดๆ

DELIVERY This is the longest beat and it earns it. Pause after "stands her up" — a clinician in the room will react, and that reaction sells the fidelity better than you can.

ON SCREEN Slide 04 — three stills from the game, each with its mechanic mocked up over it

So what is it like to play?

Not a score. **The replay is the trophy** — a watchable ninety seconds a stranger can re-derive. Your profile isn't a rank, it's a shelf of runs.

And because the tape replays exactly, you can race someone else's ghost. Theirs gets adrenaline at thirty-eight seconds, yours at one-twelve, and **you watch the two patients diverge while you're still deciding.**

Harm goes on your record too — which keeps the fastest run and the cleanest run from being the same run.

— PAUSE —

One line has to hold. The fun and the credential share data and **never share incentives** — you rank on the 3R board, a verifier stakes \$VIGIL. Grinding your favourite episode buys a better time, never a better standing.

ไทย · สิ่งที่กำลังสื่อ

สิ่งที่ทำ: ตอบว่าเล่นแล้วสนุกยังงี้ โดยยอมรับตรงๆ ก่อนว่า XP กับ level ไม่ใช่ความสนุก

Ghost racing คือกลไกที่ determinism ให้มาฟรี — เอา run ของคนอื่นมาเล่นคู่กัน แล้วเห็นคนใช้สองคนแยกทางกันตอนที่ยังตัดสินใจไม่เสร็จ

ต้องพูด: ทุก overlay บนสไลด์นี้เป็น mockup — พูดเบาๆ ครั้งเดียว คนที่จับได้เองจะเลิกเชื่อสไลด์ที่เป็นของจริงไปด้วย

DELIVERY Every overlay on this slide is labelled MOCKUP and you should say so once, lightly — "none of this is built yet, the stills are." A judge who spots an unlabelled mockup stops believing the slides that were real.

ON SCREEN Slide 05 — the vitals on the left, the automaton on the right, the three cards underneath

So what were they actually deciding?

She has minutes. One drug decides it — adrenaline, intramuscular. Oxygen, fluids, **lay her flat**. Then admit her, because anaphylaxis relapses hours later.

On the right, the same thing as a machine. Adrenaline moves her from acute to recovered; let the airway close and she arrests. Then the relapse fires — **admitted, she holds; discharged, she dies at home.**

— PAUSE —

Now the part that matters. **An AI agent plays the patient** — frightened, not volunteering that she left her auto-injector at home. It decides what you **learn**.

The automaton decides what **happens** — and only the automaton is in the hash.

That split is why there can be a token at all. The model makes it worth playing; **the automaton makes it worth proving** — it's exact, so two honest verifiers cannot disagree.

ไทย · สิ่งที่กำลังสื่อ

สิ่งที่ทำ: เอาเคสที่คนเพิ่งดูมาอธิบายเครื่องจักรข้างใต้ ไล่จากการรักษาจริง → automaton → ที่อยู่ของ AI agent → เหตุผลที่มี token ได้

ประโยคแกน: agent ตัดสินว่าคุณจะอะไร · automaton ตัดสินว่าเกิดอะไร และมีแค่ automaton ที่อยู่ใน hash

ลากมือตามไดอะแกรมไปด้วย รูปทรงของมันคือตัวข้อโต้แย้ง

DELIVERY This is the beat that earns the tokenomics slide four minutes later. If a judge follows the sentence "the agent decides what you learn, the automaton decides what happens", the staking argument lands as a consequence instead of arriving as a separate pitch.

06 The mechanism

3:26 – 3:58 · 33s

ON SCREEN Slide 06 — commit · play · reduce · anchor, then the leaf formula

Every run reduces to one hash. You commit before you play, so the chain knows how many attempts you **started** — grinding for a lucky run is visible.

The tape is what you did and when. We reduce it to discrete facts and anchor one leaf. **The trajectory is simulated. The outcome is proven.**

No language model anywhere in that path. Chess engines have verified replays for decades; we point it at a patient who's dying on a clock.

ไทย · สิ่งที่กำลังสื่อ

สิ่งที่ทำ: อธิบายว่า run กลายเป็น hash เดียวได้ยังไง — commit ก่อนเล่น เล่นกับ automaton ย่อเหลือข้อเท็จจริงที่ไม่ต่อเนื่อง แล้ว anchor

ประโยคที่แยกเราจากทีมอื่นทั้งรอบ: "no language model anywhere in that path" — พูดเรียบๆ เหมือนอ่านสเปก ไม่ใช่เหมือนโม้

DELIVERY "No language model in that path" is the line that separates you from every other AI-plus-crypto submission this round. Say it flat, like a spec, not like a boast.

07 The refusal

3:58 – 4:29 · 31s

ON SCREEN Slide 07 — live terminal preferred: claim Proficient → REJECTED, claim Competent → GRANTED

Here's my favourite part. Watch the program refuse me.

I claim Proficient. It recomputes the level with the same arithmetic the game uses and says no. **You're Competent. Three distinct cases.**

Proficient needs five. That threshold isn't a demo constant — it's been in the shipping competency model for a year, and it's now refusing me on chain.

I claim Competent. Granted. No issuer key, no oracle, no authority anyone can lean on or subpoena.

ไทย · สิ่งที่กำลังสื่อ

สิ่งที่ทำ: ให้อุปกรณ์ปฏิเสธคนพูดเอง claim Expert แล้วมันคำนวณใหม่แล้วบอกว่าไม่

รันสดถ้าทำได้ — protocol ที่ปฏิเสธผู้สร้างของมันเองคือของที่ขายดีที่สุดใน deck นี้ ถ้าเป็นภาพหนึ่งค่าจะเหลือราวหนึ่งในสิบ และถ้าเป็นภาพหนึ่งต้องบอกว่าเป็นภาพหนึ่ง

DELIVERY Run it live if you possibly can. A protocol refusing its own author is the single most persuasive thing in this deck, and a screenshot of it is worth about a tenth as much.

08 Architecture

4:29 – 5:05 · 35s

ON SCREEN Slide 08 — the diagram. Off chain above the line, on chain below, one hash crossing it.

Above the line: two inputs — the tape and the scenario — reduced to facts, hashed to one leaf. **No model on that path.**

Below the line, the leaf goes into a tree. To claim anything you hand the program the leaf and its path, and it recomputes the level itself.

Notice what never crosses. **The chain never sees a run** — not the transcript, not the vitals, not the patient. Only a hash that has to prove against a root the chain built itself.

ไทย · สิ่งที่กำลังสื่อ

สิ่งที่ทำ: วางระบบทั้งหมดบนจอเดียว เหนือเส้นคือ off-chain ใต้เส้นคือ on-chain มี hash เดียวข้ามเส้น

สิ่งที่ต้องชี้ให้เห็น: chain ไม่เคยเห็น run — ไม่เห็นบทสนทนา ไม่เห็นสัญญาณชีพ ไม่เห็นคนไข้ เห็นแค่ hash ที่ต้องพิสูจน์กับ root ที่มันสร้างเอง

DELIVERY Trace the diagram with your hand as you say it — left to right on top, down the right edge, right to left underneath. The shape is the argument: everything expensive and private stays above the line, and one hash crosses.

09 Why Solana

5:05 – 5:27 · 22s

ON SCREEN Slide 09 — four primitives table, then volume / latency / onboarding

Four primitives, none invented by us.

Why Solana: a cohort year worldwide is hundreds of millions of runs — a hundred and ten dollars per million, compressed. Anchoring only the exams would kill the idea.

And the player never sees a seed phrase. A nineteen-year-old learning medicine shouldn't have to learn key management first.

ไทย · สิ่งที่กำลังสื่อ

สิ่งที่ทำ: เหตุผลเชิงตัวเลข — หนึ่งในทั่วโลกคือ run หลายร้อยล้าน ซึ่งเท่ากับ 110 ดอลลาร์ต่อล้านรายการเมื่อมีบัต เป็น beat ที่สั้นที่สุด ถ้าเวลาเกินให้ตัดที่นี่ เหลือแค่ตัวเลขต้นท่อนกับประโยคเรื่อง seed phrase

DELIVERY Fastest beat in the deck. If you're running long, this is where you cut — trim to the cost number and the seed-phrase line.

10 \$VIGIL

5:27 – 6:21 · 54s

ON SCREEN Slide 10 — stake / verify / dispute loop, sinks-and-sources, never-tokenized list

Almost everything here is already trustless. But one thing isn't: somebody has to replay the tape and attest the outcome — and if that's one party, I've rebuilt the database I'm escaping.

So \$VIGIL bonds an open verifier set — **a vigil is kept beside the patient, never of the patient**. Operators stake, anyone can challenge by re-running the tape, the wrong one gets slashed.

Optimistic verification usually fails because disputes are fuzzy. This one isn't.

And the list I care about more: credentials are never tradeable, nothing gates access to play, nobody buys a better replay. A liquid market in "Expert in Cardiology" would destroy this faster than any attack.

No token ships in this hackathon. A verification market only needs to exist once verification is worth attacking.

ไทย · สิ่งที่กำลังสื่อ

สิ่งที่ทำ: อธิบายว่าทำไมถึงต้องมีเหรียญ — ทุกอย่าง trustless หมดแล้ว เหลือเรื่องเดียวคือต้องมีคน replay tape แล้วรับรองผล ถ้าเป็นเจ้าเดียวก็เท่ากับสร้าง database ที่เราหนีมาขึ้นใหม่

ทำไมชื่อ vigil: การเฝ้าไข้เกิดขึ้นข้างเตียง ไม่ใช่ตัวคนไข้ — ตำแหน่งเดียวกับที่ token ยืนอยู่ข้างใบรับรอง

ก่อนที่ลงจริงคือสองย่อหน้าสุดท้าย — สิ่งที่เราไม่ทำให้เป็นเหรียญ และการบอกว่ายังไม่ปล่อยเหรียญในแฮกการอนนี้ กรรมการฟัง สไลด์เหรียญมาทั้งวัน แบทไม่มีใครพูดสองเรื่องนี้

DELIVERY The last two paragraphs are the ones that land. Every judge has sat through a hundred token slides today; almost none of them heard a team say what they refuse to tokenize, or that they're not launching yet.

11 Precedent, and who we are

6:21 – 7:06 · 46s

ON SCREEN Slide 11 — CrowdBrain quote, the head-start card, and Skald

The Grand Champion of Frontier this year was CrowdBrain — train in simulation, qualify through QA, route the best operators to real robots. **That's this, for clinicians.**

And we didn't start four weeks ago — the simulator underneath is in production with real students, four hundred and twenty-four scenarios deep.

Most teams spent this hackathon building the thing that produces the signal. **We already had it. We spent it making the signal checkable.**

And episode six? A console called Skald drafts the series and every storyboard, then a crew fails each shot before the video model sees it. **Same principle as everything else: something that must be right, checked automatically.**

ไทย · สิ่งที่กำลังสื่อ

สิ่งที่ทำ: ชี้ว่ารูปแบบนี้จะแยกการอนนี่มาแล้ว (CrowdBrain) แล้วต่อด้วยว่าเราไม่ได้เริ่มเมื่อสี่สัปดาห์ก่อน

พูดให้เป็นคำชมเขา ไม่ใช่คำเคลมเรา — “เราเหมือนผู้ชนะ” ฟังไม่ดี แต่ “รูปแบบนี้ใช้ได้ และนี่คือหลักฐาน” ฟังเหมือนทำการบ้านมา
ตรงนี้คือจุดที่คนที่สองในทีมควรรับไมค์ และเป็นที่ใส่ชื่อกับบทบาท

DELIVERY Say it as a compliment to them, not a claim about you. Then hand off — **this is where a second team member should speak**, and where names and roles go. Colosseum's own data says winning teams average three or more people across technical and non-technical roles, and a solo voice for five straight minutes reads as a solo project.

12 Close and ask

7:06 – 7:35 · 29s

ON SCREEN Slide 12 — working now / four weeks / cut-on-purpose

Two halves are built. The replay produces leaves; the program refuses bad claims. One week joins them.

What we want from this room: the people who would actually rely on a record like this. We can build the protocol; we can't grant it standing.

— PAUSE —

You play a patient who's dying, the chain keeps a replay of what you did, and anyone can re-derive it without asking us.

ไทย · สิ่งที่กำลังสื่อ

สิ่งที่ทำ: สรุปสถานะจริง สองครึ่งสร้างแล้ว เหลือหนึ่งสัปดาห์เชื่อมกัน แล้วขอสิ่งที่เราสร้างเองไม่ได้

คำขอไปก่อนการหยุด ไม่ใช่หลัง จบด้วยประโยคเดียวแล้วหยุดเลย ไม่ต้องขอบคุณ ไม่ต้องต่อ roadmap — ความเจียมตัวงานได้ดีกว่าอุปประโยคเพิ่ม

DELIVERY The ask goes before the pause, never after. End on the one-sentence version and stop — no thank-you, no roadmap. The silence does more than another clause will.

The 60-second cut

For the pitch video's opening, or any time you get cut short. Slides 1, 3, 5, 9 only. If a judge understands nothing else, they should come away with these four things: the stakes are real, it runs, the chain refuses lies, and anyone can check it.

A nineteen-year-old, ten minutes after eating something with shrimp in it. Her throat is closing. You have four minutes and the simulation won't wait.

Three people played that case. One saved her. One saved her but stood her up first — same outcome, different hash, because the harm is on the record. One gave antihistamines and she died. Nobody scripted that.

Every run reduces to one hash on Solana. No language model anywhere in the proof path.

Then watch this: I claim Proficient, and the program recomputes it and refuses me. No issuer key. No oracle. The level on chain is the one it computed, not the one I claimed.

You play a patient who's dying, the chain keeps a replay of what you did, and anyone can re-derive it without asking us.

Questions you will get, and the answers you should already have

WHY DOES THIS NEED A BLOCKCHAIN?

Because the verifier can't be the same party as the scorer, and the person relying on the record is in another country. Remove the chain and you're back to one company's database.

HOW DO YOU KNOW THE STUDENT TOOK THE EXAM?

We don't, and we say so. We prove the scoring was faithful to the tape. Identity binding is the issuing institution's job, and the credential names them so you can price that trust yourself.

ISN'T THIS JUST AN NFT CERTIFICATE?

Show the refusal. A certificate can't reject the person holding it.

WHAT ABOUT THE LLM PARTS?

The patient's dialogue in other modes. Never the evidence. In story mode it's a keyword graph, so even that is deterministic.

IS THE TOKEN A SECURITY?

It bonds computation and punishes lying about computation. It confers no qualification and no access to care. That line is deliberate and it's written down.

WHO'S ACTUALLY PAYING?

Institutions on ordinary invoices and sponsors funding outcome-linked scholarships. Players pay nothing and hold nothing.