

1. CREAR INSTANCIA (nombre e imagen)




2. CREAR PAR DE CLAVES

(he creado un par de claves pem que también funciona con PuTTYgen para hacerla .ppk, también con .ppk es más sencillo)




3. CONECTARSE A LA INSTANCIA CREADA



4. CONSOLA AWS INSTANCIA



5. CONEXIÓN CON PUTTY



6. INSTALACIÓN Y ESTADO APACHE2

```
ubuntu@ip-172-31-23-139:~$ sudo apt install apache2
Installing:
  apache2

Installing dependencies:
  apache2-bin  apache2-data  apache2-utils  libaprlt64  libaprutil1-dbd-sqlite3  libaprutil1-ldap  libaprutillt64  liblua5.4-0  ssl-cert

Suggested packages:
  apache2-doc  apache2-suexec-pristine  | apache2-suexec-custom  www-browser

Summary:
  Upgrading: 0, Installing: 10, Removing: 0, Not Upgrading: 0
  Download size: 2124 kB
  Space needed: 8212 kB / 4907 MB available

Continue? [Y/n] y
```

```
ubuntu@ip-172-31-23-139:~$ service apache2 status
● apache2.service - The Apache HTTP Server
     Loaded: loaded (/usr/lib/systemd/system/apache2.service; enabled; preset: enabled)
     Active: active (running) since Tue 2026-10-27 08:21:12 UTC; 17s ago
 Invocation: 19004f6b743c4ddf8d700bc7d6b3c678
       Docs: https://httpd.apache.org/docs/2.4/
   Main PID: 2301 (apache2)
     Status: "Total requests: 0; Idle/Busy workers 100/0;Requests/sec: 0; Bytes served/sec:   0 B/sec"
      Tasks: 55 (limit: 627)
     Memory: 5.8M (peak: 5.9M)
        CPU: 85ms
     CGroup: /system.slice/apache2.service
             ├─2301 /usr/sbin/apache2 -k start -DFOREGROUND
             ├─2317 /usr/sbin/apache2 -k start -DFOREGROUND
             └─2318 /usr/sbin/apache2 -k start -DFOREGROUND

Oct 27 08:21:12 ip-172-31-23-139 systemd[1]: Starting apache2.service - The Apache HTTP Server...
Oct 27 08:21:12 ip-172-31-23-139 systemd[1]: Started apache2.service - The Apache HTTP Server.
ubuntu@ip-172-31-23-139:~$
```

7. PÁGINA APACHE2

