





Assigning the IP
Address to
Ethernet 0

Network Connection Details:

Property	Value
Connection-specific DN...	
Description	Intel(R) PRO/1000 MT Network Connecti
Physical Address	50-51-2D-01-9F-00
DHCP Enabled	No
IPv4 Address	50.0.0.10
IPv4 Subnet Mask	255.0.0.0
IPv4 Default Gateway	
IPv4 DNS Server	
IPv4 WINS Server	
NetBIOS over Tcpi...	Yes
Link-local IPv6 Address	fe80::2ceb:ccb5:788:1e35%11
IPv6 Default Gateway	
IPv6 DNS Servers	fec0:0:0fff::1%1 fec0:0:0fff::2%1 fec0:0:0fff::3%1



Administrator: Command Prompt

Connection-specific DNS Suffix . :
Link-local IPv6 Address : fe80::2ceb:ccb5:788:1e35%11
IPv4 Address. : 50.0.0.10
Subnet Mask : 255.0.0.0
Default Gateway :

Tunnel adapter isatap.{42A1F8B7-30A8-4EF7-81AF-C694F5F3D81B}:

Media State : Media disconnected
Connection-specific DNS Suffix . :

Tunnel adapter 6T04 Adapter:

Connection-specific DNS Suffix . :
IPv6 Address. : 2002:3200:a::3200:a
Default Gateway :

C:\Users\user>ping 50.0.0.20

Pinging 50.0.0.20 with 32 bytes of data:
Reply from 50.0.0.20: bytes=32 time=2ms TTL=128
Reply from 50.0.0.20: bytes=32 time=1ms TTL=128
Reply from 50.0.0.20: bytes=32 time=1ms TTL=128
Reply from 50.0.0.20: bytes=32 time=2ms TTL=128

Ping statistics for 50.0.0.20:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss)
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 2ms, Average = 1ms


C:\Users\user>ping 50.0.0.10


Pinging 50.0.0.10 with 32 bytes of data:
Reply from 50.0.0.10: bytes=32 time<1ms TTL=128
Reply from 50.0.0.10: bytes=32 time<1ms TTL=128
Reply from 50.0.0.10: bytes=32 time<1ms TTL=128
Reply from 50.0.0.10: bytes=32 time<1ms TTL=128

Ping statistics for 50.0.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\Users\user>

Reachable from
PC1 to PC2
using the ping
cmd





TEST_PC2.txt - Notepad

File Edit Format View Help

WELCOME TO SUREN NETWORKS!


Share and Transfer the Data from PC1 to PC2 / PC2 to PC1


Over IP Address: PC1 → PC2

TEST_PC2.txt
Text Document

Date modified: 9/3/2026 1:35 AM
Size: 26 bytes


Date created: 9/3/2026 1:34 AM
Offline availability: Not available





Share and Transfer the Data from PC1 to PC2 / PC2 to PC1

Over IP Address: PC2 → PC1



Organize

Open

Print

New folder

Search CLOUDMKV_TEST FOLDER

File Explorer

Users > user > Desktop > CLOUDMKV_TEST FOLDER

TEST.txt

9/3/2026 1:33 AM

Text Document

1 KB

TEST.txt - Notepad


File Edit Format View Help

Hello world!

Share and Transfer the Data from PC1 to PC2 / PC2 to PC1

Over Computer Name: PC2 → PC1

TEST.txt Text Document 1:39 AM



Control Panel Home

- Device Manager
- Remote settings
- System protection
- Advanced system settings

View basic information about your computer

Windows edition

Windows 7 Ultimate
Copyright © 2009 Microsoft Corporation. All rights reserved.
Service Pack 1



Share and Transfer the Data from PC1 to PC2 / PC2 to PC1
Over RDP (Remote Desktop Connection): PC1 → PC2

System

Rating: System rating is not available
Processor: Intel(R) Xeon(R) CPU E5-4620 0 @ 2.20GHz 2.20 GHz
Installed memory (RAM): 2.00 GB
System type: 32-bit Operating System
Pen and Touch: No Pen or Touch Input is available for this Display


Computer name, domain, and workgroup settings

Computer name: PC2 [Change settings](#)
Full computer name: PC2
Computer description:
Workgroup: WORKGROUP

Windows activation

See also

- Action Center
- Windows Update
- Performance Information and Tools



Share and Transfer the Data from PC1 to PC2 / PC2 to PC1
Over RDP (Remote Desktop Connection): PC2 → PC1

