

Conv1D + BiGRU Cross-Validation Report

ULTra MoCap Upper Extremity Classification

Summary of Accuracy, Precision/Recall, and Confusion Matrices

Overall Accuracy (mean $\pm$ std):

EMG: 0.5389 ± 0.0670

IMU: 0.9462 ± 0.0950

IMU+EMG: 0.9570 ± 0.0970

Macro Precision / Recall (mean over folds):

EMG: Precision 0.5728 | Recall 0.5386

IMU: Precision 0.9426 | Recall 0.9463

IMU+EMG: Precision 0.9507 | Recall 0.9570

Best / Worst Fold Accuracies:

EMG: best fold 10 (subject_10) 0.6583 | worst fold 5 (subject_5) 0.4098


IMU: best fold 11 (subject_11) 0.9958 | worst fold 5 (subject_5) 0.6352

IMU+EMG: best fold 6 (subject_6) 1.0000 | worst fold 5 (subject_5) 0.6393


Class order: OR, EF, ER, CB, AS

Generated from: results/Results_ConvBiGRU


Accuracy Per Fold




Accuracy Boxplot




Accuracy Mean Std




Precision Recall Emg




Precision Recall Imu




Precision Recall Imu Emg



Confusion Matrix Avg Emg



Confusion Matrix Avg Imu



Confusion Matrix Avg Imu Emg

