## Data Structure and Algorithms

Deepali Londhe Information Technology, PICT, Pune


1

## Agenda

2

- Searching and sorting
- Concept of internal and external sorting
- Sort stability
- Sorting methods: Bubble, insertion, Quick, Merge, shell and comparison of all sorting methods.
- Case Studies Set Operation, String Operation
- Fibonacci Series.

DSA Unit-I.4 BubbleSort



5

```
Bubble Sort

void bubbleSort (int a[], int size)
{
   int i, j, temp;
   for (i = 0; i < size; i++) /* controls passes through the list */
   {
      for (j = 0; j < size - 1; j++) /* performs adjacent comparisons */
      {
        if (a[j] > a[j+1]) /* determines if a swap should occur */
        {
            temp = a[j]; /* swap is performed */
            a[j] = a[j+1];
            a[j+1] = temp;
      }
    }
}
```

```
Bubble Sort Passes

a[]={5,4,3,2,1}
pass 0 4 3 2 1 5
pass 1 3 2 1 4 5
pass 2 2 1 3 4 5
pass 3 1 2 3 4 5
sorted array 1 2 3 4 5
pass 1 2 3 4 5
pass 1 2 3 4 5
pass 2 1 2 3 4 5
pass 2 1 2 3 4 5
pass 3 1 2 3 4 5
```

**Bubble Sort Analysis** 8 BUBBLESORT (A) Outer loop- n 1 for  $i \leftarrow 1$  to length[A] Inner Loop- (n-1), (n-2).....1 do for  $j \leftarrow length[A]$  downto i + 1Comparison- Constant Time 3 do if A[j] < A[j-1]Swap- Constant Time then exchange  $A[j] \leftrightarrow A[j-1]$ • The outer loop is executed n-1 times (call it n, that's close enough) • Each time the outer loop is executed, the inner loop is executed • Inner loop executes n-1 times at first, linearly dropping to just once • On average, inner loop executes about n/2 times for each execution of the outer loop • In the inner loop, the comparison is always done (constant time), the swap might be done (also constant time) n \* (n / 2) \* kDSA Unit-I.4 BubbleSort  $O(n^2/2*k) \sim O(n^2)$ 

## **Bubble Sort Summary** 9 $O(n^2)$ Worst Case Complexity • Comparisons - $O(n^2)$ • Swap O(n) Best Case Complexity Comparisons O(1)• Swap Average Case Complexity $O(n^2)$ Comparisons • Swap $O(n^2)$ • Is it Stable? Yes DSA Unit-I.4 BubbleSort

9

## References • Books • D. E. Knuth, The Art of Computer Programming: Vol. 3: Sorting and Searching, 2d ed., Addison- Wesley, Reading, Mass., 1998. • SORTING AND SEARCHING ALGORITHMS: A COOKBOOK BY THOMAS NIEMANN • Robert Sedgewick, Kevin Wayne, "Algorithms", 4th edition, Addison-Wesley Professional • Samanta Debasis, "CLASSIC DATA STRUCTURES", PHI, 2nd ed. • Ellis Horowitz and Sartaj Sahni , "Fundamentals of Data Structures", Computer Science Press, 1983 • R. Gilberg, B. Forouzan, "Data Structures: A pseudo Code Approach with C++", Cengage Learning, ISBN 9788131503140. • E. Horowitz, S. Sahni, D. Mehta, "Fundamentals of Data Structures in C++", Galgotia Book Source, New Delhi, 1995, ISBN 16782928 • Dinesh P. Shah, Sartaj Sahani , "Handbook of DATA STRUCTURES and APPLICATIONS", CHAPMAN & HALL/CRC • Bayer B. et al. (2015) Electro-Mechanical Brake Systems. In: Winner H., Hakuli S., Lotz F., Singer C. (eds) Handbook of Driver Assistance Systems. Springer, Cham • Web • http://statmath.wu.ac.at/courses/data-analysis/itdtHTML/node55.html • https://statmath.wu.ac.at/courses/data-analysis/itdtHTML/node55.html

