IT314 – Software Engineering

Name: Meghaben Rathwa

Student ID: 202001128

LAB : 07

Section A:

- **Write a set of test cases (i.e., test suite) – specific set of data – to properly test the programs. Your test suite should include both correct and incorrect inputs.**

1.Enlist which set of test cases have been identified using Equivalence Partitioning and Boundary Value Analysis separately.

2.Modify your programs such that it runs on eclipse IDE, and then execute your test suites on the program. While executing your input data in a program, check whether the identified expected outcome (mentioned by you) is correct or not.

Programs:

Program 1

- **Equivalence Partitioning and Boundary Value Analysis**

Tester Action and Input Data	Expected Outcome
Equivalence Partitioning	
a = [1, 2, 3, 4], v = 2	1
a = [5, 6, 7, 8], v = 10	-1
a = [1, 1, 2, 3], v = 1	0
a = null, v = 5	An error message
Boundary Value Analysis	
Minimum array length: a = [], v = 7	-1
Maximum array length: a = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20], v = 3.	2
Minimum value of v: a = [5, 6, 7], v = 5	0
Maximum value of v: a = [1, 2, 3], v = 3	2

Program 2

- **Equivalence Partitioning and Boundary Value Analysis**

Tester Action and Input Data	Expected Outcome
Equivalence Partitioning	
Invalid input: v is not an integer	An Error message
Empty array: a = []	0
Single item array: a = [v], v = a[0]	1

Multiple item array with v appearing:	
v appears once	1
v appears multiple times	count>1
Multiple item array with v not appearing	0
Boundary Value Analysis	
Minimum input values: v = a[0] = 1	count>0
Maximum input values: v = a[9999] = 10000	count>0
One occurrence of v: a = [1, 2, 3, ..., 9999, v-1, 10000]	1
All occurrences of v: a = [v, v, v, ..., v, v]	10000
Tester Action and Input Data	Expected Outcome
Equivalence Partitioning	
No occurrences of v: a = [1, 2, 3, ..., 9999]	0

Program 3

- **Equivalence Partitioning:**

Test Cases for Correct Inputs:

Tester Action and Input Data	Expected Outcome
v = 5, a = [1, 3, 5, 7, 9]	2
v = 1, a = [1, 3, 5, 7, 9]	0
v = 9, a = [1, 3, 5, 7, 9]	4

Test Cases for Incorrect Inputs:

Tester Action and Input Data	Expected Outcome
v = 2, a = [1, 3, 5, 7, 9]	-1
v = 10, a = [1, 3, 5, 7, 9]	-1
v = 6, a = []	-1

- **Boundary Value Analysis:**

Test Cases for Correct Inputs:

Tester Action and Input Data	Expected Outcome
v = 5, a = [5, 6, 7]	0
v = 6, a = [5, 6, 7]	1
v = 7, a = [5, 6, 7]	2
v = 5, a = [1, 5, 6, 7, 9]	1

Tester Action and Input Data	Expected Outcome
v = 6, a = [1, 5, 6, 7, 9]	2
v = 7, a = [1, 5, 6, 7, 9]	3
v = 9, a = [1, 5, 6, 7, 9]	4
v = 1, a = [1]	0
v = 5, a = [5]	0
v = 1, a = []	-1

Test Cases for Incorrect Inputs:

Tester Action and Input Data	Expected Outcome
v = 2, a = [1, 3, 5, 7, 9]	-1
v = 10, a = [1, 3, 5, 7, 9]	-1
v = 6, a = [1, 3, 5, 7, 9]	-1
v = 1, a = [2, 3, 4, 5, 6]	-1
v = 7, a = [2, 3, 4, 5, 6]	-1
v = 4, a = [5, 6, 7, 8, 9]	-1

Program 4

- **Equivalence Partitioning and Boundary Value Analysis**

Tester Action and Input Data	Expected Outcome
Equivalence Partitioning:	
a=b=c, where a, b, c are positive integers	EQUILATERAL
a=b<c, where a, b, and c are positive integers	ISOSCELES
a=b=c=0	INVALID
Tester Action and Input Data	**Expected Outcome**
Equivalence Partitioning:	
a<b+c, b<a+c, c<a+b, where a, b, c are positive integers	SCALENE
a=b>0, c=0	INVALID
a>b+c	INVALID
Boundary Value Analysis:	
a=1, b=1, c=1	EQUILATERAL
a=1, b=2, c=2	ISOSCELES
a=0, b=0, c=0	INVALID
a=2147483647, b=2147483647, c=2147483647	EQUILATERAL
a=2147483646, b=2147483647, c=2147483647	ISOSCELES
a=1, b=1, c=2^31-1	SCALENE
a=0, b=1, c=1	INVALID

Program 5

- **Equivalence Partitioning and Boundary Value Analysis**

Tester Action and Input Data	Expected Outcome
Equivalence Partitioning:	
s1 is empty, s2 is non-empty string	true
s1 is non-empty string, s2 is empty	false
s1 is a prefix of s2	true
s1 is not a prefix of s2	false
s1 has same characters as s2, but not a prefix	false
Boundary Value Analysis:	
s1 = "a", s2 = "ab"	true
s1 = "ab", s2 = "a"	false
s1 = "a", s2 = "a"	true
s1 = "a", s2 = "A"	false

- **Modify your programs such that it runs on eclipse IDE, and then execute your test suites on the program. While executing your input data in a program, check whether the identified expected outcome (mentioned by you) is correct or not.**

→ I have taken 20 test cases (4 test cases per program). Where eight are wrong or invalid, and the other 12 are correct. → There are screenshots of code snippets with coverage of the code.

Tester Action and Input Data	Expected Outcome
s1 = "abcdefghijklmnopqrstuvwxyz", s2 = "abcdefghijklmnopqrstuvwxyz"	true
s1 = "abcdefghijklmnopqrstuvwxyz", s2 = "abcdefghijklmno"	true
s1 = "", s2 = ""	true


eclipse-workspace - JUnitTesting/src/test/testing.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
Package Explorer JUnit
Finished after 0.025 seconds
Runs: 1/1 Errors: 0 Failures: 0
test1_1 [Runner: JUnit 4] (0.000 s)
Failure Trace
programs.java testing.java
package test;
import static org.junit.Assert.*;
import org.junit.Test;
public class testing {
@Test
public void test1_1() {
programs test = new programs();
int a[] = {1,2,3,4,5};
int output = test.linearSearch(2, a);
assertEquals(1,output);
}
@Test
public void test1_2() {
programs test = new programs();
int a[] = {1,2,3,4,5};
int output = test.linearSearch(1, a);
assertEquals(0,output);
}
@Test
public void test1_3() {
programs test = new programs();
int a[] = {1,2,3,4,5};
Outline
test
testing
test1_1() : void
test1_2() : void
test1_3() : void
test1_4() : void
test2_1() : void
test2_2() : void
test2_3() : void
test2_4() : void
test3_1() : void
test3_2() : void
test3_3() : void
test3_4() : void
test4_1() : void
test4_2() : void
test4_3() : void
test4_4() : void
test5_1() : void
test5_2() : void
test5_3() : void
test5_4() : void
Problems Javadoc Declaration Coverage
testing (Apr 12, 2023 7:49:44 PM)
Element Coverage
Search
10:08 PM
4/12/2023


eclipse-workspace - JUnitTesting/src/test/testing.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
Package Explorer JUnit
Finished after 0.05 seconds
Runs: 20/20 Errors: 0 Failures: 8
test.testing [Runner: JUnit 4] (0.020 s)
test1_1 (0.001 s)
test1_2 (0.001 s)
test1_3 (0.000 s)
test1_4 (0.010 s)
test2_1 (0.000 s)
test2_2 (0.000 s)
test2_3 (0.000 s)
test2_4 (0.001 s)
test3_1 (0.000 s)
test3_2 (0.000 s)
test3_3 (0.000 s)
test3_4 (0.000 s)
test4_1 (0.000 s)
test4_2 (0.001 s)
test4_3 (0.002 s)
test4_4 (0.000 s)
test5_1 (0.000 s)
test5_2 (0.000 s)
test5_3 (0.000 s)
test5_4 (0.001 s)
Failure Trace
java.lang.AssertionError: expected:<0> but was:<-1>
programs.java testing.java
import static org.junit.Assert.*;
import org.junit.Test;
public class testing {
@Test
public void test1_1() {
programs test = new programs();
int a[] = {1,2,3,4,5};
int output = test.linearSearch(2, a);
assertEquals(1,output);
}
@Test
public void test1_2() {
programs test = new programs();
int a[] = {1,2,3,4,5};
int output = test.linearSearch(1, a);
assertEquals(0,output);
}
Outline
test
testing
Problems Javadoc Declaration Coverage
testing (Apr 12, 2023 7:49:44 PM)
Element Coverage
JUnitTesting 92.9 % 670 51 721
Writable Smart Insert 7 : 21 [7]
Search
8:16 PM
4/12/2023

Modified Java codes of given programs (P1 – P5)

```java
package test;

public class programs {

      public int linearSearch(int v, int a[]) // p1
      {

            int i = 0;
            while (i < a.length)
            {
            if (a[i] == v)
            return(i);
            i++;
            }
            return (-1);
            }


      public int countItem(int v, int a[]) //p2
      {

      int count = 0;

      for (int i = 0; i < a.length; i++)

      {

      if (a[i] == v)

      count++;
      }
      return (count);

      }


            public int binarySearch(int v, int a[]) //p3
```

```
    {
        int lo,mid,hi;

        lo = 0;

        hi = a.length-1;
        while (lo <= hi)

        {

        mid = (lo+hi)/2;

        if (v == a[mid])

        return (mid);

        else if (v < a[mid])

        hi = mid-1;

        else

        lo = mid+1;

        }

        return(-1);

        }

    final int EQUILATERAL = 0;
    final int ISOSCELES = 1;
    final int SCALENE = 2;
    final int INVALID = 3;
    public int triangle(int a, int b, int c) //p4
    {
    if (a >= b+c || b >= a+c || c >= a+b)
    return(INVALID);
    if (a == b && b == c)
    return(EQUILATERAL);
    if (a == b || a == c || b == c)
    return(ISOSCELES);
    return(SCALENE);

    }

    public boolean prefix(String s1, String s2) //p5
    {
    if (s1.length() > s2.length())
    {
    return false;
    }
    for (int i = 0; i < s1.length(); i++)
    {
    if (s1.charAt(i) != s2.charAt(i))
    {
    return false;
    }
    }
```

```
            return true;
        }

}
```

Testing code with converge:

```
package test;

import static org.junit.Assert.*;

import org.junit.Test;

public class testing {

        @Test
        public void test1_1() {

        programs test = new programs();

        int a[] = {1,2,3,4,5};

        int output = test.linearSearch(2, a);
        assertEquals(1,output);
        }

        @Test
        public void test1_2() {

        programs test = new programs();

        int a[] = {1,2,3,4,5};

        int output = test.linearSearch(1, a);
        assertEquals(0,output);
        }


        @Test
        public void test1_3() {

        programs test = new programs();

        int a[] = {1,2,3,4,5};

        int output = test.linearSearch(7, a);
        assertEquals(-1,output);
        }

        @Test
        public void test1_4() {

        programs test = new programs();

        int a[] = {1,2,3,4,5};
```

```java
public void test2_1() { // no of element p2

programs test = new programs();

int a[] = {1,2,3,4,5};

int output = test.countItem(2, a);
assertEquals(2,output);
}

@Test
public void test2_2() { //no of element p2

programs test = new programs();

int a[] = {1,2,3,4,5};

int output = test.countItem(4, a);
assertEquals(2,output);
}
@Test
public void test2_3() { //no of element p2

programs test = new programs();

int a[] = {1,2,3,4,5};

int output = test.countItem(6, a);
assertEquals(0,output);
}

@Test
public void test2_4() { //no of element p2

programs test = new programs();

int a[] = {1,2,3,4,5};

int output = test.countItem(6, a);
assertEquals(-1,output);
}

@Test
public void test3_1() { //binary search p3

programs test = new programs();

int a[] = {1,2,3,4,5};

int output = test.binarySearch(2, a);
assertEquals(1,output);
}

@Test
public void test3_2() { //binary search p3
```

```java
programs test = new programs();
```

```java
int a[] = {1,2,3,4,5};

        int output = test.binarySearch(3, a);
        assertEquals(3,output);
        }


        @Test
        public void test3_3() { //binary search p3

        programs test = new programs();

        int a[] = {1,2,3,4,5};

        int output = test.binarySearch(8, a);
        assertEquals(-1,output);
        }

        @Test
        public void test3_4() { //binary search p3

        programs test = new programs();

        int a[] = {1,2,3,4,5};

        int output = test.binarySearch(8, a);
        assertEquals(-1,output);
        }

        @Test
        public void test4_1() {
        programs test = new programs();
        int output = test.triangle(8,8,8);
        assertEquals(0,output);
        }

        @Test
        public void test4_2() {
        programs test = new programs();
        int output = test.triangle(8,8,10);
        assertEquals(2,output);
        }

        @Test
        public void test4_3() {
        programs test = new programs();
        int output = test.triangle(0,0,0);
        assertEquals(1,output);
        }

        @Test
        public void test4_4() {
        programs test = new programs();
        int output = test.triangle(0,0,0);
        assertEquals(3,output);
        }

        @Test
```

```java
        public void test5_1() {
        programs test = new programs();
        boolean output = test.prefix("","nonEmpty");
        assertEquals(true,output);
        }

        @Test
        public void test5_2() {  // example of s1 is prefix of s2
        programs test = new programs();
        boolean output = test.prefix("hello","hello world");
        assertEquals(true,output);
        }

        @Test
        public void test5_3() {  // example of s1 is not prefix of s2
        programs test = new programs();
        boolean output = test.prefix("hello","world hello");
        assertEquals(false,output);
        }

        @Test
        public void test5_4() {  // example of s1 is not prefix of s2
        programs test = new programs();
        boolean output = test.prefix("hello","world hello");
        assertEquals(true,output);
        }

}
```

- **P6: Consider again the triangle classification program (P4) with a slightly different specification: The program reads floating values from the standard input. The three values A, B, and C are interpreted as representing the lengths of the sides of a triangle. The program then prints a message to the standard output that states whether the triangle, if it can be formed, is scalene, isosceles, equilateral, or right angled. Determine the following for the above program:**

a) Equivalence classes for the system are: Class 1: Invalid inputs

(negative or zero values)

Class 2: Non-triangle (sum of the two shorter sides is not greater than the longest side)

Class 3: Scalene triangle (no sides are equal)

Class 4: Isosceles triangle (two sides are equal)

Class 5: Equilateral triangle (all sides are equal)

Class 6: Right-angled triangle (satisfies the Pythagorean theorem

b) Test cases to cover the identified equivalence classes:

Class 1: -1, 0

Class 2: 1, 2, 5

Class 3: 3, 4, 5

Class 4: 5, 5, 7

Class 5: 6, 6, 6

Class 6: 3, 4, 5

Test case 1 covers class 1, test case 2 covers class 2, test case 3 covers class 3, test case 4 covers class 4, test case 5 covers class 5, and test case 6 covers class 6.

c) Test cases to verify the boundary condition A + B > C for the scalene triangle:

(1) 2, 3, 6

(2) 3, 4, 8

Both test cases have two sides shorter than the third side and should not form a triangle.

d) Test cases to verify the boundary condition A = C for the isosceles triangle:

(1) 2, 3, 3

(2) 5, 6, 5

Both test cases have two equal sides and should form an isosceles triangle.

e) Test cases to verify the boundary condition A = B = C for the equilateral triangle:

(1) 5, 5, 5

(2) 9, 9, 9

Both test cases have all sides equal and should form an equilateral triangle.

f) Test cases to verify the boundary condition A^2 + B^2 = C^2 for the right-angled triangle:

(1) 3, 4, 5

(2) 5, 12, 13

Both test cases satisfy the Pythagorean theorem and should form a right-angled triangle.

g) For the non-triangle case, identify test cases to explore the boundary.

(1) 2, 2, 4

(2) 3, 6, 9

Both test cases have two sides that add up to the third side and should not form a triangle.

h) For non-positive input, identify test points.

(1) 0, 1, 2

(2) -1, -2, -3

Both test cases have at least one non-positive value, which is an invalid input.

Section B

1.Convert the Java code comprising the beginning of the doGraham method into a control flow graph (CFG).



2.Construct test sets for your flow graph that are adequate for the following criteria:

a. Statement Coverage:

- ➔ **To satisfy statement coverage, we need to ensure that each statement in the CFG is executed at least once. We can achieve this by providing a test case with a single point in the vector. In this case, both loops will not execute, and the return statement will be executed. A test set that satisfies statement coverage would be: p = [Point (0,0)]**

b. Branch Coverage:

- ➔ **To satisfy branch coverage, we need to ensure that each branch in the CFG is executed at least once. We can achieve this by providing a test case with two points such that one of the points has the minimum y-coordinate, and the other has a greater x-coordinate than the minimum. In this case, both loops will execute, and the second branch in the second loop will be taken. A test set that satisfies branch coverage would be:**

p = [Point (0,0), Point (1,1)]

c. Basic Condition Coverage:

- ➔ **To satisfy basic condition coverage, we need to ensure that each condition in the CFG is evaluated to both true and false at least once. We can achieve this by providing a test case with three points such that two of the points have the same y-coordinate, and the other has a greater x-coordinate than the minimum. In this case, both loops will execute, and the second condition in the second loop will be evaluated to true and false. A test set that satisfies basic condition coverage would be:**

p = [Point (0,0), Point (1,1), Point (2,0)]