Cucumber Report

Start : Dec 29, 12:09:04.984 AM	*End : Dec 29, 12:09:08.693 AM*	*Duration : 3.709 s*
Features	*Scenarios*	*Steps*
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 2 FAILED - 0 SKIPPED - 0	PASSED - 9 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Scenarios for GET organizations repos endpoint	2	2	0	0	3.709 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Scenarios for GET organizations repos endpoint	List all repos and verify status code	4	4	0	0	2.852 s
2	Scenarios for GET organizations repos endpoint	List all repos and verify status code	5	5	0	0	0.847 s

(F)- Scenarios for GET organizations repos endpoint

PASSED	DURATION - 3.709 s	Scenarios		Steps	
	/ 12:09:04.984 AM // 12:09:08.693 AM /	Total - 2 Pass - 2 Fail - 0 Skip - 0	2	Total - 9 Pass - 9 Fail - 0 Skip - 0	9

(S)- List all repos and verify status code

PASSED	DURATION - 2.852 s		Steps	
	/ 12:09:04.986 AM // 12:09:07.838 AM / Scenarios for GET organizations repos endpoint	*(bar chart)*	Total - 4 Pass - 4 Fail - 0 Skip - 0	4

#	Step / Hook Details	Status	Duration
1	Given I have header with key "Authorization" and value "Bearer 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"	PASSED	0.649 s
2	And query param with "type" with value "all"	PASSED	0.011 s
3	When I do a "GET" request with path "orgs/mvnorg/repos"	PASSED	2.014 s
4	Then verify status code is 200	PASSED	0.154 s

(S)- List all repos and verify status code

PASSED	DURATION - 0.847 s		Steps	
	/ 12:09:07.846 AM // 12:09:08.693 AM / Scenarios for GET organizations repos endpoint	*(bar chart)*	Total - 5 Pass - 5 Fail - 0 Skip - 0	5

#	Step / Hook Details	Status	Duration
1	Given I have header with key "Authorization" and value "Bearer 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"	PASSED	0.002 s
2	And query param with "type" with value "private"	PASSED	0.000 s
3	And query param with "per_page" with value "1"	PASSED	0.000 s
4	When I do a "GET" request with path "orgs/mvnorg/repos"	PASSED	0.837 s
5	Then verify status code is 200	PASSED	0.004 s