| TITLE | CITED BY | YEAR |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------|
| An energy efficient production of high moisture barrier nanocellulose/carboxymethyl cellulose films via spray-deposition technique H Nadeem, M Naseri, K Shanmugam, M Dehghani, C Browne, S Miri, Carbohydrate Polymers 250, 116911 | 1 | 2020 |
| High-performance homogenized and spray coated nanofibrillated cellulose- montmorillonite barriers K Shanmugam, S Ang, M Maliha, V Raghuwanshi, S Varanasi, G Garnier, | | 2020 |
| Cellulose, 1-12 | | |
| Impact of heat drying on the physical and environmental characteristics of the nanocellulose-based films produced via spray deposition technique H Nadeem, M Naseri, K Shanmugam, C Browne, G Garnier, W Batchelor Cellulose, 1-15 | | 2020 |
| Engineering surface roughness of nanocellulose film via spraying to produce smooth substrates K Shanmugam, H Nadeem, C Browne, G Garnier, W Batchelor Colloids and Surfaces A: Physicochemical and Engineering Aspects 589, 124396 | <u>3</u> | 2020 |
| Cellulose fibre-perlite depth filters with cellulose nanofibre top coating for improved filtration performance A Onur, K Shanmugam, A Ng, G Garnier, W Batchelor Colloids and Surfaces A: Physicochemical and Engineering Aspects 583, 123997 | <u>3</u> | 2019 |
| Nanocellulose films as air and water vapour barriers: A recyclable and biodegradable alternative to polyolefin packaging K Shanmugam, H Doosthosseini, S Varanasi, G Garnier, W Batchelor Sustainable Materials and Technologies 22, e00115 | <u>11</u> | 2019 |
| Influence of Current Pulsing on Mechanical Properties and Microstructure of Tungsten Inert Gas (TIG) Welded AISI 304L Austenite Stainless Steel Joints. V Ganesan, K Shanmugam, V Balasubramanian Indian Welding Journal 52 (4) | | 2019 |
| Optimizing the Plasma Arc Welding Process Parameters to Attain the Minimum Corrosion Rate in the AISI 409M grade Ferritic Stainless Steel Autogenous Joints | 1 | 2019 |

| TITLE | CITED BY | YEAR |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------|
| SJ Hariharan, M Vigneshwar, ST Selvamani, K Shanmugam, Materials Today: Proceedings 16, 1259-1270 | | |
| Electrochemical corrosion behaviour of HVOF sprayed iron-based amorphous metallic coatings on AISI 316 stainless steel in an NaCl solution S Vignesh, K Shanmugam, V Balasubramanian, K Sridhar, Journal of the Mechanical Behavior of Materials 27 (3-4) | | 2018 |
| Flexible spray coating process for smooth nanocellulose film production K Shanmugam, H Doosthosseini, S Varanasi, G Garnier, W Batchelor Cellulose 25 (3), 1725-1741 | <u>19</u> | 2018 |
| A Study of Physical and Mechanical Properties of Powder Injection Molded Copper-Tungsten Alloys K Shanmugam | | 2018 |
| Influence of spraying time on corrosion behavior of plasma sprayed alumina coatings on AZ31B magnesium alloy under salt fog environment D Thirumalaikumarasamy, K Shanmugam, V Balasubramanian NISCAIR-CSIR, India | | 2018 |
| Establishing Empirical Relationship to Predict the Corrosion Rate of HVOF Sprayed Iron Based Amorphous Metallic Coating on 316 Stainless Steel S Vignesh, K Shanmugam, V Balasubramanian, K Sridhar, RK Jayaraj Journal of Advanced Microscopy Research 12 (3), 182-189 | | 2017 |
| Rapid preparation of smooth nanocellulose films using spray coating K Shanmugam, S Varanasi, G Garnier, W Batchelor Cellulose 24 (7), 2669-2676 | <u>21</u> | 2017 |
| Erosive wear behavior of SiC reinforced Titania coating deposited by High Velocity Oxy (HVOF) fuel spraying R Sathiyamoorthy, K Shanmugam, V Balasubramanian Advances in Natural and Applied Sciences 11 (8), 9-15 | 1 | 2017 |
| Identifying the optimal HVOF spray parameters to attain minimum porosity and maximum hardness in iron based amorphous metallic coatings S Vignesh, K Shanmugam, V Balasubramanian, K Sridhar Defence technology 13 (2), 101-110 | <u>31</u> | 2017 |
| <u>Defence Technology</u> S Vignesh, K Shanmugam, V Balasubramanian, K Sridhar | | 2017 |

| TITLE | CITED BY | YEAR |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------|
| Silver Nanowires: A Versatile Tool for Conductive Paper CM Czibula, C Ganser, M Kratzer, F Brumbauer, M Kräuter, M Hirber, Advances in Pulp and Paper Research, 723-737 | | 2017 |
| Microstructural and Corrosion Properties of Atmospheric Plasma Sprayed Alumina Coatings on AZ31B Magnesium Alloy Under Sodium Chloride Environment K Shanmugam, V Balasubramanian, S Vignesh Journal for Manufacturing Science and Production 16 (2), 89-102 | | 2016 |
| Effect of pH, Chloride Ion Concentration and Immersion Time on the Microstructural and Corrosion Properties of Atmospheric Plasma Sprayed Alumina Coatings on AZ31B Magnesium D Thirumalaikumarasamy, K Shanmugam, V Balasubramanian, Journal of Advanced Microscopy Research 11 (1), 62-71 | | 2016 |
| Friction Stir Welding of Copper Alloys by PTA Hardfaced Chromium Carbide Tools. A Baskaran, K Shanmugam, V Balasubramanian Indian Welding Journal 49 (2) | 1 | 2016 |
| The Relationship Between Tensile and Fatigue Strength of Friction Welded Steel Joints ST Selvamani, K Palanikumar, K Shanmugam, S Divagar, M Vigneshwar ASME International Mechanical Engineering Congress and Exposition 57571 | | 2015 |
| Evaluating the Performance of Conventional Tools and Plasma Transferred Arc Hardfaced Tungsten Carbide Tools for Friction Stir Welding of Copper Alloy A Baskaran, K Shanmugam, V Balasubramanian Journal of Advanced Microscopy Research 10 (3), 188-196 | | 2015 |
| Developing Empirical Relationships to Predict Porosity and Microhardness of Atmospheric Plasma-Sprayed Alumina Coatings on AZ31B Magnesium Alloy D Thirumalaikumarasamy, K Shanmugam, V Balasubramanian Journal for Manufacturing Science and Production 15 (2), 169-181 | <u>5</u> | 2015 |
| Predicting the immersion corrosion behaviour in NaCl solution of atmospheric plasma sprayed alumina coatings on AZ31B magnesium alloy D Thirumalaikumarasamy, K Shanmugam, V Balasubramanian | | 2015 |

| <u>TITLE</u> | CITED BY | YEAR |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------|
| International Journal of Computational Materials Science and Surface | | |
| Establishing an empirical relationship to predict porosity and hardness of Titanium Oxide (TiO2) coating deposited by High Velocity Oxy Fuel (HVOF) spraying R Sathiyamoorthy, K Shanmugam, V Balasubramanian system 8, 10 | | 2015 |