

Dr. Sridhar Tm

Assistant Professor, Department of Analytical Chemistry, University of Madras

1. ***Nano bioactive HAP-nano bioresorbable β -TCP-PEG composite scaffolds and their biochemical activity for implant applications***
K Kala, M Sundara Ganeasan, V Balasubramani, J Manovasuki, K Valivittan, TM Sridhar, MR Kuppasamy, Journal of Ceramic Processing Research, 21, 2, 240-248, , 2020.
2. ***Fabrication of polycaprolactone/ β -tricalciumphosphate based nano scaffolds using electrospinning method for biomedical applications***
K Seethalakshmi, M Kaviya, M Ganeasan Sundara, B Venkatachalapathy, KM Veerabadrhan, TM Sridhar, Indian Journal of Chemistry-Section A (IJCA), 59, 9, 1292-1297, 2020
3. ***Surface Modification of 316L Stainless Steel dental implants by Novel Bioinert Nano Zirconia coating.***
S Mohandoss, M Sundara Ganeasan, J Manovasuki, TM Sridhar, Trends in Biomaterials & Artificial Organs, 34, 3, 2020
4. ***Solanum melongena leaf extract based zinc oxide nanoparticles synthesis using green chemistry concepts***
A Nagarajan, V Balasubramani, V Sethuraman, TM Sridhar, R Sasikumar, G Vimala, Indian Journal of Chemistry-Section A (IJCA), 59, 9, 1273-1277, 2020
5. ***Effect of Humidity on Formation of Electrospun Polycaprolactone Nanofiber Embedded with Curcumin using Needleless Electrospinning***
Ramprasath Ramakrishnan, Praveen Ramakrishnan, Balu Ranganathan, Cowen Tan, TM Sridhar, Jolius Gimbut, Materials Today: Proceedings, 19, 1241-1246, Elsevier, 2019
6. ***Electrochemical, mechanical and osseointegration evaluation of NBPC-coated 316L SS by EPD***
R Manonmani, SP Vinodhini, B Venkatachalapathy, TM Sridhar, Surface Engineering, 34, 7, 511-519, Taylor & Francis, 2018
7. ***Synthesis of Hexagonal ZnO-PQ7 Nano Disks Conjugated with Folic Acid to Image MCF-7 Cancer Cells***
S Sureshkumar, B Jothamani, TM Sridhar, Arul Santhosh, B Venkatachalapathy, Journal of fluorescence, 27, 1, 21-29, Springer US, 2017
8. ***Influence of H₂S Concentration on Mn Sensitized Tin Dioxide Nanoparticles Based Sensor—An Impedance Spectroscopic Investigation***
S Suresh Kumar, B Venkatachalapathy, L Sujatha, T Subba Rao, TM Sridhar, Sensor Letters, 14, 9, 949-954, American Scientific Publishers, 2016
9. ***Interlayer TiO₂-HAP composite layer for biomedical applications***
SP Vinodhini, R Manonmani, B Venkatachalapathy, TM Sridhar, RSC Advances, 6, 67, 62344-62355, Royal Society of Chemistry, 2016.

10. Pulse Electric Field analysis on breast cancer model

S Poompavai, V Gowri Sree, TM Sridhar, 2015 International Conference on Condition Assessment Techniques in Electrical Systems (CATCON), 168-172, IEEE, 2015.