

VELRAJ SIR

1. The contribution of dry indoor built environment on the spread of Coronavirus: Data from various Indian states. Sustainable Cities and Society Volume 62, November 2020, 102371.
2. Mixing strategies of high solids anaerobic co-digestion using food waste with sewage sludge for enhanced biogas production. Journal of Cleaner Production Volume 210, 10 February 2019, Pages 388-400.
3. Mixing Strategies of High Solids Anaerobic Co-Digestion using Food Waste with Sewage Sludge for Enhanced Biogas Production. October 2018 Journal of Cleaner Production 210.
4. A review of efficient high productivity solar stills. Renewable and Sustainable Energy Reviews. Volume 101, March 2019, Pages 197-220.
5. Technological advancements in solar energy driven humidification-dehumidification desalination systems - A review. Journal of Cleaner Production. Volume 207, 10 January 2019, Pages 826-845.
6. A 50 year review of basic and applied research in compound parabolic concentrating solar thermal collector for domestic and industrial applications. Solar Energy Volume 187, 15 July 2019, Pages 293-340.
7. Characteristics investigation on thermophysical properties of synthesized activated carbon nanoparticles dispersed in solar glycol. International Journal of Thermal Sciences Volume 136, February 2019, Pages 15-32.
8. Influence of PCM thermal conductivity and HTF velocity during solidification of PCM through the free cooling concept—A parametric study. Journal of Energy Storage Volume 21, February 2019, Pages 48-57.
9. Experimental investigation on heat transfer and pressure drop of MWCNT-Solar glycol based nanofluids in shot peened double pipe heat exchanger. Powder Technology Volume 345, 1 March 2019, Pages 815-824.
10. Effect of nano-coated CuO absorbers with PVA sponges in solar water desalting system. October 2018 Applied Thermal Engineering 148.
11. Augmenting the productivity of solar still using multiple PCMs as heat energy storage. Journal of Energy Storage. Volume 26, December 2019, 101019.
12. Investigation of humidification-dehumidification desalination system through waste heat recovery from household air conditioning unit. Desalination Volume 467, 1 October 2019, Pages 1-11.

13. Effect of shot peening on enhancing the heat transfer performance of a tubular heat exchanger. May 2019 International Journal of Thermal Sciences 139:1-14.
14. Heat transfer and pressure drop performance of solar glycol/activated carbon based nanofluids in shot peened double pipe heat exchanger. Renewable Energy Volume 140, September 2019, Pages 580-591.
15. Experimental studies on solidification and subcooling characteristics of water-based phase change material (PCM) in a spherical encapsulation for cool thermal energy storage applications. International Journal of Refrigeration Volume 100, April 2019, Pages 454-462.
16. Thermodynamic analysis on compressed air energy storage augmenting power / polygeneration for roundtrip efficiency enhancement. Energy Volume 180, 1 August 2019, Pages 107-120.

17. Effect of using low-cost thermal insulation material in a solar air heating system with a shot blasted V-corrugated absorber plate. August 2019 Thermal Science and Engineering Progress 14:100403.
18. 18.Experimental study on thermal properties and electrical conductivity of stabilized H<sub>2</sub>O-solar glycol mixture based multi-walled carbon nanotube nanofluids: developing a new correlation. Heliyon Volume 5, Issue 8, August 2019, e02385.
19. Thermophysical characterization and comparison of PCMs using DSC and T-History experimental setup.11 December 2019 • © 2019 IOP Publishing Ltd. Materials Research Express, Volume 6, Number 12.
20. 20.Sustainable cooling technologies for building sector.AIP Conference Proceedings 2161, 020048 (2019).
21. 21.Comparison of a real-time building with brick and exfoliated vermiculite using OpenStudio modeling for Indian climatic zones. Pages 2334-2345 | Received 05 Jun 2018, Accepted 16 Nov 2018, Published online: 15 Dec 2018.
22. Comparison of different mixing phenomena in anaerobic digestion using food waste and sewage treatment plant for green biofuel through simulations of velocity contours. Pages 2233-2245 | Received 02 Jul 2018, Accepted 16 Nov 2018, Published online: 13 Dec 2018.
23. Heat transfer studies on solar still assisted with and without latent heat storage material.January 2019Desalination and Water Treatment 140:1-6.
24. Numerical Investigation on the Effect of Tube Geometry and Feeder Height on the Heat Transfer Performance of Horizontal Tube Falling Film Evaporation. J. Heat Transfer. Nov 2019, 141(11): 111502 (16 pages).
25. .Natural convection heat transfer enhancement of aluminum heat sink using Nano coating by electron beam method. January 2018Thermal Science 2018(00):7-7.
26. Experimental investigation on packed bed cool storage system for supply-demand management in building air conditioning system suitable for micro thermal grid. January 2019Thermal Science. Thermal Science 2019 OnLine-First Issue 00, Pages: 265-265.
27. Review of leaf drying: Mechanism and influencing parameters, drying methods, nutrient preservation, and mathematical models. Renewable and Sustainable Energy Reviews.Volume 90, July 2018, Pages 536-556.
28. Productivity enhancement of solar still by using porous absorber with bubble-wrap insulation. September 2018. Journal of Cleaner Production 195:1149-1161.

29. Experimental investigation on heat transfer augmentation of solar air heater using shot blasted V-corrugated absorber plate. *Renewable Energy*. Volume 127, November 2018, Pages 213-229
30. Enhancement in free cooling potential through PCM based storage system integrated with direct evaporative cooling (DEC) unit. *Energy* Volume 144, 1 February 2018, Pages 443-455.
31. Experimental investigation of free cooling using phase change material-filled air heat exchanger for energy efficiency in buildings. November 2016 *Advances in Building Energy Research* 12(2):1-11.
32. Thermal energy storage behaviour of nanoparticle enhanced PCM during freezing and melting. *Phase Transitions A Multinational Journal* Volume 91, 2018- Issue3. <https://doi.org/10.1080/01411594.2017.1372760>.
33. Heat carrier nanofluids in solar still – A review October 2018 *Desalination and Water Treatment* 130.
34. Combustion, performance and emission characteristics of an unmodified diesel engine fueled with Manilkara Zapota Methyl Ester and its diesel blends. *Applied Thermal Engineering*
35. Volume 139, 5 July 2018, Pages 196-202.
36. Investigation on phase change behavior of paraffin phase change material in a spherical capsule for solar thermal storage units. *Heat Transfer Engineering* Volume 39, 2018 - Issue 9. Pages 775-783.
37. Investigation on Phase Change Behavior of Paraffin Phase Change Material in a Spherical Capsule for Solar Thermal Storage Units, *Heat Transfer Engineering* Volume 39, 2018 - Issue 9. Pages 775-783.
38. Experimental investigation on small capacity compressed air energy storage towards efficient utilization of renewable sources. *Journal of Energy Storage* Volume 20, December 2018, Pages 364-370.
39. Experimental and numerical investigation of solar flat plate cooking unit for domestic applications. *Energy* Volume 157, 15 August 2018, Pages 436-447.
40. Thermal and electrical conductivity enhancement of solar glycol-water mixture containing MWCNTs. Fullerenes, Nanotubes and Carbon Nanostructures Volume 26, 2018 - Issue 12. Pages 871-879.
41. A REVIEW OF THE ROLE OF PASSIVE TECHNIQUES ON HEAT TRANSFER ENHANCEMENT OF HORIZONTAL TUBE FALLING FILM AND FLOODED EVAPORATORS. *Journal of Enhanced Heat Transfer*. DOI: 10.1615/JEnhHeatTransf.2018024886. pages 239-282.

42. A review of the role of passive techniques on heat transfer enhancement of horizontal tube falling film and flooded evaporators. Journal of Enhanced Heat Transfer DOI: 10.1615/JEnhHeatTransf.2018024886 pages 239-282.
43. Harnessing Free Energy From Nature For Efficient Operation of Compressed Air Energy Storage System and Unlocking the Potential of Renewable Power Generation.
44. Harnessing Free Energy From Nature For Efficient Operation of Compressed Air Energy Storage System and Unlocking the Potential of Renewable Power Generation. Scientific Reports volume 8, Article number: 9981 (2018).
45. Transient analysis of steam accumulator integrated with solar based MED-TVC system. Desalination Volume 435, 1 June 2018, Pages 3-22.
46. Interfacial Heat Transfer Coefficient Estimation During Solidification of Rectangular Aluminum Alloy Casting Using Two Different Inverse Methods. August 2018 Frontiers in Heat and Mass Transfer 11.
47. ESTIMATION AND VALIDATION OF INTERFACIAL HEAT TRANSFER COEFFICIENT DURING SOLIDIFICATION OF SPHERICAL SHAPED ALUMINUM ALLOY (AL 6061) CASTING USING INVERSE CONTROL VOLUME TECHNIQUE. April 2019 Frontiers in Heat and Mass Transfer 12.
48. Evaluation of Thermal Properties of Cement-Exfoliated Vermiculite Blocks as Energy Efficient Building Envelope Material. Journal of Testing and Evaluation 47, no. 5 (2019): 3480-3495.
49. Experimental and numerical studies of thermal performance enhancement in the receiver part of solar parabolic trough collectors. Renewable and Sustainable Energy Reviews Volume 77, September 2017, Pages 1363-1374.
50. Passive cooling potential in buildings under various climatic conditions in India. May 2017 Renewable and Sustainable Energy Reviews 78C:1236-1252.
51. Stability, viscosity, thermal conductivity and electrical conductivity enhancement of multi walled carbon nanotube nanofluid using gum arabic. January 2017 Fullerenes Nanotubes and Carbon Nanostructures 25(4).
52. Experimental study on density, thermal conductivity, specific heat and viscosity of water - ethylene glycol mixture dispersed with carbon nanotubes. January 2015 Thermal Science 2015(00):28-28.
53. Melting/solidification characteristics of paraffin based nanocomposite for thermal energy storage applications January 2015 Thermal Science 2015(00):170-170.

54. Effect of direct evaporative cooling during the charging process of phase change material based storage system for building free cooling application—A real time experimental investigation. *Energy and Buildings* Volume 152, 1 October 2017, Pages 250-263.
55. Renewable Energy Based Smart Microgrids—A Pathway To Green Port Development. *Strategic Planning for Energy and the Environment* Volume 37, 2017 - Issue 2. Pages 17-32.
56. Experimental analysis of solar photovoltaic unit integrated with free cool thermal energy storage system. *Solar Energy* Volume 158, December 2017, Pages 837-844.
57. Investigation on phase change material-based flat plate heat exchanger modules for free cooling applications in energy-efficient buildings. *Advances in Building Energy Research* Volume 11, 2017 - Issue 2, Pages 282-304.
58. Effects of concentrator type and encapsulated phase change material on the performance of different solar stills: An experimental approach October 2017 *Desalination and Water Treatment* 87:1-13.
59. GHG emission accounting and mitigation strategies to reduce the carbon footprint in conventional port activities – a case of the Port of Chennai. *Carbon Management* Volume 8, 2017 - Issue 1, Pages 45-56.
60. Performance analysis of a small capacity compressed air energy storage system for renewable energy generation using TRNSYS. *Journal of Renewable and Sustainable Energy* > Volume 9, Issue 4 > 10.1063/1.5000287.
61. Effect of Fin Orientations in a Spherically Encapsulated Phase Change Materials for Effective Heat Transfer Enhancement. *CHEMICAL ENGINEERING TRANSACTIONS* VOL. 62, 2017, DOI: 10.3303/CET1762047.
62. Sustainability and Environmental Management: Emissions Accounting for Ports, *Strategic Planning for Energy and the Environment* Volume 37, 2017 - Issue 1, Pages 8-26.
63. Fanning friction (f) and colburn (j) factors of a louvered fin and flat tube compact heat exchanger January 2015 *Thermal Science* 2015(00):88-88.
64. ROLE OF BIODIESEL WITH NANOADDITIVES IN PORT OWNED TRUCKS AND OTHER VEHICLES FOR EMISSION REDUCTION, *THERMAL SCIENCE*, Year 2017, Vol. 21, No. 1B, pp. 605-614.
65. Sustainable Energy Resources based Smart Microgrid towards Green Port Development-A Pathway for Ecofriendly Society. *Sustainable Energy Resources based Smart Microgrid towards Green Port Development - A Pathway for Ecofriendly Society* January 2017 *Asian Journal of Research in Social Sciences and Humanities* 7(3):190.

66. Zigbee Based Energy Efficient LED Lighting System. International Journal of Engineering and Advanced Technology (IJEAT) ISSN: 2249 – 8958, Volume-3, Issue-4, April 2014.
67. EXPERIMENTAL INVESTIGATION OF THE THERMAL PERFORMANCE OF A HEAT PIPE UNDER VARIOUS MODES OF CONDENSER COOLING. Heat Transfer Research. 10.1615/HeatTransRes.2017011875 pages 1151-1164.
68. A review on compressed air energy storage – A pathway for smart grid and polygeneration. Renewable and Sustainable Energy Reviews Volume 62, September 2016, Pages 895-907.
69. Productivity enhancements of compound parabolic concentrator tubular solar stills Renewable Energy. Volume 88, April 2016, Pages 391-400.
70. Effect of heat removal on tubular solar desalting system, Desalination Volume 379, 1 February 2016, Pages 24-33.
71. Theoretical analysis of inclined solar still with baffle plates for improving the fresh water yield Process Safety and Environmental Protection Volume 101, May 2016, Pages 93-107.
72. Experimental energy and exergy analysis of a flat plate solar air heater with a new design of integrated sensible heat storage, Energy Volume 111, 15 September 2016, Pages 609-619.
73. Performance assessment of a solar domestic cooking unit integrated with thermal energy storage system Journal of Energy Storage Volume 6, May 2016, Pages 70-79.
74. Influence of crescent shaped absorber in water desalting system, Desalination Volume 398, 15 November 2016, Pages 208-213.
75. Solidification characteristics of water based graphene nanofluid PCM in a spherical capsule for cool thermal energy storage applications International Journal of Refrigeration Volume 66, June 2016, Pages 73-83.
76. Role of PCM addition on stratification behaviour in a thermal storage tank – An experimental study, Energy 115:1168-1178.
77. Effect of parabolic solar energy collectors for water distillation November 2015:Desalination and Water Treatment DOI: 10.1080/19443994.2015.1119746.
78. Experimental investigation on thermophysical properties of solar glycol dispersed with multi-walled carbon nanotubes, Pages 641-652, Fullerenes, Nanotubes and Carbon Nanostructures Volume 24, 2016 - Issue 10.
79. Experimental investigation on the phase change material-based modular heat exchanger for thermal management of a building, International Journal of Green Energy Volume 13, 2016 - Issue 11, Pages 1109-1119.

80. Development of superhydrophobic surface through facile dip coating method Digest Journal of Nanomaterials and Biostructures Vol. 11, No. 3, July - September 2016, p. 945 – 951.
81. Fuzzy logic controller based bridgeless isolated interleaved zeta converter for LED lamp driver application, February 2016 International Journal of Power Electronics and Drive Systems 7(2):509, DOI: 10.11591/ijpeds.v7.i2.pp509-520.
82. 15 - Sensible heat storage for solar heating and cooling systems, Advances in Solar Heating and Cooling 2016, Pages 399-428.
83. Effects of raw material composition of tung (Vernicia Montana) and jatropha (Jatropha Curcas L) oil methyl esters on their fuel properties: a comparative study in fuel quality perspectives, International Journal of Oil, Gas and Coal Technology, 2016 Vol.12 No.2, pp.210 - 230.
84. Influence of alumina nanoparticles, ethanol and isopropanol blend as additive with diesel–soybean biodiesel blend fuel: Combustion, engine performance and emissions Renewable Energy Volume 80, August 2015, Pages 655-663.
85. Optimization of biodiesel production from Manilkara zapota (L.) seed oil using Taguchi method, Fuel Volume 140, 15 January 2015, Pages 90-96.
86. Effect of dispersion of various nanoadditives on the performance and emission characteristics of a CI engine fuelled with diesel, biodiesel and blends—a review, Renewable and Sustainable Energy Reviews Volume 49, September 2015, Pages 563-573.
87. Experimental study on a parabolic concentrator assisted solar desalting system, Energy Conversion and Management Volume 105, 15 November 2015, Pages 665-674.
88. Review on phase change material based free cooling of buildings—The way toward sustainability, Journal of Energy Storage Volume 4, December 2015, Pages 74-88.
89. CFD ANALYSIS IN A HEAT SINK FOR COOLING OF ELECTRONIC DEVICES, International Journal of The Computer, the Internet and Management Vol. 16.No.3 (September-December, 2008) pp 1-11.
90. Experimental and parametric studies of a louvered fin and flat tube compact heat exchanger using computational fluid dynamics, Alexandria Engineering Journal Volume 54, Issue 4, December 2015, Pages 905-915.
91. Influence of the size of spherical capsule on solidification characteristics of DI (deionized water) water for a cool thermal energy storage system—An experimental study, Energy Volume 90, Part 1, October 2015, Pages 807-813.



92. Influence of the size of spherical capsule on solidification characteristics of DI (deionized water) water for a cool thermal energy storage system—An experimental study, *Energy* Volume 90, Part 1, October 2015, Pages 807-813.
93. Effects of the properties and the structural configurations of fatty acid methyl esters on the properties of biodiesel fuel: a review,
94. Proceedings of the Institution of Mechanical Engineers, Part D: Journal of Automobile Engineering, Volume: 229 issue: 3, page(s): 357-390.
95. Effect of fill volume on solidification characteristics of DI (deionized) water in a spherical capsule – An experimental study, *Energy* Volume 90, Part 1, October 2015, Pages 508-515.
96. Experimental investigation of a cascaded latent heat storage system for diesel engine waste heat recovery, *Energy Sources, Part A: Recovery, Utilization, and Environmental Effects* Volume 37, 2015 - Issue 12, Pages 1308-1317.
97. Experimental and numerical investigation of a louvered fin and elliptical tube compact heat exchanger, *Journal of Enhanced Heat Transfer*, 17(3) 243–256 (2010).
98. Effects of the properties and the structural configurations of fatty acid methyl esters on the properties of biodiesel fuel: a review,
99. Proceedings of the Institution of Mechanical Engineers, Part D: Journal of Automobile Engineering, volume: 229 issue: 3, page(s): 357-390.
100. CFD analysis of flow and geometric parameter for a double walled solar cooking unit, *Applied Mathematical Modelling*, Volume 39, Issue 1, 1 January 2015, Pages 137-146.
101. Free cooling feasibility of a typical commercial building in Pune city, India, *International Journal of Applied Engineering Research* 10(2):4419-4435.
102. Hydrodynamics of a Liquid–Solid Circulating Fluidized Bed: Effect of Solid Feed Pipe Diameter, February 2015 *Indian Chemical Engineer* 57(1):1-15
103. Performance evaluation of compressed air energy storage using TRNSYS, January 2015 DOI: 10.11989/JEST.1674-862X.505252.
104. Environmental emissions and efficiency of a direct injection diesel engine fueled with various fatty acid methyl esters, January 2015 *Environment Protection Engineering* 41(1).
105. Combustion Analysis of Polanga (*Calophyllum inophyllum*) Biodiesel, *Applied Mechanics and Materials* (Volume 812), 51-59.
106. Numerical Investigations of Outward Solidification in Cylindrical PCM Storage Unit August 2015 *Applied Mechanics and Materials* 787:177-181.
107. An Efficient Bridgeless (BI) Isolated Interleaved Zeta Converter for Led Lamp Driver Application, December 2015 *Research Journal of Applied Sciences, Engineering and Technology* 11(10):1103-1113,
108. Bagasse dryer, *International Journal of Applied Engineering Research* Volume 10 :Issue 16 Pages 37906-37913.
109. Numerical Investigations of Outward Solidification in Cylindrical PCM Storage Unit, *Applied Mechanics and Materials*, Volume 787 Pages 177-181.

110. Exergy analysis on biodiesel derived from mahua (*Madhuca indica*) oil and its blends with diesel, International Journal of Energy, Environment and Economics, Voluem 23, issue 1, Page 115.
111. Analysis of Free Cooling Potential For Thermal Energy Management of A Commercial Building In Jaipur City, India, April 2015International Journal of Applied Engineering Research 10(30):22943 – 22947.