

EXPLORER

OPEN EDITORS

JS dbhospital.js hospital...

JS index.js hospitalDet...

{ } package.json hospi...

{ } package-lock.json...

JS doctor.js hospitalDe...

JS patient.js hospitalD...

JS staff.js hospitalDetails

HOSPITAL-PROJECT2

hospitalDetails

node_modules

JS dbhospital.js

JS doctor.js

JS index.js

{ } package-lock.json

{ } package.json

JS patient.js

JS staff.js

JS dbhospital.js X

JS index.js

{ } package.json

{ } package-lock.json

JS doctor.js

JS patient.js

JS staff.js

hospitalDetails > JS dbhospital.js > connection.connect() callback > connection.query("CREATE DATABASE hospital2") callback

```
1  const mysql = require('mysql');
2
3  var connection = mysql.createConnection({
4    host: 'localhost',
5    user: 'root',
6    password: 'info123'
7  });
8
9  connection.connect(function (err) {
10    if (err) throw err;
11
12    console.log("Connected to MySQL");
13
14    connection.query("CREATE DATABASE hospital2", function (err, result) {
15      if (err) throw err;
16
17      console.log("Database created successfully");
18      console.log(result);
19
20      connection.end();
21    });
22  });
23
24  module.exports = connection;
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

powershell - hospitalDetails

PS D:\HOSPITAL-PROJECT2\hospitalDetails> npm list mysql

└─ mysql@2.18.1

● PS D:\HOSPITAL-PROJECT2\hospitalDetails> node dbhospital.js

Connected to MySQL

Database created successfully

OkPacket {

> OUTLINE

Ln 17, Col 41

OPEN EDITORS

- Welcome
- JS dbhospital.js hospit...
- JS index.js hospitalDet...
- { } package.json hospi...
- { } package-lock.json...
- JS doctor.js hospitalDe...
- JS patient.js hospitalD...
- JS staff.js hospitalDetails

HOSPITAL-PROJECT2

- hospitalDetails
 - node_modules
 - JS dbhospital.js
 - JS doctor.js
 - JS index.js
 - { } package-lock.json
 - { } package.json
 - JS patient.js
 - JS staff.js

OUTLINE

hospitalDetails > JS dbhospital.js > ...

```
1  const mysql = require('mysql');
2
3  var connection = mysql.createConnection({
4    host: 'localhost',
5    user: 'root',
6    password: 'info123',
7    database: 'hospital2'
8  });
9
10 connection.connect(function (err) {
11   if (err) throw err;
12
13   console.log("Connected!");
14
15   var sql = "CREATE TABLE patient(pid INT PRIMARY KEY, pname VARCHAR(30), age INT, gender VARCHAR(10))";
16
17   connection.query(sql, function (err, result) {
18     if (err) throw err;
19     console.log("Patient table created");
20   });
21
22   var sql1 = "CREATE TABLE doctor(did INT PRIMARY KEY, dname VARCHAR(30), age INT, gender VARCHAR(10))";
23
24   connection.query(sql1, function (err, result) {
25     if (err) throw err;
26     console.log("Doctor table created");
27   });
28
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

powershell - hospitalDetails

```
PS D:\HOSPITAL-PROJECT2\hospitalDetails> node dbhospital.js
PS D:\HOSPITAL-PROJECT2\hospitalDetails> node dbhospital.js
Connected!
Patient table created
Doctor table created
Staff table created
PS D:\HOSPITAL-PROJECT2\hospitalDetails>
```

EXPLORER

OP Explorer (Ctrl+Shift+E)

JS dbhospital.js hospit...

JS index.js hospitalDet...

{ } package.json hospi...

{ } package-lock.json...

JS doctor.js hospitalDe...

JS patient.js hospitalD...

JS staff.js hospitalDetails

HOSPITAL-PROJECT2

hospitalDetails

node_modules

JS dbhospital.js

JS doctor.js

JS index.js

{ } package-lock.json

{ } package.json

JS patient.js

JS staff.js

JS dbhospital.js X JS index.js { } package.json { } package-lock.json JS doctor.js JS patient.js JS staff.js

hospitalDetails > JS dbhospital.js > ...

```
1  const mysql = require('mysql');
2
3  var connection = mysql.createConnection({
4    host: 'localhost',
5    user: 'root',
6    password: 'info123',
7    database: 'hospital2'
8  });
9
10 connection.connect(function (err) {
11   if (err) throw err;
12
13   connection.query(
14     "insert into patient values(1,'sahil kumar',25,'m'),(2,'sumit kumar',28,'m'),(3,'ajay kumar',28,'m'),(4,'suhani'
15     function (err, result) {
16       if (err) throw err;
17       console.log(result);
18     }
19   );
20
21   connection.query(
22     "insert into staff values(101,'amit',18,'m'),(102,'suketu',19,'m'),(103,'divin',45,'m')",
23     function (err, result) {
24       if (err) throw err;
25       console.log(result);
26     }
27   );
28 }
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

powershell - hospitalDetails

PS D:\HOSPITAL-PROJECT2\hospitalDetails> node dbhospital.js

warningCount: 0,
message: '&Records: 2 Duplicates: 0 Warnings: 0',
protocol41: true,
changedRows: 0
}

> OUTLINE

PS D:\HOSPITAL-PROJECT2\hospitalDetails>

EXPLORER

OPEN EDITORS

dbhospital.js hospital...

index.js hospitalDet...

package.json hospi...

package-lock.json...

doctor.js hospitalDe...

patient.js hospitalD...

staff.js hospitalDetails

HOSPITAL-PROJECT2

hospitalDetails

node_modules

dbhospital.js

doctor.js

index.js

package-lock.json

package.json

patient.js

staff.js

JS dbhospital.js X

JS index.js

package.json

package-lock.json

JS doctor.js

JS patient.js

JS staff.js

hospitalDetails > JS dbhospital.js > ...

1 const mysql = require('mysql');

2

3 var connection = mysql.createConnection({

4 host: 'localhost',

5 user: 'root',

6 password: 'info123',

7 database: 'hospital2'

8 });

9

10 connection.connect(function (err) {

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

powershell - hospitalDetails

PS D:\HOSPITAL-PROJECT2\hospitalDetails> node dbhospital.js

protocol41: true,

changedRows: 0

}

● PS D:\HOSPITAL-PROJECT2\hospitalDetails> node dbhospital.js

Patient Table:

[

RowDataPacket { pid: 1, pname: 'sahil kumar', age: 25, gender: 'm' },

RowDataPacket { pid: 2, pname: 'sumit kumar', age: 28, gender: 'm' },

RowDataPacket { pid: 3, pname: 'ajay kumar', age: 28, gender: 'm' },

RowDataPacket { pid: 4, pname: 'suhani', age: 27, gender: 'f' }

]

Staff Table:

[

RowDataPacket { eid: 101, ename: 'amit', age: 18, gender: 'm' },

RowDataPacket { eid: 102, ename: 'suketu', age: 19, gender: 'm' },

RowDataPacket { eid: 103, ename: 'divin', age: 45, gender: 'm' }

]

Doctor Table:

[

RowDataPacket { did: 202, dname: 'dr.patel', age: 45, gender: 'm' },

RowDataPacket { did: 203, dname: 'dr.shah', age: 29, gender: 'm' }

]

○ PS D:\HOSPITAL-PROJECT2\hospitalDetails>

EXPLORER

OPEN EDITORS

JS dbhospital.js hospit...

JS index.js hospitalDet...

{ } package.json hospi...

{ } package-lock.json...

JS doctor.js hospitalDe...

JS patient.js hospitalD...

JS staff.js hospitalDetails

HOSPITAL-PROJECT2

hospitalDetails

node_modules

JS dbhospital.js

JS doctor.js

JS index.js

{ } package-lock.json

{ } package.json

JS patient.js

JS staff.js

OUTLINE

hospitalDetails > JS dbhospital.js > connection

1const mysql = require('mysql');

2

3var connection = mysql.createConnection({

4 host: 'localhost',

5 user: 'root',

6 password: 'info123',

7 database: 'hospital2'

8});

9

10connection.connect(function (err) {

11 if (err) throw err;

12

13 connection.query("select * from patient", function (err, result) {

14 if (err) throw err;

15 console.log("Patient Table:");

16 console.log(result);

17 });

18

19 connection.query("select * from staff", function (err, result) {

20 if (err) throw err;

21 console.log("Staff Table:");

22 console.log(result);

23 });

24

25 connection.query("select * from doctor", function (err, result) {

26 if (err) throw err;

27 console.log("Doctor Table:");

28 console.log(result);

TERMINAL

PS D:\HOSPITAL-PROJECT2\hospitalDetails> node dbhospital.js

[

RowDataPacket { pid: 1, pname: 'sahil kumar', age: 25, gender: 'm' },

RowDataPacket { pid: 2, pname: 'sumit kumar', age: 28, gender: 'm' },

RowDataPacket { pid: 3, pname: 'ajay kumar', age: 28, gender: 'm' },

RowDataPacket { pid: 4, pname: 'suhani', age: 27, gender: 'f' }

]

EXPLORER

OPEN EDITORS

JS dbhospital.js hospit...

JS index.js hospitalDet...

package.json hospi...

package-lock.json...

doctor.js hospitalDe...

patient.js hospitalD...

staff.js hospitalDetails

HOSPITAL-PROJECT2

hospitalDetails

node_modules

JS dbhospital.js

JS doctor.js

JS index.js

package-lock.json

package.json

patient.js

staff.js

OUTLINE

JS dbhospital.js X JS index.js {} package.json {} package-lock.json JS doctor.js JS patient.js JS staff.js

hospitalDetails > JS dbhospital.js > ...
1 const mysql = require('mysql');
2
3 var connection = mysql.createConnection({
4 host: 'localhost',
5 user: 'root',
6 password: 'info123',
7 database: 'hospital2'
8 });
9
10 connection.connect(function (err) {
11 if (err) throw err;
12
13 connection.query("delete from patient where pid=4", function (err, result) {
14 if (err) throw err;
15 console.log(result);
16 });
17
18 connection.query("delete from staff where eid=103", function (err, result) {
19 if (err) throw err;
20 console.log(result);
21 });
22
23 connection.query("delete from doctor where dname='dr.shah'", function (err, result) {

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

powershell - hospitalDetails

PS D:\HOSPITAL-PROJECT2\hospitalDetails>

...
fieldCount: 0,
affectedRows: 1,
insertId: 0,
serverStatus: 34,
warningCount: 0,
message: '',
protocol41: true,
changedRows: 0

EXPLORER

OPEN EDITORS

JS dbhospital.js hospit...

JS index.js hospitalDet...

package.json hospi...

package-lock.json...

doctor.js hospitalDe...

patient.js hospitalD...

staff.js hospitalDetails

HOSPITAL-PROJECT2

hospitalDetails

node_modules

JS dbhospital.js

JS doctor.js

JS index.js

package-lock.json

package.json

patient.js

staff.js

JS dbhospital.js X JS index.js {} package.json {} package-lock.json JS doctor.js JS patient.js JS staff.js

hospitalDetails > JS dbhospital.js > ...
1 const mysql = require('mysql');
2
3 var (property) ConnectionOptions.password?: string | undefined
4 The password of that MySQL user
5 password: 'info123',
6 database: 'hospital2'
7
8 });
9
10 connection.connect(function (err) {
11 if (err) throw err;
12
13 connection.query("select pname, age, gender from patient", function (err, result) {
14 if (err) throw err;
15 console.log(result);
16 });
17
18 connection.query("select dname, age from doctor", function (err, result) {
19 if (err) throw err;
20 console.log(result);
21 });
22
23 connection.query("select ename, gender from staff", function (err, result) {

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

powershell - hospitalDetails

PS D:\HOSPITAL-PROJECT2\hospitalDetails> node dbhospital.js

[
 RowDataPacket { pname: 'sahil kumar', age: 25, gender: 'm' },
 RowDataPacket { pname: 'sumit kumar', age: 28, gender: 'm' },
 RowDataPacket { pname: 'ajay kumar', age: 28, gender: 'm' }
]
[RowDataPacket { dname: 'dr.patel', age: 45 }]
[
 RowDataPacket { ename: 'amit', gender: 'm' },
 RowDataPacket { ename: 'suketu', gender: 'm' }
]
]
PS D:\HOSPITAL-PROJECT2\hospitalDetails>

EXPLORER

JS dbhospital.js

JS index.js

package.json

package-lock.json

JS doctor.js

JS patient.js

JS staff.js

OPEN EDITORS

Welcome

JS dbhospital.js hospit...

JS index.js hospitalDet...

package.json hospi...

package-lock.json...

JS doctor.js hospitalDe...

JS patient.js hospitalD...

JS staff.js hospitalDetails

HOSPITAL-PROJECT2

hospitalDetails

node_modules

JS dbhospital.js

JS doctor.js

JS index.js

package-lock.json

package.json

JS patient.js

JS staff.js

hospitalDetails > JS index.js

1

require('./patient');

2

require('./doctor');

3

require('./staff');

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

powershell - hospitalDetails

PS D:\HOSPITAL-PROJECT2\hospitalDetails> node index.js

Staff Details

(index)	eid	ename	age	gender
0	101	'amit'	18	'm'
1	102	'suketu'	19	'm'
2	103	'divin'	45	'M'

Staff record deleted

PS D:\HOSPITAL-PROJECT2\hospitalDetails>

EXPLORER

OPEN EDITORS

JS dbhospital.js hospit...

JS index.js hospitalDet...

package.json hospi...

package-lock.json...

doctor.js hospitalDe...

patient.js hospitalD...

staff.js hospitalDetails

HOSPITAL-PROJECT2

hospitalDetails

node_modules

dbhospital.js

doctor.js

index.js

package-lock.json

package.json

patient.js

staff.js

OUTLINE

JS dbhospital.js

JS index.js

package.json

package-lock.json

JS doctor.js

JS patient.js

JS staff.js

hospitalDetails > JS index.js

3 require('./staff');

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

powershell - hospitalDetails

PS D:\HOSPITAL-PROJECT2\hospitalDetails> node index.js

Connected to MySQL

Patient table created

Patient records inserted

Patient Details

(index)	pid	pname	age	gender
0	1	'sahil kumar'	25	'm'
1	2	'sumit kumar'	28	'm'
2	3	'ajay kumar'	28	'm'
3	4	'suhani'	27	'F'

Patient record deleted

Doctor table created

Doctor records inserted

Doctor Details

(index)	did	dname	age	gender
0	202	'dr.patel'	45	'm'
1	203	'dr.shah'	29	'M'

Doctor record deleted

Staff table created

Staff records inserted

Staff Details

(index)	eid	ename	age	gender
0	101	'amit'	18	'm'
1	102	'suketu'	19	'm'
2	103	'divin'	45	'M'

EXPLORER

JS dbhospital.js

JS index.js

package.json

package-lock.json

JS doctor.js

JS patient.js

JS staff.js

OPEN EDITORS

Welcome

JS dbhospital.js hospit...

JS index.js hospitalDet...

package.json hospi...

package-lock.json...

JS doctor.js hospitalDe...

JS patient.js hospitalD...

JS staff.js hospitalDetails

HOSPITAL-PROJECT2

hospitalDetails

node_modules

JS dbhospital.js

JS doctor.js

JS index.js

package-lock.json

package.json

JS patient.js

JS staff.js

OUTLINE

hospitalDetails > JS index.js

1 require('./patient');

2 require('./doctor');

3 require('./staff');

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

powershell - hospitalDetails

PS D:\HOSPITAL-PROJECT2\hospitalDetails> node index.js

(index)	pid	pname	age	gender
0	1	'sahil kumar'	25	'm'
1	2	'sumit kumar'	28	'm'
2	3	'ajay kumar'	28	'm'
3	4	'suhani'	27	'F'

Patient record deleted

Doctor table created

Doctor records inserted

Doctor Details

(index)	did	dname	age	gender
0	202	'dr.patel'	45	'm'
1	203	'dr.shah'	29	'M'

Doctor record deleted

Staff table created

Staff records inserted

Staff Details

(index)	eid	ename	age	gender
0	101	'amit'	18	'm'
1	102	'suketu'	19	'm'
2	103	'divin'	45	'M'

Staff record deleted

PS D:\HOSPITAL-PROJECT2\hospitalDetails>

```
mysql> show databases;
```

Database
information_schema
appon
apponix
hospital2
mysql
performance_schema
shopping2
test

```
8 rows in set (0.00 sec)
```

```
mysql> use hospital2;
```

```
Database changed
```

```
mysql> show tables;
```

Tables_in_hospital2
doctor
patient
staff

```
3 rows in set (0.00 sec)
```



```
mysql> select * from doctor;
```

did	dname	age	gender
202	dr.patel	45	m
203	dr.shah	29	m

```
2 rows in set (0.00 sec)
```

```
mysql> select * from patient;
```

pid	pname	age	gender
1	sahil kumar	25	m
2	sumit kumar	28	m
3	ajay kumar	28	m
4	suhani	27	f

```
4 rows in set (0.00 sec)
```

```
mysql> select * from staff;
```

eid	ename	age	gender
101	amit	18	m
102	suketu	19	m
103	divin	45	m

```
3 rows in set (0.00 sec)
```

```
mysql> use hospital2;
```

```
Database changed
```

```
mysql> select * from doctor;
```

did	dname	age	gender
202	dr.patel	45	m

```
1 row in set (0.00 sec)
```

```
mysql> select* from patient;
```

pid	pname	age	gender
1	sahil kumar	25	m
2	sumit kumar	28	m
3	ajay kumar	28	m

```
3 rows in set (0.00 sec)
```

```
mysql> select*from staff;
```

eid	ename	age	gender
101	amit	18	m
102	suketu	19	m

```
2 rows in set (0.00 sec)
```