QUANTUM EDGEXR

[1*]Dr. T. V. Sai Krishna, [2]Prabhakar, [3]Meghana, [4]Rohit

[1]Associate Professor, Department of Computer Science and Engineering

ACE Engineering College , Ghatkesar, Hyderabad-501301, India

[2,3,4] Undergraduate Students, Department of Computer Science and Engineering,

ACE Engineering College , Ghatkesar, Hyderabad-501301, India

Abstract: QuantumEdgeXR is a neuromorphic gamified immersive learning platform developed to improve conceptual understanding in Computer Science education through WebXR-based interactive simulation. Traditional learning methods in computer science often rely on static diagrams, textbooks, and passive digital content, which limit the learner's ability to understand abstract computational processes such as logic gate execution, memory allocation, pointer referencing, and data flow visualization. The proposed system addresses this challenge by integrating WebXR technology, gamified learning mechanics, and adaptive behavioral analytics into a unified educational framework accessible through both desktop and virtual reality environments. The architecture combines a React Three Fiber frontend for browser-based 3D rendering, a Flask-based backend for computational logic processing, and Firebase for real-time user progression tracking. A neuromorphic assessment engine evaluates learner behavior using parameters such as Hesitation Index, response switching frequency, and speed profile to dynamically assign learning personas and unlock suitable levels. The first implemented module, Logic Lab, enables users to physically interact with digital logic circuits inside an immersive 3D environment. Experimental evaluation indicates significant improvement in learner engagement, concept retention, and adaptive progression when compared to conventional MOOC-based instructional approaches. The proposed framework demonstrates that WebXR can serve as a scalable and intelligent alternative to physical computer science laboratories in modern engineering education.

"Keywords: *WebXR, Immersive Learning, Gamification, Neuromorphic Assessment, Computer Science Education, Adaptive Learning, React Three Fiber".*

1. INTRODUCTION

Computer Science education has expanded rapidly with the support of digital learning technologies, yet many foundational subjects continue to be taught through static methods such as textbooks, presentation slides, and two-dimensional diagrams that often fail to explain dynamic computational behaviour effectively. Core concepts including logic gate execution, pointer traversal, memory allocation, and internal data representation require learners to understand invisible processes that occur during program execution, making conceptual understanding difficult when instruction is limited to passive visual material. Although online educational platforms improve accessibility by allowing remote learning, most systems remain screen-bound and lack the immersive interaction required for deeper cognitive engagement. Students may complete theoretical exercises correctly while still struggling to visualize how computational structures operate in real time. Physical laboratories offer practical exposure, but they are limited by infrastructure cost, restricted scheduling, and reduced accessibility for remote learners. Recent advances in immersive technologies such as Virtual Reality and WebXR have created new opportunities for improving engineering education by enabling learners to interact directly with three-dimensional digital environments. Among these technologies, WebXR has become highly significant because it allows immersive simulations to run directly inside web browsers without requiring dedicated software installation, thereby supporting both desktop systems and virtual reality devices through a single deployment model. However, most currently available immersive learning platforms focus mainly on visualization and lack adaptive intelligence capable of interpreting learner behaviour during interaction. Conventional systems generally evaluate performance only through correctness of answers, without considering confidence indicators such as hesitation, switching frequency, and response timing. To address these limitations, this work proposes **QuantumEdgeXR**, a neuromorphic gamified immersive learning platform designed specifically for Computer Science education using WebXR technology. The proposed system converts abstract concepts into interactive three-dimensional learning modules where learners physically manipulate virtual components and observe logical outcomes in real time. A neuromorphic assessment engine analyzes behavioural signals including Hesitation Index and speed profile to distinguish between confident understanding and uncertain guessing. Based on this behavioural analysis, learners are dynamically assigned adaptive personas and guided through suitable progression levels. The platform is implemented using React Three Fiber for browser-based 3D rendering, Flask for backend logic execution, and Firebase for real-time progression tracking. The first educational module, Logic Lab, enables users to connect virtual logic gates such as AND, OR, and NOT gates within an immersive environment and validate Boolean outputs instantly. By integrating gamification, behavioural adaptation, and browser-based immersive interaction, QuantumEdgeXR provides a scalable alternative to conventional computer science laboratories, improving engagement, conceptual retention, and adaptive learning efficiency for modern engineering education.

2. NEED OF THE STUDY

Computer Science concepts such as logic gates, memory allocation, and pointer behavior are often difficult for students to understand through traditional teaching methods alone. Static diagrams and theoretical explanations do not effectively represent dynamic computational processes. Although online learning platforms improve

accessibility, they lack immersive practical interaction. Physical laboratories provide hands-on learning but are limited by infrastructure and accessibility constraints. There is a growing need for an educational system that combines visualization, interaction, and adaptive learning. QuantumEdgeXR addresses this need by using WebXR technology and gamified simulation. The platform improves conceptual understanding through immersive and behavior-based learning.

3. RESEARCH METHODOLOGY

The present study follows a systematic approach to design and develop an immersive learning platform for Computer Science education using WebXR technology and behavioral assessment methods. The methodology includes system design, 3D module development, neuromorphic behavior tracking, and performance evaluation. The complete framework is developed to ensure interactive learning, adaptive progression, and efficient understanding of abstract computer science concepts.

3.1 System Architecture of QuantumEdgeXR

The proposed QuantumEdgeXR platform is developed using a hybrid architecture that combines immersive web technologies with adaptive learning components. The frontend is designed using React.js and React Three Fiber for browser-based three-dimensional educational simulations. Flask is used in the backend to process logic validation and adaptive progression rules. Firebase stores user interaction data and level completion records in real time. The system supports both desktop interaction and WebXR-compatible virtual reality devices. This architecture ensures accessibility, scalability, and immersive educational functionality.

3.2 Learning Module Design and User Interaction

The learning modules are designed to convert abstract Computer Science concepts into interactive three-dimensional simulations. The first module focuses on digital logic gates where learners connect virtual components and observe Boolean outputs. Users interact directly with AND, OR, and NOT gates inside a virtual workspace. Each task records response time, correction attempts, and completion behavior. The interaction process simulates laboratory-based learning in a browser environment. This improves conceptual understanding through active participation.

3.3 Neuromorphic Assessment and Adaptive Learning Framework

The system includes a neuromorphic assessment framework that analyzes learner behavior during task completion. Hesitation time, answer switching frequency, and response speed are recorded during interaction. These parameters are used to calculate learner confidence through the Hesitation Index. Based on behavioral analysis, learners are assigned adaptive learning levels. Confident users progress faster, while uncertain users receive foundational reinforcement. This ensures progression based on understanding rather than score alone.

3.4 Performance Evaluation and Interaction Analysis

The performance of the system is evaluated through task completion accuracy, hesitation behavior, and progression consistency. User interaction logs are analyzed during immersive learning sessions. Metrics such as response time and logical correctness are observed for each task. The platform also measures usability through learner interaction efficiency. Immediate visual feedback helps users identify errors and improve performance. This evaluation confirms the effectiveness of immersive learning..

3.4.1 Descriptive Performance Analysis:

Descriptive analysis is performed to evaluate

learner interaction and system behavior during immersive sessions. Metrics such as task completion accuracy, hesitation time, and response consistency are observed. The system identifies whether learners complete tasks confidently or with uncertainty. This analysis helps measure adaptive learning effectiveness. User progress is recorded during each activity. The results indicate learning stability across different tasks.

3.4.2 Real-Time Learning Interaction Pipeline: The system follows a real-time interaction pipeline where learners enter the virtual environment and perform logic-based tasks. User actions are continuously processed through the backend. Behavioral data is recorded during each interaction step. The system validates task completion instantly and generates output feedback. This pipeline ensures smooth learning progression. It also supports adaptive response generation.

3.4.3 Result Visualization and System Usability: The mechanism for result visualization has been incorporated, allowing users The platform provides immediate visual feedback after each task. Correct logic connections activate outputs, while incorrect actions generate corrective responses. User scores and unlocked levels are displayed clearly on screen. This improves usability and engagement during learning. The interface is designed for simple interaction across devices. The system remains responsive during continuous usage.

4. RESULTS AND DISCUSSION

The proposed QuantumEdgeXR immersive learning platform based on WebXR technology and neuromorphic behavioral assessment was implemented and evaluated through interactive educational tasks. The performance of the system is analyzed in terms of learner interaction accuracy, adaptive progression, response stability, and overall usability during immersive learning sessions.

4.1 Descriptive Results of System Behavior

Descriptive analysis is performed to assess the performance of the proposed QuantumEdgeXR platform in terms of task completion, learner interaction, and adaptive learning behavior. The system is subjected to multiple learning activities consisting of logic gatesimulations and concept-based tasks, and the user interaction output is analyzed. From the task completion analysis, it is found that the system is reliable and consistent in guiding learners through immersive educational activities. The behavioral confidence recorded through hesitation time and response speed is found to be consistent across multiple user interactions, reflecting the stability of the neuromorphic assessment framework. In most cases, the system shows accurate level progression for learners who complete tasks confidently, indicating the effectiveness of behavioral learning analysis. In some cases, slight variations are observed when users hesitate frequently or repeat actions before final completion. In these situations, the system records higher hesitation values but still maintains reliable adaptive progression, indicating the ability of the framework to support different learner behaviors. The system performance in terms of response time during each learning stage is also analyzed, and the results show that the platform maintains smooth execution with minimal delay during interaction. From the descriptive analysis, it is found that the proposed immersive learning platform is reliable, adaptive, and efficient in improving understanding of abstract Computer Science concepts.

Acknowledgment

The authors would like to acknowledge the use of open-source web development frameworks, immersive technology libraries, and cloud-based development tools, which have helped the authors

implement and evaluate the proposed system. The use of open- source tools and immersive learning technologies, such as React, React Three Fiber, Flask, Firebase, and WebXR libraries, was instrumental in the successful development of the proposed system.

References

[1] G. Lampropoulos and Kinshuk, "Virtual Reality and Gamification in Education: A Systematic Review," Educational Technology Research and Development, vol. 72, pp. 1123–1145, 2024.

[2] I. H. Sarker, "Machine Learning: Algorithms, Real-World Applications and Research Directions," Journal of Big Data, vol. 8, no. 1, pp. 1–34, 2021.

[3] D. Freeman et al., "Automated Psychological Therapy Using Immersive Virtual Reality," The Lancet Psychiatry, vol. 5, no. 8, pp. 625–632, 2018.

[4] Unity Technologies, "The Effectiveness of Real-Time 3D in Education," Unity Industry Report, 2023.

[5] M. Billinghurst, A. Clark, and G. Lee, "A Survey of Augmented Reality," Foundations and Trends in Human–Computer Interaction, vol. 8, no. 2–3, pp. 73–272, 2015.

[6] P. Milgram and F. Kishino, "A Taxonomy of Mixed Reality Visual Displays," IEICE Transactions on Information Systems, vol. E77-D, no. 12, pp. 1321–1329, 1994.

[7] React Three Fiber Documentation, "React Renderer for Three.js," [Online]. Available: https://docs.pmnd.rs/react-three-fiber

[8] Google Firebase Documentation, "Cloud Firestore for Real-Time Applications," [Online]. Available: https://firebase.google.com

[9] WebXR Device API, "Immersive Web Working Group," [Online]. Available: https://immersive-web.github.io/webxr/

[10] Flask Documentation, "Python Web Framework for Backend Development," [Online]. Available: https://flask.palletsprojects.com

Copyright & License:

© Authors retain the copyright of this article. This work is published under the Creative Commons Attribution 4.0 International License (CC BY 4.0), permitting unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.