SELECTED ENGINEERING WORK


Artem Serdiuk

Backend & Full-Stack Engineer

Tools for reviewing opportunities, preparing legal documents and keeping business records connected.

Three engineering case studies, selected application and AI work, and the complete catalog of 19 published Upwork case entries.

Project covers illustrate the tools and workflow. Architecture diagrams describe implementation; actual interface screenshots and synthetic demonstrations are individually labelled.



01

Upwork workflow platform

Proposal preparation



02

Legal document workflow

Legal document review



03

PatientNow / GoHighLevel

Contact and appointment sync

artom.serdyuk.600@gmail.com

Ukraine / open to remote work and European relocation

01 / PROPOSAL PREPARATION

Upwork workflow platform

I built a single workspace for finding relevant opportunities, reusing project evidence and reviewing AI-assisted proposal drafts before delivery.

THE USER PROBLEM

Preparing a proposal requires the job details, the right work profile, relevant project examples and a draft that someone has checked. Those details can change while preparation is running. The operator needs to see what was used and keep their corrections when a background task finishes.


PRACTICAL BENEFIT

Operators can find a job, reuse relevant evidence and review a draft in one place. Each draft retains its source references, and manual corrections stay separate from the original AI output. If preparation stops or a remote result is uncertain, the operator can see that state and check before repeating an action.

Independent developer - backend, operator UI, integrations, testing and release tooling

TECHNOLOGY


JavaScript ES modules / Node.js 20+ / Express5 / PostgreSQL/pg / Model Context Protocol SDK / OAuth2.1/PKCE / OpenAI Responses API / Zod/JSON Schema / HTML/CSS and vanilla JavaScript / Docker



The platform prepares and reviews work with guarded provider operations. A prepared package, acknowledged request and independently verified remote result remain separate states. Shared operator authentication and process-local coordination are current architectural constraints.

01 / SYSTEM DESIGN

Architecture & engineering decisions



Simplified implementation architecture. Vector diagram: zoom for the full component detail.

Bind authentication to the correct connection

Implemented OAuth discovery and PKCE, encrypted per-connection token storage, account-to-connection routing and single-flight refresh. Concurrent requests share the same refresh operation instead of racing a rotating refresh token.

Make long-running preparation reproducible

Added a durable run ledger with pinned input and policy hashes, version checks, ownership and ordered stages. Interrupted runs remain visible. A draft can be traced back to the specific job facts, profile, rule version and portfolio evidence used to create it.

Preserve richer records during partial refreshes

Separated complete job details from lower-confidence search observations. Equivalent money formats, reordered lists and contained description snippets do not replace authoritative fields. Meaningful contradictions flag a refresh while preserving the original draft and history.

Treat persistence uncertainty as a state, not a retry instruction

Used transactional PostgreSQL updates, a locked metadata row and revision-aware snapshots. If a COMMIT response becomes ambiguous, the store stops and requires reconciliation instead of silently falling back to old JSON or replaying a write.

Validate AI output against server-owned evidence

The model selects permitted evidence identifiers. The server resolves the original quotes and applies domain rules after schema validation. Unsupported experience, missing sources and unknown commitments remain blocked or explicitly unknown; human corrections are stored separately from original model output.

Separate preparation, approval and remote delivery


Built immutable application packages, account-scoped previews, duplicate-send locks and delivery states that distinguish acknowledgement, verified delivery and unknown outcomes. The UI preserves unsaved manual text and rejects stale asynchronous responses.

Application source is private. This public case describes a sanitized architecture.


Read the engineering case

01 / IMPLEMENTATION & VALIDATION

Implementation in context



Actual current Jobs interface with synthetic data: saved job records, preparation state and explicit review steps.



Actual current portfolio library with synthetic cases and evidence boundaries. No live client records.

5,388 passing tests

Saved regression run dated 6 November 2026. A separate, overlapping Linux run passed 1,987 tests with outbound networking disabled; the counts are not added.

A bounded performance experiment

For one saved record, payload size changed from 545,987 to 71,343 bytes. Median read time changed from 2,300.4 to 1,325.7 ms across three GET requests before and after. This is a single-record comparison, not a production-wide benchmark.

02 / LEGAL DOCUMENT REVIEW

Legal document workflow

I built a workflow that turns emailed legal documents into case packages reviewers can check and correct, with editable PDFs generated from Excel.

THE USER PROBLEM

Legal staff need to prepare the right documents for each case and check the details before a package is ready. One email can include several cases, incomplete fields and attachments that need clarification. When processing continues during review, corrections and source versions need to stay together.


PRACTICAL BENEFIT

Reviewers can inspect extracted fields beside each case's source documents and keep their corrections as processing continues. A failed document can be retried without blocking another case that is ready for preparation. Excel-based PDF generation produces editable documents for review.

Sole full-stack engineer - application design, backend, admin interface, document pipeline, Microsoft integrations, browser preparation and Excel add-in.

TECHNOLOGY


TypeScript / Node.js / SQLite WAL / Microsoft Graph / Azure Identity / OneDrive / Playwright / PDF.js / Tesseract OCR / Office.js / Python / pypdf / reportlab / Docker / HTML/CSS/JavaScript



The evidenced external workflow prepares and verifies Unsubmitted bundles. Completed payments and final court submissions are not claimed. Screenshots show the real application with synthetic QA data.

02 / SYSTEM DESIGN

Architecture & engineering decisions



Simplified implementation architecture. Vector diagram: zoom for the full component detail.

Treat each case as an independent unit

Several packages from one email retain separate source documents, review state, form choices, audit trails and job payloads. Ambiguous attachments stay visible in a review group. A failed attachment in one case does not block an otherwise complete sibling case.

Merge extraction around human corrections

Field-level protection preserves manually edited and intentionally blank values. Before an asynchronous result is applied, the worker rechecks source identity, replacement version and draft state. A late result cannot reopen or overwrite a changed package.

Pin the documents that were actually reviewed

Immutable SHA-256-addressed form files and source-content fingerprints connect a draft, its selected form version and the job snapshot. Replacing or changing a PDF invalidates earlier extraction/preparation assumptions.

Reconcile uncertain external writes

The worker persists checkpoints, verifies filing-type mappings and reopens the saved bundle to compare it with the source snapshot. If saving may have happened but cannot be confirmed, the workflow requires reconciliation rather than automatically creating another bundle. Graph read retries are bounded and explicitly separate from uncertain writes.

Generate PDFs from live Excel state

The Office.js task pane waits for calculation completion, reads selected rows and rechecks row/sheet identity after asynchronous work. A Python worker generates fillable PDFs and validates field values, widget appearances and text fit. Selection changes invalidate old output.

Keep email delivery independent and observable


A persistent notification outbox is tied to a verified prepared bundle. Duplicate or stale notifications are rejected; interrupted delivery becomes uncertain so the operator can check before resending. Workflow state, retry history and audits persist in SQLite WAL.

The public repository is a source snapshot. The current case also describes newer local implementation.

View the public source snapshot

02 / IMPLEMENTATION & VALIDATION

Implementation in context



Actual application UI with synthetic QA data: several independent cases share one intake email while unassigned supporting PDFs remain visible for review.

CASE-SCOPED OPERATIONS

One intake email can contain several independent case packages. The interface keeps ambiguous documents visible and gives the reviewer explicit controls for document ownership, source evidence and corrections.

87 source PDFs


A saved offline multi-case acceptance report dated 6 November 2026 exercised 87 PDFs and recorded unchanged original source files. This is acceptance scope, not production throughput.

Editable PDFs from desktop Excel

A saved Windows Excel acceptance record dated 29 October 2026 verified four generated PDFs, 126 compared field values and five rendered pages using fictional QA cases.


02 / DOCUMENT OWNERSHIP


Document ownership & outputs



Actual application UI with synthetic QA data: moving selected supporting PDFs to another case preserves original OneDrive files and requires review of both packages.

GENERATED EDITABLE PDF EXAMPLES


STATE OF MICHIGAN
JUDICIAL DISTRICT
JUDGMENT
LANDLORD-TENANT
CASE NO.
Court address
Court telephone no.
Plaintiff
Northwestern Property Management and Residential Services LLC
v
Defendant
Alexandria Catherine Montgomery, Benjamin James Richardson
THE COURT FINDS:
POSSESSION JUDGMENT
IT IS ORDERED:
MONEY JUDGMENT
THE COURT FURTHER ORDERS:
YOU ARE ADVISED that you may file a motion for a new trial, a motion to set aside a default judgment, or an appeal and appeal bond, which must comply with all court rules and must be filed in court by
CERTIFICATE OF MAILING: I certify that on this date I served a copy of this judgment on the parties or their attorneys by first-class mail addressed to their last-known addresses as defined in MCR 2.107(C)(3).
DC 105 (11/23) JUDGMENT, LANDLORD-TENANT
MCL 600.5744 , MCR 4.201(L)


STATE OF MICHIGAN
JUDICIAL DISTRICT
CONSENT ORDER FOR CONDITIONAL DISMISSAL
Landlord-Tenant
CASE NO. and JUDGE
Court address
Court telephone no.
THE COURT FINDS the parties agree to the conditional dismissal of the case under the terms below.
THE COURT ORDERS
1. The case is dismissed without prejudice subject to the conditions below.
2. Defendant shall pay the following to plaintiff
pursuant to the terms in item 3:
on or before
3. Further conditions:
4. If defendant fails to pay the rent and other costs or meet other conditions as set forth above the plaintiff may seek entry of an order for reinstatement of the case and entry of judgment.
OR
Approved, SCAO
Form DC 508, Rev. 11/23
MCR 2.602, MCR 4.201
Page 1 of 2
Distribute form to:
Court
Plaintiff
Defendant


Approved, SCAO
PROBATE OSM CODE: EXR
STATE OF MICHIGAN
JUDICIAL DISTRICT
JUDICIAL CIRCUIT
COUNTY PROBATE
CERTIFICATION OF RECORDS/ ATTESTATION OF EXEMPLIFIED COPIES
CASE NO.
Court address
Court telephone no.
Plaintiff
Northwestern Property Management and Residential Services LLC
Fictional legal services
100 Example Avenue, Suite 250
Bingham Farms, MI 48025
QA TEST - DO NOT FILE
v
Defendant
Alexandria Catherine Montgomery, Benjamin James Richardson
Juvenile In the matter of
Probate In the matter of
ATTESTATION OF CLERK/REGISTER
I am the clerk/register of the court and I attest that:
1. I am the custodian of the records of the court.
2. I have compared the annexed copies of
from the above case with the originals on file and of record in this court, and I find the copies to be true copies of the whole of such originals.
Signature
Clerk/Register (type or print)
By:
Deputy clerk/register (type or print)
CERTIFICATION OF JUDGE
I, , judge of the
Name (type or print)
court, certify that the above attestation is in proper form and that the signature is genuine.
Judge
Bar no.
(SEAL)
NOTE: The Certification of Judge is completed only when records are being sent out of the state.
MC 202 (6/03) CERTIFICATION OF RECORDS/ATTESTATION OF EXEMPLIFIED COPIES
28 USC 1738

Rendered output examples with fictional QA fields. These are generated document templates, not real legal records or court filings.

03 / CONTACT AND APPOINTMENT SYNC

PatientNow / GoHighLevel

I built a synchronization backend designed to keep contact and appointment records consistent between PatientNow and GoHighLevel, with checks for repeated events and recovery from missed updates.

THE USER PROBLEM

Staff working in PatientNow and GoHighLevel need the same contact details and appointments in both places. Different record identifiers, repeated notifications and missed changes make it difficult to know which record to update.

DESIGNED BENEFIT

The service is designed to reduce entering the same contact or appointment twice. It checks whether a change has already been handled and periodically compares records to catch missed updates. Unclear matches and conflicting edits are reported for review.

Backend services, event normalization, identity resolution, synchronization rules, reconciliation, regression tests and deployment definitions. I also prepared an English operations and setup guide for handoff.

TECHNOLOGY


TypeScript / Node.js / Fastify / Axios / Zod / AWS SQS FIFO / DynamoDB / EFS / ECS/Fargate deployment definitions / Terraform / Docker



The current design deliberately uses one writer worker over EFS identity/history state. API replicas scale separately. A complete live cross-platform run, HIPAA certification, uptime and business-volume metrics are not claimed.

03 / SYSTEM DESIGN

Architecture & engineering decisions



Simplified implementation architecture. Vector diagram: zoom for the full component detail.

Order events before resolving identity

The two providers assign different record IDs. The queue therefore orders a tenant/entity-type stream instead of assuming that either provider ID is already a shared identity. The worker stops later messages in a failed group from overtaking the failure.

Give processing a durable owner

DynamoDB conditional writes acquire a processing lease and distinguish processed duplicates from work already in progress. Failed or expired work can be retried. SQS visibility is renewed during long operations, and a message is removed only after successful processing.

Refuse uncertain identity matches

Contact resolution checks persisted links, managed custom IDs and provider lookups. Ambiguous or conflicting matches fail visibly rather than choosing the first candidate. Pending-create state supports recovery when a provider may have created a record but its response did not contain an ID.

Treat time and cancellation as domain state

Appointment handling includes authoritative rereads, timezone normalization, echo suppression and cancellation tombstones. Moving an appointment uses create, verify and delete with a rollback path because the source API does not expose the needed update operation.

Recover from missing events

Paginated reconciliation compares linked records and checkpoints instead of assuming every webhook arrives. Provider-calendar and blocked-time reconciliation handles changes not represented by the selected webhook systems. Concurrent edits to a blocked-time record are surfaced as conflicts.

Represent sales without duplicating revenue


A PatientNow order maps to a CRM opportunity through a persisted order-ID link. Voids and full or partial refunds update the associated representation. Purchases flow from PatientNow to GHL; this is not a bidirectional payment-processing system.

Current local implementation is broader than the earlier public source snapshot.

View the earlier public implementation

03 / IMPLEMENTATION & VALIDATION

Implementation in context



PatientNow and GoHighLevel Deployment Guide

Create a Private Integration token

1. In the NEW sub-account, open Settings, then Private Integrations.
2. Select Create New Integration or Create Private Integration.
3. Name it PatientNow Sync.
4. Add every permission listed below. The interface may group permissions by resource; these are the exact technical scope identifiers.

Resource	Required scopes
Contacts	contacts.readonly; contacts.write
Calendars	calendars.readonly; calendars.write
Calendar events	calendars/events.readonly; calendars/events.write
Opportunities	opportunities.readonly; opportunities.write
Location details	locations.readonly
Custom fields	locations/customFields.readonly; locations/customFields.write
Custom values	locations/customValues.readonly; locations/customValues.write
Users	users.readonly


5. You may also add workflows.readonly for diagnostics. Publishing workflows still takes place in the GHL interface.
6. Select Create or Save and copy the token shown by GHL.
7. Store it securely. The full token may not be displayed again.

Use a location token. This must be the Private Integration token for the new sub-account, not an agency-level token for a different organization. The locations.readonly scope lets the deployment check the actual account name before proceeding.

If Private Integrations is unavailable, check administrator permissions and whether the feature is available under Settings or Labs for the account. This setup does not install an OAuth Marketplace application.

Version 24 October 2026 6

Excerpt from the 24 October 2026 deployment guide: scoped configuration and account-specific setup. Documentation example, not a live system capture.



PatientNow and GoHighLevel Deployment Guide

6. Reschedule through PN and confirm that the SAME GHL appointment updates.

Test 5 Check cancellation in both directions

1. Cancel only the test appointment in GHL.
2. Check the corresponding PN cancellation or deletion result.
3. Use a separate test appointment to cancel through PN and check the result in GHL.

Test 6 Check purchases and refunds

1. Create a test order only in the approved test PN account.
2. In GHL, open Opportunities, PatientNow Sales. Confirm one opportunity for the order.
3. For a full void or refund, confirm Refunded / Voided, Lost, and a net value of zero.
4. For a partial refund, confirm the reduced net value on the original opportunity, without a second opportunity for the same original order.

Test 7 Check doctors and blocked time

1. Add or activate an approved test PN doctor for scheduling.
2. After reconciliation, confirm that the doctor's GHL calendar appears.
3. Create a test block from each platform and confirm the matching block in the correct calendar.

Check how the result arrived. A record appearing only after fallback reconciliation does not prove that its webhook was delivered. Check Workflow Execution Logs and the application log. Do not describe every function as tested until these live checks are complete.

Step 17 Understand the synchronization intervals

When an event is delivered, the application handles it and reads or updates the relevant API record. PN contact events usually take seconds plus API processing time. Appointment and order events depend on PN publishing and delivering them. GHL events depend on the published workflows and supported triggers.

Event driven path	How it is triggered
PN contact creation or update	PATIENT.CREATED or PATIENT.UPDATED
PN appointment creation or update	APPOINTMENT.CREATED or APPOINTMENT.UPDATED when published
GHL contact creation or supported update	Contact Created or configured Contact Changed workflow trigger
GHL appointment status change	Appointment Status workflow trigger
PN purchase changes	ORDER.CREATED or ORDER.UPDATED if supported and delivered

Version 24 October 2026 16

Excerpt from the 24 October 2026 deployment guide: acceptance checks for cancellation, refunds, provider calendars and blocked time. These are test instructions, not a claim that each live check has passed.

The guide is part of the technical handoff. These excerpts show configuration and acceptance procedures, separately from the current implementation architecture and saved regression evidence.

74 offline tests

An isolated verification run dated 29 October 2026 passed 74 tests across 18 files with outbound networking blocked. This is historical regression evidence, not a fresh live end-to-end run.

24-page operations guide

Prepared an English deployment and handoff guide covering setup, configuration and operations.

APPLICATIONS & AI

Selected additional work

BACKEND LEAD / OCTOBER 2026-PRESENT

LeafSplit / AI model development

AI model development, training experiments and evaluation with the LeafSplit team. My work includes experimental tooling, automated checks and baseline comparisons, with an emphasis on reproducible results.

Python / NumPy / PyTorch experiments. Team contribution. Private model architecture and benchmark results are not disclosed.

TECHNICAL TAKE-HOME

Candidate Management Dashboard

A recruitment dashboard with candidate cards, status changes, filters and a skill catalog. Validated Express endpoints and Prisma transactions support optimistic React updates with rollback on failed requests.

React / TypeScript / Express / Prisma

Portfolio assessment; not a commercial production system.

INDEPENDENT APPLICATION

Shared wishlists & realtime groups

Shared wishlists, gift reservations, group contributions and realtime chat. The React/TypeScript application uses Supabase for authenticated flows, relational data, image storage and realtime subscriptions.

React / TypeScript / Vite / Tailwind CSS

Contribution tracking; no payment processing.

INDEPENDENT APPLICATION

CRM-KP sales workspace

A client dashboard and Kanban-style sales pipeline, with React/TypeScript state management, Express controllers, MongoDB models and Slack/email service modules.

React / TypeScript / Redux Toolkit / Material UI

Development snapshot; authentication integration needs further alignment.

EARLIER PAID FRONTEND WORK

HostShield frontend

Role-specific dashboards, document and review flows, account screens and a marketing website for a waiver-management product. The repository remains a historical frontend code example.

React / Next.js Pages Router / Redux / Tailwind CSS

The original product is closed.

INTEGRATIONS & CLIENT DELIVERY

Platform integration work

CLIENT WORK / ANONYMIZED

Shared lead intake & agent routing

I worked on a shared GoHighLevel intake flow used by several forms and landing pages. The work covered field mappings, assigned-agent routing and notifications that retain complete application details, including updates to existing contacts.

GoHighLevel / Forms / CRM workflows / Notification templates

CLIENT WORK / ANONYMIZED

Shopify storefront & funnel compatibility

I worked on product and variant behaviour across a Shopify storefront and funnel links, checking that focused changes preserve the cart, subscriptions and the purchase path expected by the existing integration.

Shopify / JavaScript / GoHighLevel / Frontend debugging

THE COMPLETE UPWORK CATALOG

The following pages preserve all 19 published Upwork case entries, with source links and approved visual examples. They cover CRM workflows, custom interfaces, websites, booking journeys and payment-triggered automation.

Related implementations may appear in more than one published entry. The custom CRM case cross-references CRM-KP rather than presenting a separate application.


PUBLISHED CLIENT WORK / 01 OF 05

Upwork project catalog

Published case entries, with original source links. Image captions identify archived pages, previews and demonstrations.

UW-01 / CRM & INTEGRATIONS

Notion to GoHighLevel contact sync



Notion-to-GoHighLevel contact lookup, create/update and task workflow.

One-way contact synchronization through Make, with duplicate checks and field mapping.

UW-02 / FUNNELS & WEBSITES

Coaching community and webinar funnel




Mompreneur community homepage and branded hero section.

Community, booking and webinar workflows built on GoHighLevel.

UW-03 / FUNNELS & WEBSITES

Executive coaching lead-magnet funnel



Executive-coaching lead-capture landing page with a blank form.

Lead-magnet migration, page alignment and CRM follow-up automation.

UW-04 / CRM & INTEGRATIONS

White-label GoHighLevel workspace

JavaScript and CSS interface customization

I customized a white-label GoHighLevel interface with JavaScript and reusable CSS. The work covers navigation, dashboards, smart lists, contacts, opportunity views and enrollment pipelines. Shared styling and interaction patterns keep the workspace consistent across sub-accounts, while role-aware visibility changes which interface elements people see. This is customization of an existing platform; frontend visibility does not replace its backend authorization.

GoHighLevel / JavaScript / HTML / CSS


PUBLISHED CLIENT WORK / 02 OF 05

Upwork project catalog

Published case entries, with original source links. Image captions identify archived pages, previews and demonstrations.

UW-05 / FUNNELS & WEBSITES

Interactive mortgage enquiry flow




Mortgage consultation funnel introduction.

Interactive enquiry collection and integration-ready lead delivery.

UW-06 / FUNNELS & WEBSITES

Fitness webinar and replay automation




Fitness webinar registration page with a blank contact form.

Webinar and replay workflows with ActiveCampaign segmentation and checkout integration.

UW-07 / FUNNELS & WEBSITES

Business-coach booking funnel




Business-coaching homepage and consultation call to action.

Website, consultation booking, chat capture and CRM follow-ups.

UW-08 / PAYMENTS & COMMERCE

Merchant onboarding and CRM automation



Merchant-services homepage and payment-processing offer.

Payment-event and onboarding workflows around GoHighLevel and Stripe.


PUBLISHED CLIENT WORK / 03 OF 05

Upwork project catalog

Published case entries, with original source links. Image captions identify archived pages, previews and demonstrations.

UW-09 / PAYMENTS & COMMERCE

Gift-order and delivery workflows




Gift-delivery platform homepage and signup calls to action.

Gift-order funnel, scheduling links and customer communication automation.

UW-10 / FUNNELS & WEBSITES

Restaurant reservations and dynamic menu




Archived restaurant homepage with menu and online-order navigation.

Restaurant website, reservation forms and confirmation workflows.

UW-11 / CRM & INTEGRATIONS

Custom CRM dashboard and pipeline




CRM dashboard with sample sales-pipeline data.

The existing CRM-KP project, presented here through its published Upwork case. Development snapshot; authentication integration needs further alignment.

UW-12 / CRM & INTEGRATIONS

Construction quote intake and routing



Construction-services homepage and estimate call to action.

Service enquiries, quotation stages and scheduling-related CRM workflows.


PUBLISHED CLIENT WORK / 04 OF 05

Upwork project catalog

Published case entries, with original source links. Image captions identify archived pages, previews and demonstrations.

UW-13 / FUNNELS & WEBSITES

Vacation rental booking and calendars




Vacation-rental homepage in the GoHighLevel preview.

Rental frontend, guest communication and calendar integration.

UW-14 / CRM & INTEGRATIONS

Professional service-request intake




Service-request homepage with a blank enquiry form.

Service-request forms, field mapping and CRM routing.

UW-15 / PAYMENTS & COMMERCE

Event tickets and merchandise sites




Entertainment-event homepage and ticket-navigation layout.

Two platform-based storefronts connected through payment events and a shared CRM.

UW-16 / FUNNELS & WEBSITES

Rental booking pages with React logic



Vacation-rental homepage and booking call to action in GoHighLevel preview.

Rental pages, form behaviour and CRM-connected booking workflows.


PUBLISHED CLIENT WORK / 05 OF 05

Upwork project catalog

Published case entries, with original source links. Image captions identify archived pages, previews and demonstrations.

UW-17 / CRM & INTEGRATIONS

Coaching, training and speaking workflows



Sales-coaching homepage with branded hero and service navigation.

Service-specific lead routing, booking and training-program automation.

UW-18 / FUNNELS & WEBSITES

Custom restaurant menu and forms




Archived restaurant homepage with food imagery and section navigation.

Custom JavaScript menu, responsive pages and CRM-connected enquiry forms.

UW-19 / PAYMENTS & COMMERCE

Payment-triggered course access



Coaching lead-magnet landing page with video and guide call to action.

Course-sales funnel and payment-triggered onboarding; course content remains private.

WORKING TOGETHER

Artem Serdiuk

Backend & Full-Stack Engineer

I connect scattered records and manual steps into workflows people can review: proposal preparation, legal document intake, CRM synchronization and client-facing applications.

ENGINEERING FOCUS

Data and integrations	Node.js / TypeScript / JavaScript / PostgreSQL / SQLite / REST APIs / OAuth / MCP
Workflows and interfaces	React / Next.js / custom operator UIs / Microsoft Graph / Office.js / GoHighLevel / Shopify
Documents and experiments	PDF extraction / OCR / editable PDF generation / Python / NumPy / PyTorch experiments

Software Engineering, Kherson National Technical University · expected graduation 2027

Remote from Ukraine; open to discussing relocation within Europe.

CONTACT & PUBLIC WORK

artom.serdyuk.600@gmail.com

GitHub
LinkedIn
Upwork
Portfolio repository