# Handshaking Lemma

#### Alexander S. Kulikov

Steklov Mathematical Institute at St. Petersburg, Russian Academy of Sciences and University of California, San Diego

# Outline

Handshaking Lemma

Total Degree

## **Puzzle**


## **Puzzle**




## **Puzzle**




## **Puzzle**




## **Puzzle**




## **Puzzle**




## **Puzzle**




## **Puzzle**




## **Puzzle**



## **Puzzle**




#### **Puzzle**



#### **Puzzle**

Is it possible to connect some pairs of nine points by segments so that each point is connected to five other points?



the number of odd points is always even, hence we will never reach a situation when there are 9 points of degree 5

# Handshaking



 Before a business meeting, some people shook hands. Then the number of people who made an odd number of handshakes is even

# Handshaking



- Before a business meeting, some people shook hands. Then the number of people who made an odd number of handshakes is even
- In graph terms: A graph has an even number of odd nodes

# Degree Sum Formula

#### Lemma

For any graph G(V, E), the sum of degrees of all its nodes is twice the number of edges:

$$\sum_{v \in V} \mathsf{degree}(v) = 2 \cdot |E|.$$

# Degree Sum Formula


#### Lemma

For any graph G(V, E), the sum of degrees of all its nodes is twice the number of edges:


$$\sum_{v \in V} \mathsf{degree}(v) = 2 \cdot |E|.$$

Implies the handshaking lemma: if a graph had an odd number of odd nodes, then the sum of degrees would be also odd.


# **Example**




# **Example**




# **Example**




$$3+5+3+2+1+2=2\cdot 8$$








remove all edges


remove all edges



























each edge contributes 2 to the sum of degrees



as well as to twice the number of edges!

# Summary

• Essentially, we proved the formula by induction on the number of edges

- Essentially, we proved the formula by induction on the number of edges
- Base case: the formula holds if there are no edges (all degrees are equal to 0)

- Essentially, we proved the formula by induction on the number of edges
- Base case: the formula holds if there are no edges (all degrees are equal to 0)
- Induction step: when we add an edge, the sum of degrees increases by 2

# Outline

Handshaking Lemma

Total Degree

#### **Exam**

#### **Problem**

At an exam, each of 20 students solved 3 problems. Each problem was solved by 5 students. What was the number of problems?



https://commons.wikimedia.org/wiki/File%3AATC\_Admission\_Exam.JPG

Assume that each student wrote

 a solution on a separate piece of paper

- Assume that each student wrote a solution on a separate piece of paper
- Then, there are  $20 \times 3 = 60$  pieces of paper


- Assume that each student wrote a solution on a separate piece of paper
- Then, there are  $20 \times 3 = 60$  pieces of paper
- For each problem, let's stack together all its five solutions

- Assume that each student wrote

   a solution on a separate piece of paper
- Then, there are  $20 \times 3 = 60$  pieces of paper
- For each problem, let's stack together all its five solutions
- Thus, the number of problems is 60/5 = 12


20 students

20 students




k problems

20 students




*k* problems


20 students



20 students



20 students



20 students

 This is a bipartite graph: each edge joins a student and a problem

- This is a bipartite graph: each edge joins a student and a problem
- We used the double counting technique to solve the problem:

- This is a bipartite graph: each edge joins a student and a problem
- We used the double counting technique to solve the problem:
  - on one hand, the number of edges is equal to the total degree of the left part (i.e., the sum of all degree of the nodes from the left

- This is a bipartite graph: each edge joins a student and a problem
- We used the double counting technique to solve the problem:
  - on one hand, the number of edges is equal to the total degree of the left part (i.e., the sum of all degree of the nodes from the left
  - on the other hand, it is equal to the total degree of the right part