Warm-up

Alexander Golovnev

Outline

Airlines Graph

Knight Transposition

Seven Bridges of Königsberg

Consider a small country with five cities: *A*, *B*, *C*, *D*, *E*.

There are six flights:

A - B, A - C, A - E,B - D, C - D, C - E.


Is there a direct flight from A to D? With one stop? With two stops?

Consider a small country with five cities: *A*, *B*, *C*, *D*, *E*.

There are six flights:

$$B-D, C-D, C-E$$
.
Is there a direct
flight from A to D?
With one stop?
With two stops?

A-B, A-C, A-E,




Consider a small country with five cities: *A*, *B*, *C*, *D*, *E*.

There are six flights:

$$B-D$$
, $C-D$, $C-E$.
Is there a direct
flight from A to D?
With one stop?

With two stops?

A-B, A-C, A-E,




Consider a small country with five cities: *A*, *B*, *C*, *D*, *E*.

There are six flights:

$$B-D, C-D, C-E$$
.
Is there a direct
flight from A to D?
With one stop?
With two stops?

A-B, A-C, A-E,




Outline

Airlines Graph

Knight Transposition

Seven Bridges of Königsberg

Guarini's Puzzle



Chess Knight

A chess knight can move in an **L** shape in any direction




Chess Knight


A chess knight can move in an **L** shape in any direction






















































































Outline

Airlines Graph

Knight Transposition

Seven Bridges of Königsberg

Königsberg, Prussia, 1735



Königsberg, Prussia, 1735

Walk through Königsberg

Cross each bridge exactly once



Königsberg, Prussia, 1735

Walk through Königsberg

Cross each bridge exactly once



Leonhard Euler



Königsberg, Prussia, 1735


Walk through Königsberg

Cross each bridge exactly once



Impossible!

Leonhard Euler





Bridges of Königsberg. Graph





Bridges of Königsberg. Graph












(A)


ВС




D









(D)











Is there a path which visits every edge exactly once?


















All four vertices have odd number of neighbors




All four vertices have odd number of neighbors Impossible!












B and D have odd number of neighbors




B and D have odd number of neighbors




B and D have odd number of neighbors




B and D have odd number of neighbors



B and D have odd number of neighbors



B and D have odd number of neighbors



B and D have odd number of neighbors

