



CANDIDATE SUBMISSION SHOWCASE

Ledger

UX process and interaction rationale


Review the work. Preserve the evidence. Make uncertainty visible.

Design Engineer Exercise - Option 2

Product design, UX, visual systems, and frontend implementation

Siddharth Mehta

August 2026



From link collection to defensible decisions

I chose Option 2 because the core problem is not opening artifacts. It is preserving enough context to make a fair, explainable recommendation.

CORE QUESTION

How might a recruiter understand the work, record why it matters, and keep uncertainty from becoming an unfair candidate judgment?



Fragmented evidence

Prototype, repository, walkthrough, and notes live in separate contexts.



Premature scoring

An empty scorecard asks for judgment after the evidence has already disappeared.



Infrastructure bias

A failed preview or missing Loom can be mistaken for weak product work.

A focused slice around Rina's review day

The assignment is intentionally ambiguous. These assumptions create a concrete operating context without expanding into a full ATS.

PRIMARY USER

Rina Kim

Hiring lead reviewing a later-stage design-engineering shortlist between interviews.

1

Needs a clear next action

Priority must be visible before filters or analytics.

2

Needs memory outside her head

Evidence should travel with the score and decision.

3

Needs accountable AI

Automation may scan, but cannot own judgment.

ASSUMPTIONS


- Desktop web experience, optimized for 1024 px and wider
- Twenty-three applications, five shortlisted for deep review
- Realistic placeholder records and local draft persistence
- Prototype, source, walkthrough, README, resume, and reviewer rubric

INTENTIONALLY EXCLUDED

Authentication, billing, account settings, live repository inspection, external messaging, and ATS integration.

One continuous recruiter journey

The experience starts with triage and ends with a usable handoff. Candidate detail is a working state inside the journey, not a disconnected destination.



INTERACTION THESIS

Show the work before the score. Keep missing context separate from candidate quality. Let AI reduce scanning while the human remains the final decision-maker.

Start with the next decision, not a dashboard

Home frames the review day, recommends a starting point, and keeps completed work visible for auditability.

Good afternoon, Rina.

Your review day is ready. 0 submissions can move now; 3 need context before calibration.

0
ready

3
need context

2
completed

 **Ledger guide**
Today's review plan

Hide

Siddharth's review is complete. Next, inspect Devin's available prototype and source. Keep the missing walkthrough as a context gap, not a score.

Continue with Devin

View all 3 recovery flags

Guidance summarizes material availability and review state. Rina records every decision.

Submission queue 5 of 23 submissions shortlisted. Completed reviews stay here for auditability.

Search candidate, project, or repository

All 5

Ready 0

Needs context 3

Completed 2


Recommended order 

CANDIDATE AND SUBMISSION	REVIEW STATE	MATERIALS	SUBMITTED
 Devin Kaur Mimic, an embodied AI interaction	● Needs context	Missing: Walkthrough	3 days ago >
 Tomás Rivera Latent Atlas, a semantic museum galaxy	● Needs context	Missing: Prototype	3 days ago >
 Arun Patel Mirror, an AI inference critique (repo only)	● Needs context	Missing: Prototype, Walkthrough	4 days ago >

- Queue-first hierarchy**
The first screen answers what Rina should review next.
- Optional guidance**
Ledger explains its recommendation without blocking search, filters, or sorting.
- Persistent workload**
New, in-progress, and completed counts stay visible throughout the journey.
- Auditable completion**
Reviewed submissions remain available instead of disappearing into another screen.

Observation and judgment share one workspace

Candidate work keeps the largest visual weight. Evidence, scoring, notes, and decision remain adjacent without covering the artifact.



1 Artifacts answer different questions

Prototype shows behavior. Source shows structure. Walkthrough and README show reasoning.

2 Evidence before scoring

The reviewer records what changed their view before selecting a number.

3 Anchored rubric

Every 0-to-4 value has plain-language meaning; low scores require a written reason.

4 Adjustable split

An invisible drag target lets Rina rebalance artifact and review space.

Make uncertainty visible without converting it into punishment

Recovery states preserve reviewable evidence. AI remains a transparent assistant, never a hidden hiring authority.

RECOVERY MODEL

- Missing walkthrough**
Prototype and source stay reviewable; request context or hold judgment.
- Failed preview**
Surface the failure, preserve source and documentation, offer retry.
- No live deployment**
Treat absence as a context gap, not a zero score.
- Review complete**
Evidence, score, notes, and decision remain together.

DETERMINISTIC AI SIMULATION

AI may

- Summarize submitted fixture data
- Identify missing artifacts
- Propose an evidence finding

AI may not

- Browse a repository or call a model
- Assign a score
- Advance, hold, or reject a candidate

A finding enters the record only after reviewer acceptance.

Compare evidence, resolve conflict, close the loop

Calibration avoids blended ranking. Readiness is a visible checklist, and the final action creates explicit next-round context.

Shortlist calibration

Compare evidence before moving candidates forward.

2 / 5

1

2

reviewedopen conflictadvancing

⚠ Reviewer disagreement

Arun Patel has conflicting implementation-quality signals. Resolve before final confirmation.

Review conflict

Overview

Compare side by side

Decision record

CANDIDATE	DECISION	REVIEWS	SCORE	REVIEWER SIGNALS
 Siddharth Mehta Vantage, an expressive AI suppor... Advance	Complete	Complete	12 / 16	
 Devin Kaur Mimic, an embodied AI interaction Needs review	Pending	Pending	Unscored	
 Arun Patel Mirror, an AI inference critique (re... Conflict	Pending	Pending	Unscored	
 Tomás Rivera Latent Atlas, a semantic museum... Needs review	Pending	Pending	Unscored	
 Jae Lin Flatten, live monocular depth as ... Advance	Complete	Complete	14 / 16	

DECISION CHECKLIST

1 / 4 ready

☐ Reviews complete

2 of 5

☐ Conflicts resolved

1 open

☐ Decisions recorded

2 of 5

☒ Finalists identified

2 advancing

SELECTED CANDIDATE

Decision context

 Siddharth Mehta

Advance · 12 / 16

Vantage turns an invisible AI support workflow into a character you can watch think, respond, and manage two conversations at once: the public customer exchange and its private operating context.

Open full review

OVERVIEW

Coverage, human decisions, scores, reviewer signals, and unresolved conflict.

Shortlist calibration

Compare evidence before moving candidates forward.

2 / 5

1

2

reviewedopen conflictadvancing

⚠ Reviewer disagreement

Arun Patel has conflicting implementation-quality signals. Resolve before final confirmation.

Review conflict

Overview

Compare side by side

Decision record

CANDIDATE A

Siddharth Mehta · Advance · 12 / 16

Swap

CANDIDATE B

Jae Lin · Advance · 14 / 16

⚙ Ledger guide

Both finalists are scored. Compare the evidence behind the score gap.

×

CANDIDATE A

 Siddharth Mehta

Vantage, an expressive AI support simulation



CANDIDATE B

 Jae Lin

Flatten, live monocular depth as a point cloud



SIDE-BY-SIDE

Two scored prototypes with criterion breakdowns and evidence context.

Finalists move forward with their evidence, scores, notes, and decisions. Returning Home creates a visible follow-up task.

Built as a reusable interaction system

The coded prototype is a standalone React experience with fixture data, local persistence, deterministic interactions, and a reproducible static build.

COMPONENT TREE

- AppNav
- SubmissionQueue
 - QueueGuide
 - QueueRow
- CandidateReview
 - ReviewSummary
 - ArtifactTabs + ArtifactPanel
 - EvidenceComposer + Rubric + Decision
 - AIAssist
- ShortlistCalibration
 - Overview + Compare + DecisionRecord
- DesignTour + StyleGuide

LAYOUT PRIMITIVES

Grid

artifact + review rail, queue rows, calibration table

Flex

navigation, filters, tabs, compact metadata

State

localStorage preserves draft reviews and UI choices

Build

readable JSX source compiles to standalone index.html

Hosting

static GitHub Pages deployment, no backend required

A polished web slice with explicit next steps

The prototype goes beyond the minimum deliverable while keeping production claims honest.

1440

Primary desktop workspace with adjustable review rail

1024

Compact 340 px review rail with zero horizontal overflow

40/40

Audited semantic contrast pairs pass

0

Console errors or warnings in final browser QA

Below 961 px, the candidate work stacks before evaluation. Secondary queue metadata yields before identity or status. Mobile was intentionally outside this exercise scope.

MOTION AND FUTURE

Motion communicates loading, direction, press feedback, and successful handoff. Next: secure artifact analysis, ATS integration, calibration history, and a candidate preflight checklist.

EXPLORE THE WORK

Live prototype

mehatey.github.io/ledger-candidate-showcase/

GitHub repository

github.com/Mehatey/ledger-candidate-showcase