USB-C Dock with Gigabit Ethernet — Rev A

power

File: power.kicad_sch

hub

File: hub.kicad_sch

usb-c

File: usb-c.kicad_sch

downstream

File: downstream.kicad_sch

ethernet

File: ethernet.kicad_sch

mcu

File: mcu.kicad_sch


Sheet: /
File: usb3-dock.kicad_sch


Title: USB-C Dock with Gigabit Ethernet

Size: A3	Date:	**Rev: A**
KiCad E.D.A. 10.0.7		Id: 1/7


USB-C Dock with Gigabit Ethernet — Rev A


DC input and protection






12 V → 5 V, 6 A






5 V → 3.3 V, 0.45 A




5 V → 1.2 V, 1.0 A





Sheet: /power/		
File: power.kicad_sch		
Title: USB-C Dock with Gigabit Ethernet		
Size: A3	Date:	**Rev: A**
KiCad E.D.A. 10.0.7		Id: 2/7

USB-C Dock with Gigabit Ethernet — Rev A


Port 1 — J3










Port 2 — J4










Port 3 — J5










Port 5 — J6 on usb-c







Port 6 — J8








Temperature and sensor bus





Sheet: /downstream/
File: downstream.kicad_sch


Title: USB-C Dock with Gigabit Ethernet

Size: A3 | Date: | **Rev: A**


KiCad E.D.A. 10.0.7 | Id: 3/7

USB-C Dock with Gigabit Ethernet — Rev A


3.3 V and 1.2 V decoupling




Bias, clock and reset



Straps, SMBus and link speed



USB5807C — 7-port hub







Sheet: /hub/	
File: hub.kicad_sch	
Title: USB-C Dock with Gigabit Ethernet	
Size: A2	Date:
KiCad E.D.A. 10.0.7	Rev: A
	Id: 4/7

USB-C Dock with Gigabit Ethernet — Rev A

LAN7800 — USB to 1000BASE-T




MagJack J7




Sheet: /ethernet/		
File: ethernet.kicad_sch		
Title: USB-C Dock with Gigabit Ethernet		
Size: A3	Date:	**Rev: A**
KiCad E.D.A. 10.0.7		Id: 5/7

USB-C Dock with Gigabit Ethernet — Rev A


Upstream J2 — UFP




Downstream J6 — DFP



SuperSpeed mux U7




Upstream SS orientation mux U25



Sheet: /usb-c/		
File: usb-c.kicad_sch		
Title: USB-C Dock with Gigabit Ethernet		
Size: A2	Date:	**Rev: A**
KiCad E.D.A. 10.0.7		Id: 6/7

USB-C Dock with Gigabit Ethernet — Rev A

STM32F072C8



Sheet: /mcu/		
File: mcu.kicad_sch		
Title: USB-C Dock with Gigabit Ethernet		
Size: A3	Date:	**Rev: A**
KiCad E.D.A. 10.0.7		Id: 7/7