




- chacha-neon.ko.gz
- crct10dif-ce.ko.gz
- ghash-ce.ko.gz
- nhpoly1305-neon.ko.gz
- poly1305-neon.ko.gz
- sha1-ce.ko.gz
- sha2-ce.ko.gz
- sha256-arm64.ko.gz
- sha3-ce.ko.gz
- sha512-arm64.ko.gz
- sha512-ce.ko.gz
- sm3-ce.ko.gz
- sm3-neon.ko.gz
- sm4-ce-cipher.ko.gz

- lib

- xor-neon.ko.gz

- block

- t10-pi.ko.gz

- crypto

- adiantum.ko.gz

- aegis128.ko.gz

- af_alg.ko.gz

- algif_aead.ko.gz

- algif_hash.ko.gz

- algif_rng.ko.gz

- algif_skcipher.ko.gz

- ansi_cprng.ko.gz

- async_tx

- async_memcpy.ko.gz

- async_pq.ko.gz

- async RAID6 recovery.ko.gz

- async_tx.ko.gz

— async_xor.ko.gz

— authenc.ko.gz

— authencesn.ko.gz

— blake2b_generic.ko.gz

— blowfish_common.ko.gz

— blowfish_generic.ko.gz

— camellia_generic.ko.gz

— cast5_generic.ko.gz

— cast6_generic.ko.gz

— cast_common.ko.gz

— ccm.ko.gz

— cfb.ko.gz

— chacha20poly1305.ko.gz

— chacha_generic.ko.gz

— cmac.ko.gz

— crc32_generic.ko.gz

— crc32c_generic.ko.gz

— crc64_rocksoft_generic.ko.gz

— crypto_engine.ko.gz

— crypto_user.ko.gz

— curve25519-generic.ko.gz

— des_generic.ko.gz

— ecc.ko.gz

— ecdh_generic.ko.gz

— ecdsa_generic.ko.gz

— echainiv.ko.gz

— essiv.ko.gz

— fcrypt.ko.gz

— hctr2.ko.gz

— keywrap.ko.gz

— lrw.ko.gz

— lz4.ko.gz

```
graph TD; drivers --> acpi; drivers --> ata; drivers --> xxhash_generic_ko_gz[xxhash_generic.ko.gz]; acpi --> apei; acpi --> button_ko_gz[button.ko.gz]; acpi --> fan_ko_gz[fan.ko.gz]; acpi --> thermal_ko_gz[thermal.ko.gz]; acpi --> tiny_power_button_ko_gz[tiny-power-button.ko.gz]; apei --> einj_ko_gz[einj.ko.gz]; ata --> ; xxhash_generic_ko_gz --> ;
```


- lz4hc.ko.gz
- md4.ko.gz
- michael_mic.ko.gz
- nhpoly1305.ko.gz
- pcbc.ko.gz
- pcrypt.ko.gz
- poly1305_generic.ko.gz
- polyval-generic.ko.gz
- rmd160.ko.gz
- serpent_generic.ko.gz
- sha1_generic.ko.gz
- sm2_generic.ko.gz
- sm3.ko.gz
- sm4.ko.gz
- tcrypt.ko.gz
- twofish_common.ko.gz
- twofish_generic.ko.gz
- vmac.ko.gz
- wp512.ko.gz
- xcbc.ko.gz
- xctr.ko.gz
- xor.ko.gz
- xxhash_generic.ko.gz
- drivers
 - acpi
 - apei
 - einj.ko.gz
 - button.ko.gz
 - fan.ko.gz
 - thermal.ko.gz
 - tiny-power-button.ko.gz
 - ata


```
graph TD; Root[ ] --- ahci_ko_gz[ahci.ko.gz]; Root --- ata_generic_ko_gz[ata_generic.ko.gz]; Root --- ata_piix_ko_gz[ata_piix.ko.gz]; Root --- libahci_ko_gz[libahci.ko.gz]; Root --- libata_ko_gz[libata.ko.gz]; Root --- base[base]; Root --- block[block]; Root --- cdrom[cdrom]; Root --- char[char]; Root --- cpufreq[cpufreq]; base --- firmware_loader[firmware_loader]; base --- firmware_class_ko_gz[firmware_class.ko.gz]; block --- drbd[drbd]; block --- loop_ko_gz[loop.ko.gz]; block --- nbd_ko_gz[nbd.ko.gz]; block --- rbd_ko_gz[rbd.ko.gz]; block --- virtio_blk_ko_gz[virtio_blk.ko.gz]; block --- zram[zram]; drbd --- drbd_ko_gz[drbd.ko.gz]; cdrom --- cdrom_ko_gz[cdrom.ko.gz]; char --- hw_random[hw_random]; hw_random --- arm_smccc_trng_ko_gz[arm_smccc_trng.ko.gz]; hw_random --- cavium_rng_vf_ko_gz[cavium-rng-vf.ko.gz]; hw_random --- cavium_rng_ko_gz[cavium-rng.ko.gz]; hw_random --- cn10k_rng_ko_gz[cn10k-rng.ko.gz]; hw_random --- hisi_rng_ko_gz[hisi-rng.ko.gz]; hw_random --- histb_rng_ko_gz[histb-rng.ko.gz]; hw_random --- rng_core_ko_gz[rng-core.ko.gz]; hw_random --- timeriomem_rng_ko_gz[timeriomem-rng.ko.gz]; hw_random --- virtio_rng_ko_gz[virtio-rng.ko.gz]; hw_random --- xgene_rng_ko_gz[xgene-rng.ko.gz];
```

- ahci.ko.gz
- ata_generic.ko.gz
- ata_piix.ko.gz
- libahci.ko.gz
- libata.ko.gz
- base
 - firmware_loader
 - firmware_class.ko.gz
- block
 - drbd
 - drbd.ko.gz
 - loop.ko.gz
 - nbd.ko.gz
 - rbd.ko.gz
 - virtio_blk.ko.gz
 - zram
 - zram.ko.gz
- cdrom
 - cdrom.ko.gz
- char
 - hw_random
 - arm_smccc_trng.ko.gz
 - cavium-rng-vf.ko.gz
 - cavium-rng.ko.gz
 - cn10k-rng.ko.gz
 - hisi-rng.ko.gz
 - histb-rng.ko.gz
 - rng-core.ko.gz
 - timeriomem-rng.ko.gz
 - virtio-rng.ko.gz
 - xgene-rng.ko.gz
- cpufreq

```
graph LR; Root[ ] --- cpufreq_conservative[cpufreq_conservative.ko.gz]; Root --- cpufreq_powersave[cpufreq_powersave.ko.gz]; Root --- cpufreq_userspace[cpufreq_userspace.ko.gz]; Root --- crypto[crypto]; crypto --- cavium[cavium]; cavium --- cpt[cpt]; cpt --- ctpf[cptpf.ko.gz]; cpt --- cptvf[cptvf.ko.gz]; crypto --- ccp[ccp]; ccp --- ccp_crypto[ccp-crypto.ko.gz]; ccp --- ccp_ko[ccp.ko.gz]; crypto --- qcom_rng[qcom-rng.ko.gz]; crypto --- virtio[virtio]; virtio --- virtio_crypto[virtio_crypto.ko.gz]; Root --- dma[dma]; dma --- dw[dw]; dw --- dw_dmac[dw_dmac.ko.gz]; dw --- dw_dmac_core[dw_dmac_core.ko.gz]; dw --- dw_dmac_pci[dw_dmac_pci.ko.gz]; dma --- qcom[qcom]; qcom --- hdma[hdma.ko.gz]; qcom --- hdma_mgmt[hdma_mgmt.ko.gz]; Root --- firmware[firmware]; firmware --- arm_scp[arm_scp.ko.gz]; firmware --- dmi_sysfs[dmi-sysfs.ko.gz]; firmware --- efi[efi]; efi --- efi_pstore[efi-pstore.ko.gz]; firmware --- qemu_fw_cfg[qemu_fw_cfg.ko.gz]; firmware --- scpi_pm_domain[scpi_pm_domain.ko.gz]; Root --- gpio[gpio]; gpio --- gpio_pl061[gpio-pl061.ko.gz]; Root --- gpu[gpu];
```

- cpufreq_conservative.ko.gz
- cpufreq_powersave.ko.gz
- cpufreq_userspace.ko.gz
- crypto
 - cavium
 - cpt
 - cptpf.ko.gz
 - cptvf.ko.gz
 - ccp
 - ccp-crypto.ko.gz
 - ccp.ko.gz
 - qcom-rng.ko.gz
 - virtio
 - virtio_crypto.ko.gz
- dma
 - dw
 - dw_dmac.ko.gz
 - dw_dmac_core.ko.gz
 - dw_dmac_pci.ko.gz
 - qcom
 - hdma.ko.gz
 - hdma_mgmt.ko.gz
- firmware
 - arm_scp.ko.gz
 - dmi-sysfs.ko.gz
 - efi
 - efi-pstore.ko.gz
 - qemu_fw_cfg.ko.gz
 - scpi_pm_domain.ko.gz
- gpio
 - gpio-pl061.ko.gz
- gpu




```
graph TD; hv_vmbus_ko_gz[hv_vmbus.ko.gz] --- hwmon; hv_vmbus_ko_gz --- i2c; hv_vmbus_ko_gz --- input; hv_vmbus_ko_gz --- iommu; hv_vmbus_ko_gz --- mailbox; hv_vmbus_ko_gz --- md; hwmon --- acpi_power_meter_ko_gz[acpi_power_meter.ko.gz]; hwmon --- hwmon_ko_gz[hwmon.ko.gz]; i2c --- algos; i2c --- busses; i2c --- i2c_core_ko_gz[i2c-core.ko.gz]; i2c --- i2c_dev_ko_gz[i2c-dev.ko.gz]; i2c --- i2c_mux_ko_gz[i2c-mux.ko.gz]; i2c --- i2c_smbus_ko_gz[i2c-smbus.ko.gz]; i2c --- muxes; algos --- i2c_algo_pca_ko_gz[i2c-algo-pca.ko.gz]; algos --- i2c_algo_pcf_ko_gz[i2c-algo-pcf.ko.gz]; busses --- i2c_nforce2_ko_gz[i2c-nforce2.ko.gz]; busses --- i2c_virtio_ko_gz[i2c-virtio.ko.gz]; muxes --- i2c_mux_pca9541_ko_gz[i2c-mux-pca9541.ko.gz]; muxes --- i2c_mux_pca954x_ko_gz[i2c-mux-pca954x.ko.gz]; muxes --- i2c_mux_pinctrl_ko_gz[i2c-mux-pinctrl.ko.gz]; input --- evdev_ko_gz[evdev.ko.gz]; input --- serio; input --- hyperv_keyboard_ko_gz[hyperv-keyboard.ko.gz]; input --- serport_ko_gz[serport.ko.gz]; iommu --- virtio_iommu_ko_gz[virtio-iommu.ko.gz]; mailbox --- arm_mhu_ko_gz[arm_mhu.ko.gz]; mailbox --- arm_mhu_db_ko_gz[arm_mhu_db.ko.gz]; mailbox --- mailbox_xgene_slimpro_ko_gz[mailbox-xgene-slimpro.ko.gz]; md --- bcache;
```

- hv_vmbus.ko.gz
 - hwmon
 - acpi_power_meter.ko.gz
 - hwmon.ko.gz
 - i2c
 - algos
 - i2c-algo-pca.ko.gz
 - i2c-algo-pcf.ko.gz
 - busses
 - i2c-nforce2.ko.gz
 - i2c-virtio.ko.gz
 - i2c-core.ko.gz
 - i2c-dev.ko.gz
 - i2c-mux.ko.gz
 - i2c-smbus.ko.gz
 - muxes
 - i2c-mux-pca9541.ko.gz
 - i2c-mux-pca954x.ko.gz
 - i2c-mux-pinctrl.ko.gz
 - input
 - evdev.ko.gz
 - serio
 - hyperv-keyboard.ko.gz
 - serport.ko.gz
 - iommu
 - virtio-iommu.ko.gz
 - mailbox
 - arm_mhu.ko.gz
 - arm_mhu_db.ko.gz
 - mailbox-xgene-slimpro.ko.gz
 - md
 - bcache

- └─ bcache.ko.gz
- └─ dm-bio-prison.ko.gz
- └─ dm-bufio.ko.gz
- └─ dm-cache-smq.ko.gz
- └─ dm-cache.ko.gz
- └─ dm-crypt.ko.gz
- └─ dm-delay.ko.gz
- └─ dm-era.ko.gz
- └─ dm-flakey.ko.gz
- └─ dm-integrity.ko.gz
- └─ dm-io-affinity.ko.gz
- └─ dm-log-userspace.ko.gz
- └─ dm-log-writes.ko.gz
- └─ dm-log.ko.gz
- └─ dm-mirror.ko.gz
- └─ dm-mod.ko.gz
- └─ dm-multipath.ko.gz
- └─ dm-queue-length.ko.gz
- └─ dm-raid.ko.gz
- └─ dm-region-hash.ko.gz
- └─ dm-round-robin.ko.gz
- └─ dm-service-time.ko.gz
- └─ dm-snapshot.ko.gz
- └─ dm-switch.ko.gz
- └─ dm-thin-pool.ko.gz
- └─ dm-unstripe.ko.gz
- └─ dm-verity.ko.gz
- └─ dm-writecache.ko.gz
- └─ dm-zero.ko.gz
- └─ faulty.ko.gz
- └─ linear.ko.gz
- └─ md-cluster.ko.gz

```
graph LR; root --- multipath_ko_gz[multipath.ko.gz]; root --- persistent_data[persistent-data]; persistent_data --- dm_persistent_data_ko_gz[dm-persistent-data.ko.gz]; root --- raid0_ko_gz[raid0.ko.gz]; root --- raid1_ko_gz[raid1.ko.gz]; root --- raid10_ko_gz[raid10.ko.gz]; root --- raid456_ko_gz[raid456.ko.gz]; root --- misc[misc]; misc --- pvpanic[pvpanic]; pvpanic --- pvpanic_mmio_ko_gz[pvpanic-mmio.ko.gz]; pvpanic --- pvpanic_pci_ko_gz[pvpanic-pci.ko.gz]; pvpanic --- pvpanic_ko_gz[pvpanic.ko.gz]; root --- mtd[mtd]; mtd --- chips[chips]; chips --- cfi_cmdset_0001_ko_gz[cfi_cmdset_0001.ko.gz]; chips --- cfi_cmdset_0002_ko_gz[cfi_cmdset_0002.ko.gz]; chips --- cfi_cmdset_0020_ko_gz[cfi_cmdset_0020.ko.gz]; chips --- cfi_probe_ko_gz[cfi_probe.ko.gz]; chips --- cfi_util_ko_gz[cfi_util.ko.gz]; chips --- chipreg_ko_gz[chipreg.ko.gz]; chips --- gen_probe_ko_gz[gen_probe.ko.gz]; mtd --- maps[maps]; maps --- physmap_ko_gz[physmap.ko.gz]; mtd --- mtd_ko_gz[mtd.ko.gz]; mtd --- mtd_blkdevs_ko_gz[mtd_blkdevs.ko.gz]; mtd --- mtdblock_ko_gz[mtdblock.ko.gz]; mtd --- parsers[parsers]; parsers --- ofpart_ko_gz[ofpart.ko.gz]; mtd --- ubi[ubi]; ubi --- ubi_ko_gz[ubi.ko.gz]; root --- net[net]; net --- bareudp_ko_gz[bareudp.ko.gz];
```

- multipath.ko.gz
- persistent-data
 - dm-persistent-data.ko.gz
- raid0.ko.gz
- raid1.ko.gz
- raid10.ko.gz
- raid456.ko.gz
- misc
 - pvpanic
 - pvpanic-mmio.ko.gz
 - pvpanic-pci.ko.gz
 - pvpanic.ko.gz
- mtd
 - chips
 - cfi_cmdset_0001.ko.gz
 - cfi_cmdset_0002.ko.gz
 - cfi_cmdset_0020.ko.gz
 - cfi_probe.ko.gz
 - cfi_util.ko.gz
 - chipreg.ko.gz
 - gen_probe.ko.gz
 - maps
 - physmap.ko.gz
 - mtd.ko.gz
 - mtd_blkdevs.ko.gz
 - mtdblock.ko.gz
 - parsers
 - ofpart.ko.gz
 - ubi
 - ubi.ko.gz
- net
 - bareudp.ko.gz




```
graph TD; macvlan[macvlan.ko.gz] --- macvtap[macvtap.ko.gz]; macvlan --- mdio[mdio]; macvlan --- net_failover[net_failover.ko.gz]; macvlan --- netconsole[netconsole.ko.gz]; macvlan --- nlmon[nlmon.ko.gz]; macvlan --- phy[phy]; macvlan --- ppp[ppp]; macvlan --- slip[slip]; macvlan --- tap[tap.ko.gz]; macvlan --- team[team]; mdio --- acpi_mdio[acpi_mdio.ko.gz]; mdio --- fwnode_mdio[fwnode_mdio.ko.gz]; mdio --- of_mdio[of_mdio.ko.gz]; phy --- dp83640[dp83640.ko.gz]; phy --- fixed_phy[fixed_phy.ko.gz]; phy --- libphy[libphy.ko.gz]; phy --- mdio_devres[mdio_devres.ko.gz]; ppp --- bsd_comp[bsd_comp.ko.gz]; ppp --- ppp_async[ppp_async.ko.gz]; ppp --- ppp_deflate[ppp_deflate.ko.gz]; ppp --- ppp_generic[ppp_generic.ko.gz]; ppp --- ppp_mppe[ppp_mppe.ko.gz]; ppp --- ppp_synctty[ppp_synctty.ko.gz]; ppp --- pppox[pppox.ko.gz]; ppp --- pptp[pptp.ko.gz]; slip --- slhc[slhc.ko.gz]; slip --- slip_ko[slip.ko.gz]; team --- team_ko[team.ko.gz]; team --- team_mode_activebackup[team_mode_activebackup.ko.gz]; team --- team_mode_broadcast[team_mode_broadcast.ko.gz]; team --- team_mode_loadbalance[team_mode_loadbalance.ko.gz];
```

- macvlan.ko.gz
 - macvtap.ko.gz
 - mdio
 - acpi_mdio.ko.gz
 - fwnode_mdio.ko.gz
 - of_mdio.ko.gz
 - net_failover.ko.gz
 - netconsole.ko.gz
 - nlmon.ko.gz
 - phy
 - dp83640.ko.gz
 - fixed_phy.ko.gz
 - libphy.ko.gz
 - mdio_devres.ko.gz
 - ppp
 - bsd_comp.ko.gz
 - ppp_async.ko.gz
 - ppp_deflate.ko.gz
 - ppp_generic.ko.gz
 - ppp_mppe.ko.gz
 - ppp_synctty.ko.gz
 - pppox.ko.gz
 - pptp.ko.gz
 - slip
 - slhc.ko.gz
 - slip.ko.gz
 - tap.ko.gz
 - team
 - team.ko.gz
 - team_mode_activebackup.ko.gz
 - team_mode_broadcast.ko.gz
 - team_mode_loadbalance.ko.gz


```
graph LR; Root[ ] --- team_mode_random_ko_gz[team_mode_random.ko.gz]; Root --- team_mode_roundrobin_ko_gz[team_mode_roundrobin.ko.gz]; Root --- tun_ko_gz[tun.ko.gz]; Root --- veth_ko_gz[veth.ko.gz]; Root --- virtio_net_ko_gz[virtio_net.ko.gz]; Root --- vmxnet3[vmxnet3]; Root --- vmxnet3_ko_gz[vmxnet3.ko.gz]; Root --- vrf_ko_gz[vrf.ko.gz]; Root --- vxlan[vxlan]; Root --- vxlan_ko_gz[vxlan.ko.gz]; Root --- wireguard[wireguard]; Root --- wireguard_ko_gz[wireguard.ko.gz]; Root --- nvme[nvme]; Root --- host[host]; Root --- nvme_core_ko_gz[nvme-core.ko.gz]; Root --- nvme_fabrics_ko_gz[nvme-fabrics.ko.gz]; Root --- nvme_ko_gz[nvme.ko.gz]; Root --- target[target]; Root --- nvme_loop_ko_gz[nvme-loop.ko.gz]; Root --- nvmet_ko_gz[nvmet.ko.gz]; Root --- nvmmem[nvmmem]; Root --- nvmmem_rmem_ko_gz[nvmmem-rmem.ko.gz]; Root --- pci[pci]; Root --- controller[controller]; Root --- pci_hyperv_intf_ko_gz[pci-hyperv-intf.ko.gz]; Root --- pci_hyperv_ko_gz[pci-hyperv.ko.gz]; Root --- hotplug[hotplug]; Root --- acpihp_ibm_ko_gz[acpihp_ibm.ko.gz]; Root --- pci_pf_stub_ko_gz[pci-pf-stub.ko.gz]; Root --- pci_stub_ko_gz[pci-stub.ko.gz]; Root --- perf[perf]; Root --- thunderx2_pmu_ko_gz[thunderx2_pmu.ko.gz];
```

- team_mode_random.ko.gz
- team_mode_roundrobin.ko.gz
- tun.ko.gz
- veth.ko.gz
- virtio_net.ko.gz
- vmxnet3
 - vmxnet3.ko.gz
- vrf.ko.gz
- vxlan
 - vxlan.ko.gz
- wireguard
 - wireguard.ko.gz
- nvme
 - host
 - nvme-core.ko.gz
 - nvme-fabrics.ko.gz
 - nvme.ko.gz
 - target
 - nvme-loop.ko.gz
 - nvmet.ko.gz
- nvmmem
 - nvmmem-rmem.ko.gz
- pci
 - controller
 - pci-hyperv-intf.ko.gz
 - pci-hyperv.ko.gz
 - hotplug
 - acpihp_ibm.ko.gz
 - pci-pf-stub.ko.gz
 - pci-stub.ko.gz
- perf
 - thunderx2_pmu.ko.gz



```
graph TD; libsas[libsas.ko.gz] --- mpi3mr[mpi3mr]; libsas --- raid_class[raid_class.ko.gz]; mpi3mr --- mpi3mr_ko[mpi3mr.ko.gz]; mpi3mr --- scsi_common[scsi_common.ko.gz]; mpi3mr --- scsi_mod[scsi_mod.ko.gz]; mpi3mr --- scsi_fc[scsi_transport_fc.ko.gz]; mpi3mr --- scsi_iscsi[scsi_transport_iscsi.ko.gz]; mpi3mr --- scsi_sas[scsi_transport_sas.ko.gz]; mpi3mr --- scsi_spi[scsi_transport_spi.ko.gz]; mpi3mr --- scsi_srp[scsi_transport_srp.ko.gz]; mpi3mr --- sd_mod[sd_mod.ko.gz]; mpi3mr --- sg[sg.ko.gz]; mpi3mr --- sr_mod[sr_mod.ko.gz]; mpi3mr --- virtio_scsi[virtio_scsi.ko.gz]; target[target] --- target_core[target_core_mod.ko.gz]; target --- thermal[thermal]; thermal --- hisi_thermal[hisi_thermal.ko.gz]; usb[usb] --- common[common]; usb --- core[core]; usb --- host[host]; common --- usb_common[usb-common.ko.gz]; core --- usbcore[usbcore.ko.gz]; host --- ehci_hcd[ehci-hcd.ko.gz]; host --- ehci_pci[ehci-pci.ko.gz]; host --- ehci_platform[ehci-platform.ko.gz]; host --- ohci_hcd[ohci-hcd.ko.gz]; host --- ohci_pci[ohci-pci.ko.gz]; host --- ohci_platform[ohci-platform.ko.gz]; host --- uhci_hcd[uhci-hcd.ko.gz];
```

- libsas.ko.gz
 - mpi3mr
 - mpi3mr.ko.gz
 - scsi_common.ko.gz
 - scsi_mod.ko.gz
 - scsi_transport_fc.ko.gz
 - scsi_transport_iscsi.ko.gz
 - scsi_transport_sas.ko.gz
 - scsi_transport_spi.ko.gz
 - scsi_transport_srp.ko.gz
 - sd_mod.ko.gz
 - sg.ko.gz
 - sr_mod.ko.gz
 - virtio_scsi.ko.gz
 - raid_class.ko.gz
- target
 - target_core_mod.ko.gz
 - thermal
 - hisi_thermal.ko.gz
- usb
 - common
 - usb-common.ko.gz
 - core
 - usbcore.ko.gz
 - host
 - ehci-hcd.ko.gz
 - ehci-pci.ko.gz
 - ehci-platform.ko.gz
 - ohci-hcd.ko.gz
 - ohci-pci.ko.gz
 - ohci-platform.ko.gz
 - uhci-hcd.ko.gz

```
graph TD
    drivers[drivers] --- usb[usb]
    drivers --- vhost[vhost]
    drivers --- video[video]
    drivers --- vdpa[vdpa]
    usb --- mon[mon]
    usb --- storage[storage]
    usb --- xhci[xhci]
    mon --- usbmon[usbmon.ko.gz]
    storage --- uas[uas.ko.gz]
    storage --- usb_storage[usb-storage.ko.gz]
    xhci --- xhci_hcd[xhci-hcd.ko.gz]
    xhci --- xhci_pci[xhci-pci.ko.gz]
    vhost --- vhost_ko[vhost.ko.gz]
    vhost --- vhost_iotlb[vhost_iotlb.ko.gz]
    vhost --- vhost_net[vhost_net.ko.gz]
    vhost --- vhost_scsi[vhost_scsi.ko.gz]
    vhost --- vhost_vdpa[vhost_vdpa.ko.gz]
    vhost --- vhost_vsock[vhost_vsock.ko.gz]
    video --- backlight[backlight]
    video --- fbdev[fbdev]
    video --- video_ko[video.ko.gz]
    backlight --- backlight_ko[backlight.ko.gz]
    fbdev --- fb_ko[fb.ko.gz]
    fbdev --- fb_io_fops[fb_io_fops.ko.gz]
    fbdev --- fb_sys_fops[fb_sys_fops.ko.gz]
    fbdev --- syscopyarea[syscopyarea.ko.gz]
    fbdev --- sysfillrect[sysfillrect.ko.gz]
    vdpa --- ifcvf[ifcvf]
    vdpa --- vdpa_ko[vdpa.ko.gz]
    vdpa --- vdpa_user[vdpa_user]
    vdpa --- virtio_pci[virtio_pci]
    vdpa --- vp_vdpa[vp_vdpa.ko.gz]
    ifcvf --- ifcvf_ko[ifcvf.ko.gz]
    vdpa_user --- vduse[vduse.ko.gz]
    virtio_pci --- vp_vdpa_ko[vp_vdpa.ko.gz]
```

- xhci-hcd.ko.gz
- xhci-pci.ko.gz
- mon
 - usbmon.ko.gz
- storage
 - uas.ko.gz
 - usb-storage.ko.gz
- vdpa
 - ifcvf
 - ifcvf.ko.gz
 - vdpa.ko.gz
 - vdpa_user
 - vduse.ko.gz
 - virtio_pci
 - vp_vdpa.ko.gz
- vhost
 - vhost.ko.gz
 - vhost_iotlb.ko.gz
 - vhost_net.ko.gz
 - vhost_scsi.ko.gz
 - vhost_vdpa.ko.gz
 - vhost_vsock.ko.gz
- video
 - backlight
 - backlight.ko.gz
 - fbdev
 - fb.ko.gz
 - fb_io_fops.ko.gz
 - fb_sys_fops.ko.gz
 - syscopyarea.ko.gz
 - sysfillrect.ko.gz

- └── sysimgblt.ko.gz
- └── virtio
 - ├── virtio_balloon.ko.gz
 - ├── virtio_dma_buf.ko.gz
 - ├── virtio_input.ko.gz
 - ├── virtio_mem.ko.gz
 - ├── virtio_mmio.ko.gz
 - └── virtio_vdpa.ko.gz

- └── fs
 - ├── 9p
 - └── 9p.ko.gz
 - ├── autofs
 - └── autofs4.ko.gz
 - ├── binfmt_misc.ko.gz
 - ├── btrfs
 - └── btrfs.ko.gz
 - ├── cachefiles
 - └── cachefiles.ko.gz
 - ├── ceph
 - └── ceph.ko.gz
 - ├── configfs
 - └── configfs.ko.gz
 - ├── cramfs
 - └── cramfs.ko.gz
 - ├── dlm
 - └── dlm.ko.gz
 - ├── ecryptfs
 - └── ecryptfs.ko.gz
 - ├── efivarfs
 - └── efivarfs.ko.gz
 - ├── exfat
 - └── exfat.ko.gz

```
graph LR; ext4 --- ext4_ko_gz[ext4.ko.gz]; f2fs --- f2fs_ko_gz[f2fs.ko.gz]; fat --- fat_ko_gz[fat.ko.gz]; fat --- msdos_ko_gz[msdos.ko.gz]; fat --- vfat_ko_gz[vfat.ko.gz]; fscache --- fscache_ko_gz[fscache.ko.gz]; fuse --- cuse_ko_gz[cuse.ko.gz]; fuse --- fuse_ko_gz[fuse.ko.gz]; fuse --- virtiofs_ko_gz[virtiofs.ko.gz]; gfs2 --- gfs2_ko_gz[gfs2.ko.gz]; isofs --- isofs_ko_gz[isofs.ko.gz]; jbd2 --- jbd2_ko_gz[jbd2.ko.gz]; jfs --- jfs_ko_gz[jfs.ko.gz]; lockd --- lockd_ko_gz[lockd.ko.gz]; mbcache_ko_gz[mbcache.ko.gz]; netfs --- netfs_ko_gz[netfs.ko.gz]; nfs --- blocklayout; blocklayout --- blocklayoutdriver_ko_gz[blocklayoutdriver.ko.gz]; nfs --- filelayout; filelayout --- nfs_layout_nfsv41_files_ko_gz[nfs_layout_nfsv41_files.ko.gz];
```

- ext4
 - ext4.ko.gz
- f2fs
 - f2fs.ko.gz
- fat
 - fat.ko.gz
 - msdos.ko.gz
 - vfat.ko.gz
- fscache
 - fscache.ko.gz
- fuse
 - cuse.ko.gz
 - fuse.ko.gz
 - virtiofs.ko.gz
- gfs2
 - gfs2.ko.gz
- isofs
 - isofs.ko.gz
- jbd2
 - jbd2.ko.gz
- jfs
 - jfs.ko.gz
- lockd
 - lockd.ko.gz
- mbcache.ko.gz
- netfs
 - netfs.ko.gz
- nfs
 - blocklayout
 - blocklayoutdriver.ko.gz
 - filelayout
 - nfs_layout_nfsv41_files.ko.gz


```
graph TD; flexfilelayout --- nfs_layout_flexfiles_ko_gz[nfs_layout_flexfiles.ko.gz]; flexfilelayout --- nfs_ko_gz[nfs.ko.gz]; flexfilelayout --- nfs_common; flexfilelayout --- nfsd; flexfilelayout --- nilfs2; flexfilelayout --- nls; nfs_ko_gz --- nfsv2_ko_gz[nfsv2.ko.gz]; nfs_ko_gz --- nfsv3_ko_gz[nfsv3.ko.gz]; nfs_ko_gz --- nfsv4_ko_gz[nfsv4.ko.gz]; nfs_common --- grace_ko_gz[grace.ko.gz]; nfsd --- nfsd_ko_gz[nfsd.ko.gz]; nilfs2 --- nilfs2_ko_gz[nilfs2.ko.gz]; nls --- mac_celtic_ko_gz[mac-celtic.ko.gz]; nls --- mac_centeuro_ko_gz[mac-centeuro.ko.gz]; nls --- mac_croatian_ko_gz[mac-croatian.ko.gz]; nls --- mac_cyrillic_ko_gz[mac-cyrillic.ko.gz]; nls --- mac_gaelic_ko_gz[mac-gaelic.ko.gz]; nls --- mac_greek_ko_gz[mac-greek.ko.gz]; nls --- mac_iceland_ko_gz[mac-iceland.ko.gz]; nls --- mac_inuit_ko_gz[mac-inuit.ko.gz]; nls --- mac_roman_ko_gz[mac-roman.ko.gz]; nls --- mac_romanian_ko_gz[mac-romanian.ko.gz]; nls --- mac_turkish_ko_gz[mac-turkish.ko.gz]; nls --- nls_ascii_ko_gz[nls_ascii.ko.gz]; nls --- nls_cp1250_ko_gz[nls_cp1250.ko.gz]; nls --- nls_cp1251_ko_gz[nls_cp1251.ko.gz]; nls --- nls_cp1255_ko_gz[nls_cp1255.ko.gz]; nls --- nls_cp437_ko_gz[nls_cp437.ko.gz]; nls --- nls_cp737_ko_gz[nls_cp737.ko.gz]; nls --- nls_cp775_ko_gz[nls_cp775.ko.gz]; nls --- nls_cp850_ko_gz[nls_cp850.ko.gz];
```

- flexfilelayout
 - nfs_layout_flexfiles.ko.gz
 - nfs.ko.gz
 - nfsv2.ko.gz
 - nfsv3.ko.gz
 - nfsv4.ko.gz
 - nfs_common
 - grace.ko.gz
 - nfsd
 - nfsd.ko.gz
 - nilfs2
 - nilfs2.ko.gz
 - nls
 - mac-celtic.ko.gz
 - mac-centeuro.ko.gz
 - mac-croatian.ko.gz
 - mac-cyrillic.ko.gz
 - mac-gaelic.ko.gz
 - mac-greek.ko.gz
 - mac-iceland.ko.gz
 - mac-inuit.ko.gz
 - mac-roman.ko.gz
 - mac-romanian.ko.gz
 - mac-turkish.ko.gz
 - nls_ascii.ko.gz
 - nls_cp1250.ko.gz
 - nls_cp1251.ko.gz
 - nls_cp1255.ko.gz
 - nls_cp437.ko.gz
 - nls_cp737.ko.gz
 - nls_cp775.ko.gz
 - nls_cp850.ko.gz

- [nls_cp852.ko.gz](#)
- [nls_cp855.ko.gz](#)
- [nls_cp857.ko.gz](#)
- [nls_cp860.ko.gz](#)
- [nls_cp861.ko.gz](#)
- [nls_cp862.ko.gz](#)
- [nls_cp863.ko.gz](#)
- [nls_cp864.ko.gz](#)
- [nls_cp865.ko.gz](#)
- [nls_cp866.ko.gz](#)
- [nls_cp869.ko.gz](#)
- [nls_cp874.ko.gz](#)
- [nls_cp932.ko.gz](#)
- [nls_cp936.ko.gz](#)
- [nls_cp949.ko.gz](#)
- [nls_cp950.ko.gz](#)
- [nls_euc-jp.ko.gz](#)
- [nls_iso8859-1.ko.gz](#)
- [nls_iso8859-13.ko.gz](#)
- [nls_iso8859-14.ko.gz](#)
- [nls_iso8859-15.ko.gz](#)
- [nls_iso8859-2.ko.gz](#)
- [nls_iso8859-3.ko.gz](#)
- [nls_iso8859-4.ko.gz](#)
- [nls_iso8859-5.ko.gz](#)
- [nls_iso8859-6.ko.gz](#)
- [nls_iso8859-7.ko.gz](#)
- [nls_iso8859-9.ko.gz](#)
- [nls_koi8-r.ko.gz](#)
- [nls_koi8-ru.ko.gz](#)
- [nls_koi8-u.ko.gz](#)
- [nls_ucs2_utils.ko.gz](#)


```
graph TD; nls_utf8_ko_gz[nls_utf8.ko.gz] --- ntfs; ntfs --- ntfs_ko_gz[ntfs.ko.gz]; ntfs --- ntfs3; ntfs3 --- ntfs3_ko_gz[ntfs3.ko.gz]; ntfs --- ocfs2; ocfs2 --- cluster; cluster --- ocfs2_nodemanager_ko_gz[ocfs2_nodemanager.ko.gz]; ocfs2 --- dml; dml --- ocfs2_dml_ko_gz[ocfs2_dml.ko.gz]; ocfs2 --- dmlfs; dmlfs --- ocfs2_dmlfs_ko_gz[ocfs2_dmlfs.ko.gz]; ocfs2 --- ocfs2_ko_gz[ocfs2.ko.gz]; ocfs2 --- ocfs2_stack_o2cb_ko_gz[ocfs2_stack_o2cb.ko.gz]; ocfs2 --- ocfs2_stack_user_ko_gz[ocfs2_stack_user.ko.gz]; ocfs2 --- ocfs2_stackglue_ko_gz[ocfs2_stackglue.ko.gz]; ntfs --- overlayfs; overlayfs --- overlay_ko_gz[overlay.ko.gz]; ntfs --- pstore; pstore --- ramoops_ko_gz[ramoops.ko.gz]; ntfs --- quota; quota --- quota_tree_ko_gz[quota_tree.ko.gz]; quota --- quota_v1_ko_gz[quota_v1.ko.gz]; quota --- quota_v2_ko_gz[quota_v2.ko.gz]; ntfs --- reiserfs; reiserfs --- reiserfs_ko_gz[reiserfs.ko.gz]; ntfs --- romfs; romfs --- romfs_ko_gz[romfs.ko.gz]; ntfs --- smb; smb --- client; client --- cifs_ko_gz[cifs.ko.gz]; ntfs --- common;
```

- └─ nls_utf8.ko.gz
- └─ ntfs
 - └─ ntfs.ko.gz
 - └─ ntfs3
 - └─ ntfs3.ko.gz
 - └─ ocfs2
 - └─ cluster
 - └─ ocfs2_nodemanager.ko.gz
 - └─ dlm
 - └─ ocfs2_dlm.ko.gz
 - └─ dlmfs
 - └─ ocfs2_dlmfs.ko.gz
 - └─ ocfs2.ko.gz
 - └─ ocfs2_stack_o2cb.ko.gz
 - └─ ocfs2_stack_user.ko.gz
 - └─ ocfs2_stackglue.ko.gz
 - └─ overlayfs
 - └─ overlay.ko.gz
 - └─ pstore
 - └─ ramoops.ko.gz
 - └─ quota
 - └─ quota_tree.ko.gz
 - └─ quota_v1.ko.gz
 - └─ quota_v2.ko.gz
 - └─ reiserfs
 - └─ reiserfs.ko.gz
 - └─ romfs
 - └─ romfs.ko.gz
 - └─ smb
 - └─ client
 - └─ cifs.ko.gz
 - └─ common



- └─┬─ cordic.ko.gz
- └─ raid6
 - └─ raid6_pq.ko.gz
- └─ reed_solomon
 - └─ reed_solomon.ko.gz
- └─ ts_bm.ko.gz
- └─ ts_fsm.ko.gz
- └─ ts_kmp.ko.gz
- └─ zstd
 - └─ zstd_compress.ko.gz

- └─ net
 - └─ 802
 - └─ garp.ko.gz
 - └─ mrp.ko.gz
 - └─ p8022.ko.gz
 - └─ psnap.ko.gz
 - └─ stp.ko.gz
 - └─ 8021q
 - └─ 8021q.ko.gz
 - └─ 9p
 - └─ 9pnet.ko.gz
 - └─ 9pnet_fd.ko.gz
 - └─ 9pnet_virtio.ko.gz
 - └─ bridge
 - └─ br_netfilter.ko.gz
 - └─ bridge.ko.gz
 - └─ netfilter
 - └─ ebt_802_3.ko.gz
 - └─ ebt_among.ko.gz
 - └─ ebt_arp.ko.gz
 - └─ ebt_arpreply.ko.gz
 - └─ ebt_dnat.ko.gz

- ebt_ip.ko.gz
- ebt_ip6.ko.gz
- ebt_limit.ko.gz
- ebt_log.ko.gz
- ebt_mark.ko.gz
- ebt_mark_m.ko.gz
- ebt_nflog.ko.gz
- ebt_pkttype.ko.gz
- ebt_redirect.ko.gz
- ebt_snat.ko.gz
- ebt_stp.ko.gz
- ebt_vlan.ko.gz
- ebtable_broute.ko.gz
- ebtable_filter.ko.gz
- ebtable_nat.ko.gz
- ebtables.ko.gz
- nf_conntrack_bridge.ko.gz
- nft_reject_bridge.ko.gz

ceph

- libceph.ko.gz

core

- failover.ko.gz

- pktgen.ko.gz

- selftests.ko.gz

dccp

- dccp.ko.gz

- dccp_diag.ko.gz

- dccp_ipv4.ko.gz

- dccp_ipv6.ko.gz

dns_resolver

- dns_resolver.ko.gz

ife

ife.ko.gz

ipv4

ah4.ko.gz

esp4.ko.gz

fou.ko.gz

gre.ko.gz

inet_diag.ko.gz

ip_gre.ko.gz

ip_tunnel.ko.gz

ip_vti.ko.gz

ipcomp.ko.gz

ipip.ko.gz

netfilter

arp_tables.ko.gz

arpt_mangle.ko.gz

arptable_filter.ko.gz

ip_tables.ko.gz

ipt_ECN.ko.gz

ipt_REJECT.ko.gz

ipt_SYNPROXY.ko.gz

ipt_ah.ko.gz

ipt_rpfilter.ko.gz

iptable_filter.ko.gz

iptable_mangle.ko.gz

iptable_nat.ko.gz

iptable_raw.ko.gz

nf_defrag_ipv4.ko.gz

nf_dup_ipv4.ko.gz

nf_nat_h323.ko.gz

nf_nat_pptp.ko.gz

nf_nat_snmp_basic.ko.gz

nf_reject_ipv4.ko.gz

- nf_socket_ipv4.ko.gz
- nf_tproxy_ipv4.ko.gz
- nft_dup_ipv4.ko.gz
- nft_fib_ipv4.ko.gz
- nft_reject_ipv4.ko.gz

- tcp_bbr.ko.gz
- tcp_bic.ko.gz
- tcp_cdg.ko.gz
- tcp_dctcp.ko.gz
- tcp_diag.ko.gz
- tcp_highspeed.ko.gz
- tcp_htcp.ko.gz
- tcp_hybla.ko.gz
- tcp_illinois.ko.gz
- tcp_lp.ko.gz
- tcp_nv.ko.gz
- tcp_scalable.ko.gz
- tcp_vegas.ko.gz
- tcp_veno.ko.gz
- tcp_westwood.ko.gz
- tcp_yeah.ko.gz
- tunnel4.ko.gz
- udp_diag.ko.gz
- udp_tunnel.ko.gz
- xfrm4_tunnel.ko.gz

- ipv6

- ah6.ko.gz
- esp6.ko.gz
- fou6.ko.gz
- ila
 - ila.ko.gz
- ip6_gre.ko.gz

- ip6_tunnel.ko.gz
- ip6_udp_tunnel.ko.gz
- ip6_vti.ko.gz
- ipcomp6.ko.gz
- ipv6.ko.gz
- mip6.ko.gz
- netfilter
 - ip6_tables.ko.gz
 - ip6t_NPT.ko.gz
 - ip6t_REJECT.ko.gz
 - ip6t_SYNPROXY.ko.gz
 - ip6t_ah.ko.gz
 - ip6t_eui64.ko.gz
 - ip6t_frag.ko.gz
 - ip6t_hbh.ko.gz
 - ip6t_ipv6header.ko.gz
 - ip6t_mh.ko.gz
 - ip6t_rpfilter.ko.gz
 - ip6t_rt.ko.gz
 - ip6t_srh.ko.gz
 - ip6table_filter.ko.gz
 - ip6table_mangle.ko.gz
 - ip6table_nat.ko.gz
 - ip6table_raw.ko.gz
 - nf_defrag_ipv6.ko.gz
 - nf_dup_ipv6.ko.gz
 - nf_reject_ipv6.ko.gz
 - nf_socket_ipv6.ko.gz
 - nf_tproxy_ipv6.ko.gz
 - nft_dup_ipv6.ko.gz
 - nft_fib_ipv6.ko.gz
 - nft_reject_ipv6.ko.gz

```
graph LR; Root[ ] --- sit_ko_gz[sit.ko.gz]; Root --- tunnel6_ko_gz[tunnel6.ko.gz]; Root --- xfrm6_tunnel_ko_gz[xfrm6_tunnel.ko.gz]; Root --- key; Root --- af_key_ko_gz[af_key.ko.gz]; Root --- l2tp; Root --- l2tp_core_ko_gz[l2tp_core.ko.gz]; Root --- l2tp_eth_ko_gz[l2tp_eth.ko.gz]; Root --- l2tp_ip_ko_gz[l2tp_ip.ko.gz]; Root --- l2tp_ip6_ko_gz[l2tp_ip6.ko.gz]; Root --- l2tp_netlink_ko_gz[l2tp_netlink.ko.gz]; Root --- l2tp_ppp_ko_gz[l2tp_ppp.ko.gz]; Root --- llc; Root --- llc_ko_gz[llc.ko.gz]; Root --- llc2_ko_gz[llc2.ko.gz]; Root --- mpls; Root --- mpls_gso_ko_gz[mps_gso.ko.gz]; Root --- mpls_ip_tunnel_ko_gz[mps_ip_tunnel.ko.gz]; Root --- mpls_router_ko_gz[mps_router.ko.gz]; Root --- netfilter; Root --- ipset; Root --- ip_set_ko_gz[ip_set.ko.gz]; Root --- ip_set_bitmap_ip_ko_gz[ip_set_bitmap_ip.ko.gz]; Root --- ip_set_bitmap_ipmac_ko_gz[ip_set_bitmap_ipmac.ko.gz]; Root --- ip_set_bitmap_port_ko_gz[ip_set_bitmap_port.ko.gz]; Root --- ip_set_hash_ip_ko_gz[ip_set_hash_ip.ko.gz]; Root --- ip_set_hash_ipmac_ko_gz[ip_set_hash_ipmac.ko.gz]; Root --- ip_set_hash_ipmark_ko_gz[ip_set_hash_ipmark.ko.gz]; Root --- ip_set_hash_ipport_ko_gz[ip_set_hash_ipport.ko.gz]; Root --- ip_set_hash_ipportip_ko_gz[ip_set_hash_ipportip.ko.gz]; Root --- ip_set_hash_ipportnet_ko_gz[ip_set_hash_ipportnet.ko.gz]; Root --- ip_set_hash_mac_ko_gz[ip_set_hash_mac.ko.gz];
```

- sit.ko.gz
- tunnel6.ko.gz
- xfrm6_tunnel.ko.gz
- key
 - af_key.ko.gz
- l2tp
 - l2tp_core.ko.gz
 - l2tp_eth.ko.gz
 - l2tp_ip.ko.gz
 - l2tp_ip6.ko.gz
 - l2tp_netlink.ko.gz
 - l2tp_ppp.ko.gz
- llc
 - llc.ko.gz
 - llc2.ko.gz
- mpls
 - mpls_gso.ko.gz
 - mpls_ip_tunnel.ko.gz
 - mpls_router.ko.gz
- netfilter
 - ipset
 - ip_set.ko.gz
 - ip_set_bitmap_ip.ko.gz
 - ip_set_bitmap_ipmac.ko.gz
 - ip_set_bitmap_port.ko.gz
 - ip_set_hash_ip.ko.gz
 - ip_set_hash_ipmac.ko.gz
 - ip_set_hash_ipmark.ko.gz
 - ip_set_hash_ipport.ko.gz
 - ip_set_hash_ipportip.ko.gz
 - ip_set_hash_ipportnet.ko.gz
 - ip_set_hash_mac.ko.gz

- └─ ip_set_hash_net.ko.gz
- └─ ip_set_hash_netiface.ko.gz
- └─ ip_set_hash_netnet.ko.gz
- └─ ip_set_hash_netport.ko.gz
- └─ ip_set_hash_netportnet.ko.gz
- └─ ip_set_list_set.ko.gz
- └─ ipvs
 - └─ ip_vs.ko.gz
 - └─ ip_vs_dh.ko.gz
 - └─ ip_vs_fo.ko.gz
 - └─ ip_vs_ftp.ko.gz
 - └─ ip_vs_lblc.ko.gz
 - └─ ip_vs_lblcr.ko.gz
 - └─ ip_vs_lc.ko.gz
 - └─ ip_vs_mh.ko.gz
 - └─ ip_vs_nq.ko.gz
 - └─ ip_vs_ovf.ko.gz
 - └─ ip_vs_pe_sip.ko.gz
 - └─ ip_vs_rr.ko.gz
 - └─ ip_vs_sed.ko.gz
 - └─ ip_vs_sh.ko.gz
 - └─ ip_vs_wlc.ko.gz
 - └─ ip_vs_wrr.ko.gz
- └─ nf_conncount.ko.gz
- └─ nf_conntrack.ko.gz
- └─ nf_conntrack_amanda.ko.gz
- └─ nf_conntrack_broadcast.ko.gz
- └─ nf_conntrack_ftp.ko.gz
- └─ nf_conntrack_h323.ko.gz
- └─ nf_conntrack_irc.ko.gz
- └─ nf_conntrack_netbios_ns.ko.gz
- └─ nf_conntrack_netlink.ko.gz

						nf_conntrack_pptp.ko.gz
						nf_conntrack_sane.ko.gz
						nf_conntrack_sip.ko.gz
						nf_conntrack_snmp.ko.gz
						nf_conntrack_tftp.ko.gz
						nf_dup_netdev.ko.gz
						nf_flow_table.ko.gz
						nf_flow_table_inet.ko.gz
						nf_log_syslog.ko.gz
						nf_nat.ko.gz
						nf_nat_amanda.ko.gz
						nf_nat_ftp.ko.gz
						nf_nat_irc.ko.gz
						nf_nat_sip.ko.gz
						nf_nat_tftp.ko.gz
						nf_synproxy_core.ko.gz
						nf_tables.ko.gz
						nfnetlink.ko.gz
						nfnetlink_acct.ko.gz
						nfnetlink_cthelper.ko.gz
						nfnetlink_cttimeout.ko.gz
						nfnetlink_log.ko.gz
						nfnetlink_osf.ko.gz
						nfnetlink_queue.ko.gz
						nft_chain_nat.ko.gz
						nft_compat.ko.gz
						nft_connlimit.ko.gz
						nft_ct.ko.gz
						nft_dup_netdev.ko.gz
						nft_fib.ko.gz
						nft_fib_inet.ko.gz
						nft_fib_netdev.ko.gz

						— nft_flow_offload.ko.gz
						— nft_fwd_netdev.ko.gz
						— nft_hash.ko.gz
						— nft_limit.ko.gz
						— nft_log.ko.gz
						— nft_masq.ko.gz
						— nft_nat.ko.gz
						— nft_numgen.ko.gz
						— nft_osf.ko.gz
						— nft_queue.ko.gz
						— nft_quota.ko.gz
						— nft_redir.ko.gz
						— nft_reject.ko.gz
						— nft_reject_inet.ko.gz
						— nft_socket.ko.gz
						— nft_tproxy.ko.gz
						— nft_tunnel.ko.gz
						— x_tables.ko.gz
						— xt_AUDIT.ko.gz
						— xt_CHECKSUM.ko.gz
						— xt_CLASSIFY.ko.gz
						— xt_CONNSECMARK.ko.gz
						— xt_CT.ko.gz
						— xt_DSCP.ko.gz
						— xt_HL.ko.gz
						— xt_HMARK.ko.gz
						— xt_IDLETIMER.ko.gz
						— xt_LOG.ko.gz
						— xt_MASQUERADE.ko.gz
						— xt_NETMAP.ko.gz
						— xt_NFLOG.ko.gz
						— xt_NFQUEUE.ko.gz

						xt_RATEEST.ko.gz
						xt_REDIRECT.ko.gz
						xt_SECMARK.ko.gz
						xt_TCPMSS.ko.gz
						xt_TCPOPTSTRIP.ko.gz
						xt_TEE.ko.gz
						xt_TPROXY.ko.gz
						xt_TRACE.ko.gz
						xt_addrtype.ko.gz
						xt_bpf.ko.gz
						xt_cgroup.ko.gz
						xt_cluster.ko.gz
						xt_comment.ko.gz
						xt_connbytes.ko.gz
						xt_connlabel.ko.gz
						xt_connlimit.ko.gz
						xt_connmark.ko.gz
						xt_conntrack.ko.gz
						xt_cpu.ko.gz
						xt_dccp.ko.gz
						xt_devgroup.ko.gz
						xt_dscp.ko.gz
						xt_ecn.ko.gz
						xt_esp.ko.gz
						xt_hashlimit.ko.gz
						xt_helper.ko.gz
						xt_hl.ko.gz
						xt_ipcomp.ko.gz
						xt_iprange.ko.gz
						xt_ipvs.ko.gz
						xt_l2tp.ko.gz
						xt_length.ko.gz

- xt_limit.ko.gz
- xt_mac.ko.gz
- xt_mark.ko.gz
- xt_multiport.ko.gz
- xt_nat.ko.gz
- xt_nfacct.ko.gz
- xt_osf.ko.gz
- xt_owner.ko.gz
- xt_physdev.ko.gz
- xt_pkttype.ko.gz
- xt_policy.ko.gz
- xt_quota.ko.gz
- xt_rateest.ko.gz
- xt_realm.ko.gz
- xt_recent.ko.gz
- xt_sctp.ko.gz
- xt_set.ko.gz
- xt_socket.ko.gz
- xt_state.ko.gz
- xt_statistic.ko.gz
- xt_string.ko.gz
- xt_tcpmss.ko.gz
- xt_tcpudp.ko.gz
- xt_time.ko.gz
- xt_u32.ko.gz
- netlink
 - netlink_diag.ko.gz
- nsh
 - nsh.ko.gz
- openvswitch
 - openvswitch.ko.gz
- vport-geneve.ko.gz

```
graph TD; vport-gre.ko.gz --- vport-vxlan.ko.gz; vport-gre.ko.gz --- packet; packet --- af_packet.ko.gz; packet --- af_packet_diag.ko.gz; af_packet_diag.ko.gz --- sched; sched --- act_bpf.ko.gz; sched --- act_connmark.ko.gz; sched --- act_csum.ko.gz; sched --- act_gact.ko.gz; sched --- act_ife.ko.gz; sched --- act_ipt.ko.gz; sched --- act_meta_mark.ko.gz; sched --- act_meta_skbprio.ko.gz; sched --- act_meta_skbtcindex.ko.gz; sched --- act_mirred.ko.gz; sched --- act_nat.ko.gz; sched --- act_pedit.ko.gz; sched --- act_police.ko.gz; sched --- act_simple.ko.gz; sched --- act_skbedit.ko.gz; sched --- act_skbmod.ko.gz; sched --- act_tunnel_key.ko.gz; sched --- act_vlan.ko.gz; sched --- cls_basic.ko.gz; sched --- cls_bpf.ko.gz; sched --- cls_cgroup.ko.gz; sched --- cls_flow.ko.gz; sched --- cls_flower.ko.gz; sched --- cls_fw.ko.gz; sched --- cls_matchall.ko.gz; sched --- cls_route.ko.gz;
```


- vport-gre.ko.gz
 - vport-vxlan.ko.gz
 - packet
 - af_packet.ko.gz
 - af_packet_diag.ko.gz
 - sched
 - act_bpf.ko.gz
 - act_connmark.ko.gz
 - act_csum.ko.gz
 - act_gact.ko.gz
 - act_ife.ko.gz
 - act_ipt.ko.gz
 - act_meta_mark.ko.gz
 - act_meta_skbprio.ko.gz
 - act_meta_skbtcindex.ko.gz
 - act_mirred.ko.gz
 - act_nat.ko.gz
 - act_pedit.ko.gz
 - act_police.ko.gz
 - act_simple.ko.gz
 - act_skbedit.ko.gz
 - act_skbmod.ko.gz
 - act_tunnel_key.ko.gz
 - act_vlan.ko.gz
 - cls_basic.ko.gz
 - cls_bpf.ko.gz
 - cls_cgroup.ko.gz
 - cls_flow.ko.gz
 - cls_flower.ko.gz
 - cls_fw.ko.gz
 - cls_matchall.ko.gz
 - cls_route.ko.gz

- [cls_u32.ko.gz](#)
- [em_cmp.ko.gz](#)
- [em_ipset.ko.gz](#)
- [em_ipt.ko.gz](#)
- [em_meta.ko.gz](#)
- [em_nbyte.ko.gz](#)
- [em_text.ko.gz](#)
- [em_u32.ko.gz](#)
- [sch_cake.ko.gz](#)
- [sch_cbs.ko.gz](#)
- [sch_choke.ko.gz](#)
- [sch_codel.ko.gz](#)
- [sch_drr.ko.gz](#)
- [sch_ets.ko.gz](#)
- [sch_fq.ko.gz](#)
- [sch_fq_codel.ko.gz](#)
- [sch_fq_pie.ko.gz](#)
- [sch_gred.ko.gz](#)
- [sch_hfsc.ko.gz](#)
- [sch_hhf.ko.gz](#)
- [sch_htb.ko.gz](#)
- [sch_ingress.ko.gz](#)
- [sch_mqprio.ko.gz](#)
- [sch_mqprio_lib.ko.gz](#)
- [sch_multiq.ko.gz](#)
- [sch_netem.ko.gz](#)
- [sch_pie.ko.gz](#)
- [sch_plug.ko.gz](#)
- [sch_prio.ko.gz](#)
- [sch_qfq.ko.gz](#)
- [sch_red.ko.gz](#)
- [sch_sfb.ko.gz](#)

- sch_sfq.ko.gz
- sch_skbprio.ko.gz
- sch_tbf.ko.gz
- sch_teql.ko.gz
- sctp
 - sctp.ko.gz
 - sctp_diag.ko.gz
- sunrpc
 - auth_gss
 - auth_rpcgss.ko.gz
 - rpcsec_gss_krb5.ko.gz
 - sunrpc.ko.gz
- tls
 - tls.ko.gz
- unix
 - unix_diag.ko.gz
- vmw_vsock
 - hv_sock.ko.gz
 - vmw_vsock_virtio_transport.ko.gz
 -

vmw_vsock_virtio_transport_common.ko.gz

- vsock.ko.gz
- vsock_diag.ko.gz
- vsock_loopback.ko.gz
- xfrm
 - xfrm_algo.ko.gz
 - xfrm_interface.ko.gz
 - xfrm_ipcomp.ko.gz
 - xfrm_user.ko.gz
- security
 - keys
 - encrypted-keys



225 directories, 946 files

KhanOS-Feodal-Final-Fixed.iso KhanOS_Memory.img
grub.cfg khanos_banner.txt startup.nsh
KhanOS-Feodal-Final.iso append.cfg
isolinux.cfg khanos_iso vi

./khanos_iso:

EFI LICENSE boot etc isolinux

./khanos_iso/EFI:
BOOT

./khanos_iso/EFI/BOOT:
BOOTAA64.EFI fallback.efi

./khanos_iso/boot:
append.cfg grub linux-
virt-6.6.117-r0.3cee1f73.apk modloop-virt
rootfs.squashfs vmlinuz-virt

./khanos_iso/boot/grub:
grub.cfg i386-pc

./khanos_iso/boot/grub/i386-pc:
core.img

./khanos_iso/boot/modloop-virt:
initramfs-suffix kernel-suffix modules.alias.bin
modules.builtin.alias.bin modules.builtin.modinfo
modules.dep.bin modules.order
modules.symbols
kernel modules.alias modules.builtin
modules.builtin.bin modules.dep
modules.devname modules.softdep
modules.symbols.bin

./khanos_iso/boot/modloop-virt/kernel:
arch block crypto drivers fs lib net security

./khanos_iso/boot/modloop-virt/kernel/arch:

arm64

./khanos_iso/boot/modloop-virt/kernel/arch/arm64:
crypto lib

./khanos_iso/boot/modloop-virt/kernel/arch/arm64/crypto:
aes-ce-blk.ko.gz aes-ce-cipher.ko.gz aes-neon-bs.ko.gz
 crct10dif-ce.ko.gz nhpoly1305-neon.ko.gz sha1-ce.ko.gz
 sha256-arm64.ko.gz sha512-arm64.ko.gz sm3-
ce.ko.gz sm4-ce-cipher.ko.gz
aes-ce-ccm.ko.gz aes-neon-blk.ko.gz chacha-
neon.ko.gz ghash-ce.ko.gz poly1305-neon.ko.gz
sha2-ce.ko.gz sha3-ce.ko.gz sha512-ce.ko.gz
sm3-neon.ko.gz

./khanos_iso/boot/modloop-virt/kernel/arch/arm64/lib:
xor-neon.ko.gz

./khanos_iso/boot/modloop-virt/kernel/block:
t10-pi.ko.gz

./khanos_iso/boot/modloop-virt/kernel/crypto:
adiantum.ko.gz async_tx
cast6_generic.ko.gz crc32c_generic.ko.gz
ecdsa_generic.ko.gz lz4hc.ko.gz
rmd160.ko.gz twofish_generic.ko.gz
aegis128.ko.gz authenc.ko.gz
cast_common.ko.gz crc64_rocksoft_generic.ko.gz
echainiv.ko.gz md4.ko.gz
serpent_generic.ko.gz vmac.ko.gz
af_alg.ko.gz authencesn.ko.gz ccm.ko.gz
 crypto_engine.ko.gz essiv.ko.gz

michael_mic.ko.gz sha1_generic.ko.gz
wp512.ko.gz
algif_aead.ko.gz blake2b_generic.ko.gz cfb.ko.gz
 crypto_user.ko.gz fcrypt.ko.gz
nhpoly1305.ko.gz sm2_generic.ko.gz
xcbc.ko.gz
algif_hash.ko.gz blowfish_common.ko.gz
chacha20poly1305.ko.gz curve25519-generic.ko.gz
hctr2.ko.gz pcbc.ko.gz sm3.ko.gz
 xctr.ko.gz
algif_rng.ko.gz blowfish_generic.ko.gz
chacha_generic.ko.gz des_generic.ko.gz
keywrap.ko.gz pccrypt.ko.gz sm4.ko.gz
 xor.ko.gz
algif_skcipher.ko.gz camellia_generic.ko.gz
cmac.ko.gz ecc.ko.gz lrw.ko.gz
 poly1305_generic.ko.gz tcrypt.ko.gz
xxhash_generic.ko.gz
ansi_cprng.ko.gz cast5_generic.ko.gz
crc32_generic.ko.gz ecdh_generic.ko.gz
lz4.ko.gz polyval-generic.ko.gz
twofish_common.ko.gz

./khanos_iso/boot/modloop-virt/kernel/crypto/async_tx:

async_memcpy.ko.gz async_pq.ko.gz
async_raid6_recov.ko.gz async_tx.ko.gz
async_xor.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers:

acpi base cdrom cpufreq dma gpio hid
hwmon input mailbox misc net nvmem perf
ptp rpmsg scsi thermal vdpa video

ata block char crypto firmware gpu hv i2c
iommu md mtd nvme pci pps reset
rtc target usb vhost virtio

./khanos_iso/boot/modloop-virt/kernel/drivers/acpi:

apei button.ko.gz fan.ko.gz
thermal.ko.gz tiny-power-button.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/acpi/apei:

ejournal.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/ata:

ahci.ko.gz ata_generic.ko.gz ata_piix.ko.gz
libahci.ko.gz libata.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/base:

firmware_loader

./khanos_iso/boot/modloop-virt/kernel/drivers/base/

firmware_loader:

firmware_class.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/block:

drbd loop.ko.gz nbd.ko.gz rbd.ko.gz
virtio_blk.ko.gz zram

./khanos_iso/boot/modloop-virt/kernel/drivers/block/drbd:

drbd.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/block/zram:

zram.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/cdrom:
cdrom.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/char:
hw_random

./khanos_iso/boot/modloop-virt/kernel/drivers/char/
hw_random:
arm_smccc_trng.ko.gz cavium-rng-vf.ko.gz cavium-
rng.ko.gz cn10k-rng.ko.gz hisi-rng.ko.gz histb-
rng.ko.gz rng-core.ko.gz timeriomem-rng.ko.gz virtio-
rng.ko.gz xgene-rng.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/cpufreq:
cpufreq_conservative.ko.gz cpufreq_powersave.ko.gz
cpufreq_userspace.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/crypto:
cavium ccp qcom-rng.ko.gz virtio

./khanos_iso/boot/modloop-virt/kernel/drivers/crypto/
cavium:
cpt

./khanos_iso/boot/modloop-virt/kernel/drivers/crypto/
cavium/cpt:
cptpf.ko.gz cptvf.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/crypto/ccp:
ccp-crypto.ko.gz ccp.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/crypto/virtio:
virtio_crypto.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/dma:
dw qcom

./khanos_iso/boot/modloop-virt/kernel/drivers/dma/dw:
dw_dmac.ko.gz dw_dmac_core.ko.gz dw_dmac_pci.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/dma/qcom:
hdma.ko.gz hdma_mgmt.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/firmware:
arm_scp.ko.gz dmi-sysfs.ko.gz efi
qemu_fw_cfg.ko.gz scpi_pm_domain.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/firmware/efi:
efi-pstore.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/gpio:
gpio-pl061.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/gpu:
drm

./khanos_iso/boot/modloop-virt/kernel/drivers/gpu/drm:
drm.ko.gz drm_panel_orientation_quirks.ko.gz
drm_ttm_helper.ko.gz hyperv tiny
virtio
drm_kms_helper.ko.gz drm_shmem_helper.ko.gz
drm_vram_helper.ko.gz qxl ttm

./khanos_iso/boot/modloop-virt/kernel/drivers/gpu/drm/
hyperv:
hyperv_drm.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/gpu/drm/qxl:
qxl.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/gpu/drm/tiny:
bochs.ko.gz cirrus.ko.gz simpledrm.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/gpu/drm/ttm:
ttm.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/gpu/drm/
virtio:
virtio-gpu.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/hid:
hid-generic.ko.gz hid-hyperv.ko.gz hid.ko.gz uhid.ko.gz
usbhid

./khanos_iso/boot/modloop-virt/kernel/drivers/hid/usbhid:
usbhid.ko.gz usbkbd.ko.gz usbmouse.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/hv:
hv_balloon.ko.gz hv_utils.ko.gz hv_vmbus.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/hwmon:
acpi_power_meter.ko.gz hwmon.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/i2c:

algos busses i2c-core.ko.gz i2c-dev.ko.gz i2c-
mux.ko.gz i2c-smbus.ko.gz muxes

./khanos_iso/boot/modloop-virt/kernel/drivers/i2c/algos:
i2c-algo-pca.ko.gz i2c-algo-pcf.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/i2c/busses:
i2c-nforce2.ko.gz i2c-virtio.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/i2c/muxes:
i2c-mux-pca9541.ko.gz i2c-mux-pca954x.ko.gz i2c-mux-
pinctrl.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/input:
evdev.ko.gz serio

./khanos_iso/boot/modloop-virt/kernel/drivers/input/serio:
hyperv-keyboard.ko.gz serport.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/iommu:
virtio-iommu.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/mailbox:
arm_mhu.ko.gz arm_mhu_db.ko.gz mailbox-
xgene-slimpro.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/md:
bcache dm-cache.ko.gz dm-flakey.ko.gz
dm-log-writes.ko.gz dm-multipath.ko.gz dm-round-
robin.ko.gz dm-thin-pool.ko.gz dm-zero.ko.gz
multipath.ko.gz raid10.ko.gz
dm-bio-prison.ko.gz dm-crypt.ko.gz dm-integrity.ko.gz

dm-log.ko.gz dm-queue-length.ko.gz dm-service-
time.ko.gz dm-unstripe.ko.gz faulty.ko.gz
persistent-data raid456.ko.gz
dm-bufio.ko.gz dm-delay.ko.gz dm-io-affinity.ko.gz
dm-mirror.ko.gz dm-raid.ko.gz dm-snapshot.ko.gz
dm-verity.ko.gz linear.ko.gz raid0.ko.gz
dm-cache-smq.ko.gz dm-era.ko.gz dm-log-
userspace.ko.gz dm-mod.ko.gz dm-region-hash.ko.gz
dm-switch.ko.gz dm-writecache.ko.gz md-
cluster.ko.gz raid1.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/md/bcache:
bcache.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/md/
persistent-data:
dm-persistent-data.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/misc:
pvpanic

./khanos_iso/boot/modloop-virt/kernel/drivers/misc/
pvpanic:
pvpanic-mmio.ko.gz pvpanic-pci.ko.gz pvpanic.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/mtd:
chips maps mtd.ko.gz
mtd_blkdevs.ko.gz mtddbblock.ko.gz parsers ubi

./khanos_iso/boot/modloop-virt/kernel/drivers/mtd/chips:
cfi_cmdset_0001.ko.gz cfi_cmdset_0002.ko.gz
cfi_cmdset_0020.ko.gz cfi_probe.ko.gz cfi_util.ko.gz

chipreg.ko.gz gen_probe.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/mtd/maps:
physmap.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/mtd/parsers:
ofpart.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/mtd/ubi:
ubi.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/net:
bareudp.ko.gz ethernet ifb.ko.gz
macvlan.ko.gz net_failover.ko.gz phy tap.ko.gz
 veth.ko.gz vrf.ko.gz
bonding geneve.ko.gz ipvlan
macvtap.ko.gz netconsole.ko.gz ppp team
 virtio_net.ko.gz vxlan
dummy.ko.gz hyperv macsec.ko.gz mdio
 nlmon.ko.gz slip tun.ko.gz vmxnet3
 wireguard

./khanos_iso/boot/modloop-virt/kernel/drivers/net/bonding:
bonding.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/net/ethernet:
amazon google intel mellanox

./khanos_iso/boot/modloop-virt/kernel/drivers/net/ethernet/
amazon:
ena

./khanos_iso/boot/modloop-virt/kernel/drivers/net/ethernet/
amazon/ena:
ena.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/net/ethernet/
google:
gve

./khanos_iso/boot/modloop-virt/kernel/drivers/net/ethernet/
google/gve:
gve.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/net/ethernet/
intel:
e1000 e1000e ixgbevf

./khanos_iso/boot/modloop-virt/kernel/drivers/net/ethernet/
intel/e1000:
e1000.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/net/ethernet/
intel/e1000e:
e1000e.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/net/ethernet/
intel/ixgbevf:
ixgbevf.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/net/ethernet/
mellanox:
mlx4 mlx5

./khanos_iso/boot/modloop-virt/kernel/drivers/net/ethernet/
mellanox/mlx4:
mlx4_core.ko.gz mlx4_en.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/net/ethernet/
mellanox/mlx5:
core

./khanos_iso/boot/modloop-virt/kernel/drivers/net/ethernet/
mellanox/mlx5/core:
mlx5_core.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/net/hyperv:
hv_netvsc.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/net/ipvlan:
ipvlan.ko.gz ipvtap.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/net/mdio:
acpi_mdio.ko.gz fwnode_mdio.ko.gz of_mdio.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/net/phy:
dp83640.ko.gz fixed_phy.ko.gz libphy.ko.gz
mdio_devres.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/net/ppp:
bsd_comp.ko.gz ppp_async.ko.gz ppp_deflate.ko.gz
ppp_generic.ko.gz ppp_mppe.ko.gz ppp_synctty.ko.gz
pppox.ko.gz pptp.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/net/slip:

slhc.ko.gz slip.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/net/team:
team.ko.gz team_mode_activebackup.ko.gz
team_mode_broadcast.ko.gz
team_mode_loadbalance.ko.gz team_mode_random.ko.gz
team_mode_roundrobin.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/net/vmxnet3:
vmxnet3.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/net/vxlan:
vxlan.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/net/
wireguard:
wireguard.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/nvme:
host target

./khanos_iso/boot/modloop-virt/kernel/drivers/nvme/host:
nvme-core.ko.gz nvme-fabrics.ko.gz nvme.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/nvme/target:
nvme-loop.ko.gz nvmet.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/nvmem:
nvmem-rmem.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/pci:
controller hotplug pci-pf-stub.ko.gz pci-stub.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/pci/
controller:
pci-hyperv-intf.ko.gz pci-hyperv.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/pci/hotplug:
acpihp_ibm.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/perf:
thunderx2_pmu.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/pps:
pps_core.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/ptp:
ptp.ko.gz ptp_kvm.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/reset:
hisilicon

./khanos_iso/boot/modloop-virt/kernel/drivers/reset/
hisilicon:
hi6220_reset.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/rpmsg:
rpmsg_core.ko.gz rpmsg_ns.ko.gz
virtio_rpmsg_bus.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/rtc:
rtc-ds1286.ko.gz rtc-ds1511.ko.gz rtc-ds1553.ko.gz rtc-
ds1685.ko.gz rtc-ds1742.ko.gz rtc-ds2404.ko.gz rtc-
m48t35.ko.gz rtc-m48t59.ko.gz rtc-msm6242.ko.gz rtc-

rp5c01.ko.gz rtc-stk17ta8.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/scsi:

elx	libiscsi.ko.gz	mpi3mr
scsi_mod.ko.gz	scsi_transport_sas.ko.gz	
sd_mod.ko.gz	virtio_scsi.ko.gz	
hv_storvsc.ko.gz	libiscsi_tcp.ko.gz	
raid_class.ko.gz	scsi_transport_fc.ko.gz	
scsi_transport_spi.ko.gz	sg.ko.gz	
iscsi_tcp.ko.gz	libsas	scsi_common.ko.gz
	scsi_transport_iscsi.ko.gz	scsi_transport_srp.ko.gz
sr_mod.ko.gz		

./khanos_iso/boot/modloop-virt/kernel/drivers/scsi/elx:

efct.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/scsi/libsas:

libsas.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/scsi/mpi3mr:

mpi3mr.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/target:

target_core_mod.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/thermal:

hisi_thermal.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/usb:

common core host mon storage

./khanos_iso/boot/modloop-virt/kernel/drivers/usb/

common:

usb-common.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/usb/core:
usbcore.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/usb/host:
ehci-hcd.ko.gz ehci-pci.ko.gz ehci-platform.ko.gz ohci-
hcd.ko.gz ohci-pci.ko.gz ohci-platform.ko.gz uhci-
hcd.ko.gz xhci-hcd.ko.gz xhci-pci.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/usb/mon:
usbmon.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/usb/storage:
uas.ko.gz usb-storage.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/vdpa:
ifcvf vdpa.ko.gz vdpa_user virtio_pci

./khanos_iso/boot/modloop-virt/kernel/drivers/vdpa/ifcvf:
ifcvf.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/vdpa/
vdpa_user:
vduse.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/vdpa/
virtio_pci:
vp_vdpa.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/vhost:

vhost.ko.gz vhost_iotlb.ko.gz vhost_net.ko.gz
vhost_scsi.ko.gz vhost_vdpa.ko.gz vhost_vsock.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/video:
backlight fbdev

./khanos_iso/boot/modloop-virt/kernel/drivers/video/
backlight:
backlight.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/video/fbdev:
core

./khanos_iso/boot/modloop-virt/kernel/drivers/video/fbdev/
core:
fb.ko.gz fb_io_fops.ko.gz fb_sys_fops.ko.gz
syscopyarea.ko.gz sysfillrect.ko.gz sysimgblt.ko.gz

./khanos_iso/boot/modloop-virt/kernel/drivers/virtio:
virtio_balloon.ko.gz virtio_dma_buf.ko.gz virtio_input.ko.gz
virtio_mem.ko.gz virtio_mmio.ko.gz virtio_vdpa.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs:
9p cachefiles dlm ext4 fuse
 jfs nfs nls overlayfs romfs
 xfs
autofs ceph ecryptfs f2fs gfs2
 lockd nfs_common ntfs pstore
 smb
binfmt_misc.ko.gz configfs efivarfs fat
isofs mbcache.ko.gz nfsd ntfs3
quota squashfs

btrfs	cramfs	exfat	fscache	jbd2
netfs	nilfs2	ocfs2	reiserfs	
udf				

./khanos_iso/boot/modloop-virt/kernel/fs/9p:
9p.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/autofs:
autofs4.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/btrfs:
btrfs.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/cachefiles:
cachefiles.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/ceph:
ceph.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/configfs:
configfs.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/cramfs:
cramfs.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/dlm:
dlm.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/ecryptfs:
ecryptfs.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/efivarfs:

efivarfs.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/exfat:
exfat.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/ext4:
ext4.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/f2fs:
f2fs.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/fat:
fat.ko.gz msdos.ko.gz vfat.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/fscache:
fscache.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/fuse:
cuse.ko.gz fuse.ko.gz virtiofs.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/gfs2:
gfs2.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/isofs:
isofs.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/jbd2:
jbd2.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/jfs:
jfs.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/lockd:
lockd.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/netfs:
netfs.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/nfs:
blocklayout filelayout flexfilelayout nfs.ko.gz
nfsv2.ko.gz nfsv3.ko.gz nfsv4.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/nfs/blocklayout:
blocklayoutdriver.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/nfs/filelayout:
nfs_layout_nfsv41_files.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/nfs/flexfilelayout:
nfs_layout_flexfiles.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/nfs_common:
grace.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/nfsd:
nfsd.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/nlfs2:
nlfs2.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/nls:
mac-celtic.ko.gz mac-greek.ko.gz mac-turkish.ko.gz
nls_cp437.ko.gz nls_cp855.ko.gz nls_cp863.ko.gz

nls_cp874.ko.gz nls_euc-jp.ko.gz nls_iso8859-2.ko.gz
nls_iso8859-7.ko.gz nls_ucs2_utils.ko.gz
mac-centeuro.ko.gz mac-iceland.ko.gz nls_ascii.ko.gz
nls_cp737.ko.gz nls_cp857.ko.gz nls_cp864.ko.gz
nls_cp932.ko.gz nls_iso8859-1.ko.gz
nls_iso8859-3.ko.gz nls_iso8859-9.ko.gz nls_utf8.ko.gz
mac-croatian.ko.gz mac-inuit.ko.gz nls_cp1250.ko.gz
nls_cp775.ko.gz nls_cp860.ko.gz nls_cp865.ko.gz
nls_cp936.ko.gz nls_iso8859-13.ko.gz
nls_iso8859-4.ko.gz nls_koi8-r.ko.gz
mac-cyrillic.ko.gz mac-roman.ko.gz nls_cp1251.ko.gz
nls_cp850.ko.gz nls_cp861.ko.gz nls_cp866.ko.gz
nls_cp949.ko.gz nls_iso8859-14.ko.gz
nls_iso8859-5.ko.gz nls_koi8-ru.ko.gz
mac-gaelic.ko.gz mac-romanian.ko.gz nls_cp1255.ko.gz
nls_cp852.ko.gz nls_cp862.ko.gz nls_cp869.ko.gz
nls_cp950.ko.gz nls_iso8859-15.ko.gz
nls_iso8859-6.ko.gz nls_koi8-u.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/ntfs:
ntfs.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/ntfs3:
ntfs3.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/ocfs2:
cluster dlm dlmfs ocfs2.ko.gz
ocfs2_stack_o2cb.ko.gz ocfs2_stack_user.ko.gz
ocfs2_stackglue.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/ocfs2/cluster:
ocfs2_nodemanager.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/ocfs2/dlm:
ocfs2_dlm.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/ocfs2/dlmfs:
ocfs2_dlmfs.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/overlayfs:
overlay.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/pstore:
ramoops.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/quota:
quota_tree.ko.gz quota_v1.ko.gz quota_v2.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/reiserfs:
reiserfs.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/romfs:
romfs.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/smb:
client common server

./khanos_iso/boot/modloop-virt/kernel/fs/smb/client:
cifs.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/smb/common:
cifs_arc4.ko.gz cifs_md4.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/smb/server:

ksmbd.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/squashfs:
squashfs.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/udf:
udf.ko.gz

./khanos_iso/boot/modloop-virt/kernel/fs/xfs:
xfs.ko.gz

./khanos_iso/boot/modloop-virt/kernel/lib:
crc-ccitt.ko.gz crc16.ko.gz crc64.ko.gz
crc8.ko.gz libcrc32c.ko.gz lz4 raid6
 ts_bm.ko.gz ts_kmp.ko.gz
crc-itu-t.ko.gz crc64-rocksoft.ko.gz crc7.ko.gz
crypto lru_cache.ko.gz math
reed_solomon ts_fsm.ko.gz zstd

./khanos_iso/boot/modloop-virt/kernel/lib/crypto:
libarc4.ko.gz libchacha.ko.gz
libchacha20poly1305.ko.gz libcurve25519-generic.ko.gz
libcurve25519.ko.gz libdes.ko.gz
libpoly1305.ko.gz

./khanos_iso/boot/modloop-virt/kernel/lib/lz4:
lz4_compress.ko.gz lz4hc_compress.ko.gz

./khanos_iso/boot/modloop-virt/kernel/lib/math:
cordic.ko.gz

./khanos_iso/boot/modloop-virt/kernel/lib/raid6:

raid6_pq.ko.gz

./khanos_iso/boot/modloop-virt/kernel/lib/reed_solomon:
reed_solomon.ko.gz

./khanos_iso/boot/modloop-virt/kernel/lib/zstd:
zstd_compress.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net:
802 9p ceph dccp ife ipv6
l2tp mpls netlink openvswitch sched
sunrpc unix xfrm
8021q bridge core dns_resolver ipv4 key
 llc netfilter nsh packet sctp tls
vmw_vsock

./khanos_iso/boot/modloop-virt/kernel/net/802:
garp.ko.gz mrp.ko.gz p8022.ko.gz psnap.ko.gz stp.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/8021q:
8021q.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/9p:
9pnet.ko.gz 9pnet_fd.ko.gz 9pnet_virtio.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/bridge:
br_netfilter.ko.gz bridge.ko.gz netfilter

./khanos_iso/boot/modloop-virt/kernel/net/bridge/netfilter:
ebt_802_3.ko.gz ebt_arpreply.ko.gz ebt_ip6.ko.gz
 ebt_mark.ko.gz ebt_pkttype.ko.gz
ebt_stp.ko.gz ebtable_filter.ko.gz

nf_conntrack_bridge.ko.gz

ebt_among.ko.gz

ebt_dnat.ko.gz

ebt_limit.ko.gz

ebt_mark_m.ko.gz

ebt_redirect.ko.gz

ebt_vlan.ko.gz

ebtable_nat.ko.gz

nft_reject_bridge.ko.gz

ebt_arp.ko.gz

ebt_ip.ko.gz

ebt_log.ko.gz

ebt_nflog.ko.gz

ebt_snat.ko.gz

ebtable_broute.ko.gz

ebtables.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/ceph:

libceph.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/core:

failover.ko.gz pktgen.ko.gz selftests.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/dccp:

dccp.ko.gz dccp_diag.ko.gz dccp_ipv4.ko.gz

dccp_ipv6.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/dns_resolver:

dns_resolver.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/ife:

ife.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/ipv4:

ah4.ko.gz

gre.ko.gz

ip_tunnel.ko.gz

ipip.ko.gz

tcp_bic.ko.gz

tcp_diag.ko.gz

tcp_hybla.ko.gz

tcp_nv.ko.gz

tcp_veno.ko.gz

tunnel4.ko.gz

xfrm4_tunnel.ko.gz

esp4.ko.gz

inet_diag.ko.gz

ip_vti.ko.gz

netfilter

tcp_cdg.ko.gz

tcp_highspeed.ko.gz

tcp_illinois.ko.gz tcp_scalable.ko.gz tcp_westwood.ko.gz
udp_diag.ko.gz
fou.ko.gz ip_gre.ko.gz ipcomp.ko.gz
tcp_bbr.ko.gz tcp_dctcp.ko.gz tcp_htcp.ko.gz
tcp_lp.ko.gz tcp_vegas.ko.gz tcp_yeah.ko.gz
udp_tunnel.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/ipv4/netfilter:

arp_tables.ko.gz ip_tables.ko.gz
ipt_SYNPROXY.ko.gz iptable_filter.ko.gz
iptable_raw.ko.gz nf_nat_h323.ko.gz
nf_reject_ipv4.ko.gz nft_dup_ipv4.ko.gz
arpt_mangle.ko.gz ipt_ECN.ko.gz ipt_ah.ko.gz
iptable_mangle.ko.gz nf_defrag_ipv4.ko.gz
nf_nat_pptp.ko.gz nf_socket_ipv4.ko.gz
nft_fib_ipv4.ko.gz
arptable_filter.ko.gz ipt_REJECT.ko.gz ipt_rpfilter.ko.gz
iptable_nat.ko.gz nf_dup_ipv4.ko.gz
nf_nat_snmp_basic.ko.gz nf_tproxy_ipv4.ko.gz
nft_reject_ipv4.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/ipv6:

ah6.ko.gz fou6.ko.gz ip6_gre.ko.gz
ip6_udp_tunnel.ko.gz ipcomp6.ko.gz mip6.ko.gz
sit.ko.gz xfrm6_tunnel.ko.gz
esp6.ko.gz ila ip6_tunnel.ko.gz
ip6_vti.ko.gz ipv6.ko.gz netfilter
tunnel6.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/ipv6/ila:

ila.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/ipv6/netfilter:
ip6_tables.ko.gz ip6t_SYNPROXY.ko.gz ip6t_frag.ko.gz
 ip6t_mh.ko.gz ip6t_srh.ko.gz ip6table_nat.ko.gz
nf_dup_ipv6.ko.gz nf_tproxy_ipv6.ko.gz
nft_reject_ipv6.ko.gz
ip6t_NPT.ko.gz ip6t_ah.ko.gz ip6t_hbh.ko.gz
ip6t_rpfilter.ko.gz ip6table_filter.ko.gz ip6table_raw.ko.gz
nf_reject_ipv6.ko.gz nft_dup_ipv6.ko.gz
ip6t_REJECT.ko.gz ip6t_eui64.ko.gz
ip6t_ipv6header.ko.gz ip6t_rt.ko.gz
ip6table_mangle.ko.gz nf_defrag_ipv6.ko.gz
nf_socket_ipv6.ko.gz nft_fib_ipv6.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/key:
af_key.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/l2tp:
l2tp_core.ko.gz l2tp_eth.ko.gz l2tp_ip.ko.gz
l2tp_ip6.ko.gz l2tp_netlink.ko.gz l2tp_ppp.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/llc:
llc.ko.gz llc2.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/mpls:
mpls_gso.ko.gz mpls_ip_tunnel.ko.gz mpls_router.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/netfilter:
ipset nf_flow_table.ko.gz
nfnetlink_queue.ko.gz nft_osf.ko.gz
xt_HMARK.ko.gz xt_cgroup.ko.gz
xt_ipcomp.ko.gz xt_rateest.ko.gz

ipvs	nf_flow_table_inet.ko.gz
nft_chain_nat.ko.gz	nft_queue.ko.gz
xt_IDLETIMER.ko.gz	xt_cluster.ko.gz
xt_iprange.ko.gz	xt_realm.ko.gz
nf_conncount.ko.gz	nf_log_syslog.ko.gz
nft_compat.ko.gz	nft_quota.ko.gz
xt_LOG.ko.gz	xt_comment.ko.gz
xt_ipvs.ko.gz	xt_recent.ko.gz
nf_conntrack.ko.gz	nf_nat.ko.gz
nft_connlimit.ko.gz	nft_redir.ko.gz
xt_MASQUERADE.ko.gz	xt_connbytes.ko.gz
xt_l2tp.ko.gz	xt_sctp.ko.gz
nf_conntrack_amanda.ko.gz	nf_nat_amanda.ko.gz
nft_ct.ko.gz	nft_reject.ko.gz
xt_NETMAP.ko.gz	xt_connlabel.ko.gz
xt_length.ko.gz	xt_set.ko.gz
nf_conntrack_broadcast.ko.gz	nf_nat_ftp.ko.gz
nft_dup_netdev.ko.gz	nft_reject_inet.ko.gz
xt_NFLOG.ko.gz	xt_connlimit.ko.gz
xt_limit.ko.gz	xt_socket.ko.gz
nf_conntrack_ftp.ko.gz	nf_nat_irc.ko.gz
nft_fib.ko.gz	nft_socket.ko.gz
xt_NFQUEUE.ko.gz	xt_connmark.ko.gz
xt_mac.ko.gz	xt_state.ko.gz
nf_conntrack_h323.ko.gz	nf_nat_sip.ko.gz
nft_fib_inet.ko.gz	nft_tproxy.ko.gz
xt_RATEEST.ko.gz	xt_conntrack.ko.gz
xt_mark.ko.gz	xt_statistic.ko.gz
nf_conntrack_irc.ko.gz	nf_nat_tftp.ko.gz
nft_fib_netdev.ko.gz	nft_tunnel.ko.gz
xt_REDIRECT.ko.gz	xt_cpu.ko.gz
xt_multiport.ko.gz	xt_string.ko.gz

nf_conntrack_netbios_ns.ko.gz nf_synproxy_core.ko.gz
nft_flow_offload.ko.gz xt_tables.ko.gz
xt_SECMARK.ko.gz xt_dccp.ko.gz
xt_nat.ko.gz xt_tcpmss.ko.gz
nf_conntrack_netlink.ko.gz nf_tables.ko.gz
nft_fwd_netdev.ko.gz xt_AUDIT.ko.gz
xt_TCPMSS.ko.gz xt_devgroup.ko.gz
xt_nfacct.ko.gz xt_tcpudp.ko.gz
nf_conntrack_pptp.ko.gz nfnetlink.ko.gz
nft_hash.ko.gz xt_CHECKSUM.ko.gz
xt_TCPOPTSTRIP.ko.gz xt_dscp.ko.gz
xt_osf.ko.gz xt_time.ko.gz
nf_conntrack_sane.ko.gz nfnetlink_acct.ko.gz
nft_limit.ko.gz xt_CLASSIFY.ko.gz
xt_TEE.ko.gz xt_ecn.ko.gz
xt_owner.ko.gz xt_u32.ko.gz
nf_conntrack_sip.ko.gz nfnetlink_cthelper.ko.gz
nft_log.ko.gz xt_CONNSECMARK.ko.gz
xt_TPROXY.ko.gz xt_esp.ko.gz
xt_physdev.ko.gz
nf_conntrack_snmp.ko.gz nfnetlink_cttimeout.ko.gz
nft_masq.ko.gz xt_CT.ko.gz
xt_TRACE.ko.gz xt_hashlimit.ko.gz
xt_pkttype.ko.gz
nf_conntrack_tftp.ko.gz nfnetlink_log.ko.gz
nft_nat.ko.gz xt_DSCP.ko.gz
xt_addrtype.ko.gz xt_helper.ko.gz
xt_policy.ko.gz
nf_dup_netdev.ko.gz nfnetlink_osf.ko.gz
nft_numgen.ko.gz xt_HL.ko.gz
xt_bpf.ko.gz xt_hl.ko.gz xt_quota.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/netfilter/ipset:
ip_set.ko.gz ip_set_bitmap_port.ko.gz
ip_set_hash_ipmark.ko.gz ip_set_hash_ipportnet.ko.gz
ip_set_hash_netiface.ko.gz ip_set_hash_netportnet.ko.gz
ip_set_bitmap_ip.ko.gz ip_set_hash_ip.ko.gz
ip_set_hash_ipport.ko.gz ip_set_hash_mac.ko.gz
ip_set_hash_netnet.ko.gz ip_set_list_set.ko.gz
ip_set_bitmap_ipmac.ko.gz ip_set_hash_ipmac.ko.gz
ip_set_hash_ipportip.ko.gz ip_set_hash_net.ko.gz
ip_set_hash_netport.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/netfilter/ipvs:
ip_vs.ko.gz ip_vs_fo.ko.gz ip_vs_lblc.ko.gz
ip_vs_lc.ko.gz ip_vs_nq.ko.gz ip_vs_pe_sip.ko.gz
ip_vs_sed.ko.gz ip_vs_wlc.ko.gz
ip_vs_dh.ko.gz ip_vs_ftp.ko.gz ip_vs_lblcr.ko.gz
ip_vs_mh.ko.gz ip_vs_ovf.ko.gz ip_vs_rr.ko.gz
ip_vs_sh.ko.gz ip_vs_wrr.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/netlink:
netlink_diag.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/nsh:
nsh.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/openvswitch:
openvswitch.ko.gz vport-geneve.ko.gz vport-gre.ko.gz
vport-vxlan.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/packet:
af_packet.ko.gz af_packet_diag.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/sched:

act_bpf.ko.gz	act_meta_skbprio.ko.gz	
act_skbedit.ko.gz	cls_flow.ko.gz	em_ipset.ko.gz
sch_cbs.ko.gz	sch_fq_pie.ko.gz	
sch_mqprio_lib.ko.gz	sch_red.ko.gz	
act_connmark.ko.gz	act_meta_skbtcindex.ko.gz	
act_skbmod.ko.gz	cls_flower.ko.gz	em_ipt.ko.gz
sch_choke.ko.gz	sch_gred.ko.gz	
sch_multiq.ko.gz	sch_sfb.ko.gz	
act_csum.ko.gz	act_mirred.ko.gz	
act_tunnel_key.ko.gz	cls_fw.ko.gz	em_meta.ko.gz
sch_codel.ko.gz	sch_hfsc.ko.gz	
sch_netem.ko.gz	sch_sfq.ko.gz	
act_gact.ko.gz	act_nat.ko.gz	act_vlan.ko.gz
cls_matchall.ko.gz	em_nbyte.ko.gz	
sch_drr.ko.gz	sch_hhf.ko.gz	sch_pie.ko.gz
sch_skbprio.ko.gz		
act_ife.ko.gz	act_pedit.ko.gz	cls_basic.ko.gz
cls_route.ko.gz	em_text.ko.gz	sch_etf.ko.gz
sch_htb.ko.gz	sch_plug.ko.gz	
sch_tbf.ko.gz		
act_ipt.ko.gz	act_police.ko.gz	cls_bpf.ko.gz
cls_u32.ko.gz	em_u32.ko.gz	sch_fq.ko.gz
sch_ingress.ko.gz	sch_prio.ko.gz	
sch_teq.ko.gz		
act_meta_mark.ko.gz	act_simple.ko.gz	
cls_cgroup.ko.gz	em_cmp.ko.gz	
sch_cake.ko.gz	sch_fq_codel.ko.gz	
sch_mqprio.ko.gz	sch_qfq.ko.gz	

./khanos_iso/boot/modloop-virt/kernel/net/sctp:

sctp.ko.gz sctp_diag.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/sunrpc:
auth_gss sunrpc.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/sunrpc/auth_gss:
auth_rpcgss.ko.gz rpcsec_gss_krb5.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/tls:
tls.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/unix:
unix_diag.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/vmw_vsock:
hv_sock.ko.gz
vmw_vsock_virtio_transport.ko.gz
vmw_vsock_virtio_transport_common.ko.gz vsock.ko.gz
 vsock_diag.ko.gz
vsock_loopback.ko.gz

./khanos_iso/boot/modloop-virt/kernel/net/xfrm:
xfrm_algo.ko.gz xfrm_interface.ko.gz xfrm_ipcomp.ko.gz
 xfrm_user.ko.gz

./khanos_iso/boot/modloop-virt/kernel/security:
keys

./khanos_iso/boot/modloop-virt/kernel/security/keys:
encrypted-keys

./khanos_iso/boot/modloop-virt/kernel/security/keys/

encrypted-keys:
encrypted-keys.ko.gz

./khanos_iso/etc:
profile

./khanos_iso/isolinux: