Welcome to the
Web Application Development with Python
L-4
Training Program

Md. Shakil
Assessor & Trainer
National Skill Development Authority

Mehedi Alam

Lead Trainer

Web Application Development with Python

Skills and Jobs Academy

Cell: +880 1772050842

Email: mehedialam806@gmail.com

HTML

Lecture

01

All About HTML

Md. Shakil
Assessor & Trainer
National Skill Development Authority

Commonly Used Tags in HTML

Md. Shakil
Assessor & Trainer
National Skill Development Authority

Document Structure of HTML Page

index.html

```html
<!DOCTYPE html>
<html>

<head>
    <title>HTML Document</title>
</head>

<body>
    <!— content —>
</body>

</html>
```

- **<!DOCTYPE html>** tag specifies that the document is an HTML5 document.
- **<html lang="en">** tag defines the document to be in English.
- **<head>** section contains metadata and the title of the webpage, which appears in the browser's title bar.
- **<body>** section contains the content that will be displayed on the webpage.

Meta Tags

- **<title> </title>:** Sets the title of the web page.
- **<meta>:** Provides metadata such as character set, author, and viewport settings.
- **<link>:** Links external resources like stylesheets.

Test Formatting Tags

** :** Paragraph

tags.html

```
<p>This is a paragraph of text.</p>
```

<h1> </h1>, <h2> </h2>, <h3>, <h4> </h4>, <h5> </h5>, <h6> </h6>: Headings

tags.html

```
<h1>This is an H1 heading</h1>
<h2>This is an H2 heading</h2>
<h3>This is an H3 heading</h3>
<h4>This is an H4 heading</h4>
<h5>This is an H5 heading</h5>
<h6>This is an H6 heading</h6>
```

Test Formatting Tags

** :** Strong emphasis (typically bold)

tags.html

```
<strong>This text is strongly emphasized.</strong>
```

** :** Bold

tags.html

```
<em>This text is emphasized.</em>
```

Test Formatting Tags

- **:** Emphasis (typically italic)
- **<u> </u>:** Underline
- ** :** Italic
-
: Line break

List Tags

<ul> </ul>: Unordered list.

<li> </li>: List item.

tags.html

```
<ul>
  <li>Item One</li>
  <li>Item Two</li>
  <li>Item Three</li>
</ul>
```

<ol> </ol>: Ordered list.

tags.html

```
<ol>
  <li>First</li>
  <li>Second</li>
  <li>Third</li>
</ol>
```

Hyperlink and Media Tags

<a></a>: Anchor (Creates a **hyperlink** to another web page, location, or file.)

attributes.html

```html
<a href="https://www.example.com">Visit Example</a>
```

<img>: image (Embeds an **image** into the web page.)

attributes.html

```html
<img src="image.jpg" alt="Sample" width="200" height="100">
```

HTML

Lecture

02

All About HTML

Md. Shakil
Assessor & Trainer
National Skill Development Authority

Table Tags

- **<table>:** Table
- **<tr>:** Table row
- **<td>:** Table data cell
- **<th>:** Table header cell
- **<thead>:** Table header group
- **<tbody>:** Table body group
- **<tfoot>:** Table footer group

Table Tags Example

table.html

```html
<table>
        <thead>
            <tr>
                <th>Name</th>
                <th>Address</th>
                <th>Contact</th>
            </tr>
        </thead>
        <tbody>
            <tr>
                <td>Md. Habibullah</td>
                <td>Dhaka-2</td>
                <td>01223</td>
            </tr>
        </tbody>
        <tfoot>
            <tr>
                <th>Name</th>
                <th>Address</th>
                <th>Contact</th>
            </tr>
        </tfoot>
    </table>
```

Form Tags

- **<input>:** Input field
- **<textarea>:** Text area
- **<button>:** Button
- **<select>:** Dropdown list
- **<option>:** Options within a <select> or <datalist>
- **<form>:** Form

Form Tags Example

form.html

```html
<form action="" method="post" enctype="multipart/form-data">
    <input type="text" name="fullname" placeholder="Enter your name">
    <input type="number" name="age" placeholder="Enter age">
    <input type="password" name="password" placeholder="Enter password">
    <select name="gender" id="">
        <option value="Male">Male</option>
        <option value="Female">Female</option>
    </select>
    <input type="file" name="picture">
    <button type="submit">Register</button>
</form>
```

Semantic Tags

- **<header>:** Header section
- **<footer>:** Footer section
- **<article>:** Article
- **<section>:** Section
- **<nav>:** Navigation
- **<aside>:** Sidebar content

Types of HTML Elements

Md. Shakil
Assessor & Trainer
National Skill Development Authority

HTML Element?

An HTML element is a complete set that consists of a start tag (or opening tag), content, and an end tag (or closing tag).

HTML Element = Start Tag + Content + End Tag

element.html

```
<h1>This is our first heading</h1>
<p>This is Paragraph</p>
```

Nested HTML Element

A nested HTML element is an HTML structure where one element is placed inside another element.

element.html

```
<h1>This is our first heading</h1>
<p>This is Paragraph</p>
```

Empty HTML Element

An empty HTML element is one that does not have a closing tag or content. These elements are also known as "void elements" or "self-closing elements."

empty-element.html

```
<br />
```

Some HTML Attributes

Md. Shakil
Assessor & Trainer
National Skill Development Authority

- The **href** attribute of **<a>** specifies the URL of the page the link goes to

attributes.html

```html
<a href="https://www.example.com">Visit Example</a>
```

- The **src, alt, width and height** attribute of **<img>** specifies the path to the image to be displayed

attributes.html

```html
<img src="image.jpg" alt="Sample" width="200" height="100">
```

- The **title** attribute defines some extra information about an element

attributes.html

```html
<p title="This is a tooltip">Hover over this text</p>
```

- The **style** attribute is used to add styles to an element, such **as color, font, size, and more**

attributes.html

```html
<p style="color: blue; font-size: 20px;">Styled Text</p>
```

- The **lang** attribute of the **<html>** tag declares the language of the Web page

attributes.html

```html
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Language Example</title>
</head>
<body>
  <p>Hello, World!</p>
</body>
</html>
```

- The **type** attribute of **<input>** specifies the type of input control

attributes.html

```html
<input type="text">          <!— Text input —>
<input type="email">         <!— Email input —>
<input type="password">      <!— Password input —>
<input type="number">        <!— Number input —>
<input type="submit">        <!— Submit button —>
```

- The **name** attribute of **<input>, <select>, <textarea>** specifies the name of the input, used when submitting form data.

attributes.html

```html
<input type="text" name="username">
```

- The **value** attribute of **<input>, <button>** Defines the default or pre-filled value of the input or button label.

attributes.html

```html
<input type="text" name="username" value="Shakil">
<input type="submit" value="Register">
```

- The **placeholder** attribute of **<input>, <textarea>** shows hint text in the input box

attributes.html

```html
<input type="email" name="email" placeholder="Enter your email">
```

Thanks All

Md. Shakil
Assessor & Trainer
National Skill Development Authority