

Welcome to

WEB DESIGN AND DEVELOPMENT

Saturday - Thursday

I'AM




Mehedi Alam

Trainer of

Web Design and Development

01772050842

mehedialam806@gmail.com





Class Plan

HTML



1. HTML

2. CSS

3. Java Script

4. CSS Framework

5. UI/UX to Web

6. Final Project

JS



Bootstrap

Reference Website

HTML



CSS



1. <https://w3schools.com/>
2. <https://webcoachbd.com>
3. <https://getbootstrap.com/>
4. <https://youtube.com/>
5. <https://google.com/>



Bootstrap

Essential Tools For Web Design

Editor/IDE [Integrated Development Environment]


Notepad ++

Sublime Text

VS Code

Atom

Php Storm



Essential Tools For Web Design

Browser / Server

Mozilla Firefox

Google Chrome

Microsoft Edge



Editing Tools

Adobe Photoshop/Canva




You can call to Web Design in many way

- Web Design
- Web Page Design
- Web Site Design
- Layout Design
- Landing Page Design
- Responsive Web/UI/Landing Page Design
- Template Design
- User Interface (UI) Design
- Front End Design
- Front End Development

Guideline for Frontend Developer

- HTML
- CSS
- JavaScript (JS)
- CSS Framework - Bootstrap / Tailwind
- JS Framework - React JS / Vue JS / Angular JS
- GIT System - Github / Gitlab
- Adobe Photoshop, Figma, Canva


Web Page




Web Page



Web Page



Web Site




Web Design

Web page Layout



Web Design

Web Design



Part of Web Designing

- Structure & Content

- [HTML]

- Presentation

- [Css, JavaScript]


- Behavior

- [Browser]


Type of Web Site

- Static Website
- Dynamic Website

Static Website




Dynamic Website



Static Web Site

A **static website** contains **Web pages** with fixed content. Each page is coded in plain HTML and displays the same information to every visitor. Unlike dynamic websites, they do not require any **Web** programming or database design.

Static Web Site



Dynamic Web Site


Dynamic website is a collection of dynamic web pages whose content changes dynamically. It accesses content from a database. Therefore, when you alter or update the content of the database, the content of the website is also altered or updated.

Dynamic website uses client-side scripting such as JS or server-side scripting such as PHP, or both to generate dynamic content.

It may generate separate HTML for each request based on user request.


Static and Dynamic Web Site

Dynamic Website



Vs.

Static Website



HTML(Hypertext Markup Language)



History Of HTML Version


1. HTML 1.0
2. HTML 2.0
3. HTML 3.0
4. HTML 3.2
5. HTML 4.01
6. XHTML 1.0
7. HTML5

A little HTML History

In 1990 Tim Berners-Lee invented:

- World Wide Web
- HTML (hypertext markup language)
- HTTP (HyperText Transfer Protocol)
- URLs (Universal Resource Locators)

Tim Berners-Lee was the primary author of html, assisted by his colleagues at CERN, an international scientific organization based in Geneva, Switzerland.



About HTML

Hypertext Markup Language

It's a **Tag** based **Markup Language**, who build up website Structure and Content.

Sir Tim Berner's Lee Invented HTML in 1989.

First Developed HTML in 1990. First Version Of HTML released in 1991. Its Called HTML 1.0

HTML Tag

Hypertext Markup Language

Tag is a Syntax. It describes how to show anything in the browser.



Markup Language



All the tags are together called
Markup Language

HTML Tag

< tag name >

< body >

HTML Tag

</tag name >

</body>

HTML Tag

< tag name > < / tag name >

<p>Hello Bangladesh</p>

How many HTML tags are there?

Total Number of HTML tags

Reference Website	Total number of HTML tags
Mozilla Developer Network(MDN)	142
HTML.com	132
W3schools.com	119
Eastmanreference.com	115
Htmreference.io	113
Yourhtmlsource.com	69

How many HTML tags are there?

Current usable HTML tags

These HTML tags are part of the current version of HTML (HTML5).

Reference Website	Total number Supported HTML tags
Mozilla Developer Network(MDN)	111
Htmlreference.io	113
W3schools.com	107

HTML Element

An HTML element usually consists of a **start tag** and **end tag**, with the content inserted in between.

<starting tag> </ending tag>

<p> Welcome to BASIS-SEIP</p>

Nested Element

When an element, inserted between another element it is called Nested Elements.

```
<head>
```

```
  <title> Welcome </title>
```

```
</head>
```

HTML5 Structure

```
<!doctype html>
<html>
  <head>
    <meta charset="UTF-8">
    <title>Professional Web Design</title>
  </head>
  <body>
    <p> Welcome to BASIS-SEIP </p>
  </body>
</html>
```

Doctype of Others HTML

Version	Doctype
HTML5	<code><!doctype html></code>
HTML 4.01	<code><! doctype HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd"></code>
XHTML 1.1	<code><! doctype html PUBLIC "-//W3C//DTD XHTML 1.1//EN" "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd"></code>

HTML Extension



Code Validation



You can validate your
code using....

<https://validator.w3.org/>

HTML Standard



The **World Wide Web Consortium**
(**W3C.org**)

W3C is the principle organization that sets standards for HTML

Heading Tag <h1> .. </h1>

- <h1> h1 Heading </h1>
- <h2> h2 Heading </h2>
- <h3> h3 Heading </h3>
- <h4> h4 Heading </h4>
- <h5> h5 Heading </h5>
- <h6> h6 Heading </h6>

Paragraph Tag <p> .. </p>

<p> Basis Institute of Technology and Management </p>

Example of Paragraph Tag `<p> .. </p>`

```
<html>  
<body>
```

```
<p>
```

NetBeans Community Distributions are available under a Dual License consisting of the Common Development and Distribution License (CDDL) v1.0 and GNU General Public License (GPL) v2. Such distributions include additional components under separate licenses identified in the License file. See the Third Party License file for external components included in NetBeans and their associated licenses.

```
</p>
```

```
<p>
```

NetBeans Community Distributions are available under a Dual License consisting of the Common Development and Distribution License (CDDL) v1.0 and GNU General Public License (GPL) v2. Such distributions include additional components under separate licenses identified in the License file. See the Third Party License file for external components included in NetBeans and their associated licenses.

```
</p>
```

```
</body>  
</html>
```

Formatting Tag

- `<b>` - Bold text `</b>`
- `<strong>` - Important text `</strong>`
- `<i>` - Italic text `</i>`
- `<em>` - Emphasized text `</em>`
- `<u>` Underline Text `</u>`
- `<mark>` - Marked text `</mark>`

Formatting Tag

- `<del>` - Deleted text `</del>`
- `<ins>` - Inserted text `</ins>`
- `<sub>` - Subscript text `</sub>`
- `<sup>` - Superscript text `</sup>`
- `<small>` - Small text `</small>`
- `<br/>` - Inserts a single line break
- `<hr/>` - line in text

Pre - Formatting Tag

➤ **<pre>**

➤ Defines pre-formatted text

➤ **</pre>**

HTML Quotation and Citation Elements

- Abbr - Defines an abbreviation or acronym
- Address - Defines contact information for the author/owner of a document
- Bdo - Defines the text direction
- Blockquote - Defines a section that is quoted from another source
- Cite - Defines the title of a work
- Q - Defines a short inline quotation

HTML <q> for Short Quotations

Browsers usually insert quotation marks around the <q> element.

Example:

<p> WWF's goal is to:

<q>Build a future where people live in harmony with nature.</q>

</p>

HTML `<blockquote>` for Short Quotations

`<p>` Here is a quote from WWF's website: `</p>`

`<blockquote cite="http://www.worldwildlife.org/who/index.html">`

For 50 years, WWF has been protecting the future of nature.
The world's leading conservation organization.

`</blockquote>`

HTML <abbr> for Abbreviations

Marking abbreviations can give useful information to browsers, translation systems and search-engines.

Example:

```
<p>The <abbr title="World Health  
  Organization">WHO</abbr> was founded in 1948.  
</p>
```

HTML <address> for Contact Information

```
<address>
```

```
    Written by John Doe.<br>
```

```
    Visit us at:<br>
```

```
    Example.com<br>
```

```
    Box 564, Disneyland<br>
```

```
    USA
```

```
</address>
```

Attribute



Attributes provide additional information about HTML elements.. In **HTML** syntax, an **attribute** is added to an **HTML** start tag.

Attribute

`<p title="w3resource tutorials">Learn Web development</p>`



title

=

"w3resource tutorials"

Attribute name

Delimiter

Attribute value

Attribute Condition

- Attribute name and values separated by an
Equal [=] Sign
- Multiple Attribute separated by a **space**

HTML Comment Tags

`<!-- Write your comments here -->`

Link / Path

Link / Path 2 Types:

➤ **Absolute Path/Link**

Absolute Path : D:/BASIS/BITM/banner.jpg


Absolute Link : <http://bitm.org.bd/uploads/1416831456.jpg>

➤ **Related Path/Link**

Related Path : ../bitm/banner.jpg

Related Link : XXXXXXXXXXXXXXXX


A Tag



This image is part of the Bioinformatics Web Development tutorial at http://www.cellbiol.com/bioinformatics_web_development/
© cellbiol.com, all rights reserved

A Tag

Breakdown of an HTML Tag



Image




Figure 4-11. An element with attributes.

Table




Table Colspan

colspan

```
<table border="1" width="30%">  
<tr>
```

```
  <td>1</td>  
  <td>2</td>  
  <td>3</td>
```

```
</tr>
```

```
<tr>
```

```
  <td>4</td>  
  <td>5</td>  
  <td>6</td>
```

```
</tr>
```

```
<tr>
```

```
  <td>7</td>  
  <td colspan="2">8</td>
```

```
</tr>  
</table>
```

1	2	3
4	5	6
7	8	

???

Table Rowspan

rowspan


```
<table border="1" width="30%">
<tr>
  <td rowspan="2">1</td>
  <td>2</td>
  <td>3</td>
</tr>
<tr>
  <td>5</td>
  <td>6</td>
</tr>
<tr>
  <td>7</td>
  <td>8</td>
  <td>9</td>
</tr>
</table>
```

1	2	3
	5	6
7	8	9

Some Sequence Format

- Tag -> attribute = “attribute value ”
- Tag -> attribute -> properties =“Properties value ”
- Table -> tr -> td/th
- Tr = Table Row
- Td = Table Data
- Th = Table Head
- Td / th / cell all are same

Favicon




<head>

<title> Page Title</title>

<link rel="icon" href="assets/image/favicon.ico">

</head>

Practice! Practice! Practice!!!





thank you!