

Written Web Design L-3

1. What does CSS stand for in web design?

- a) Computer Style Sheets
- b) Creative Style Solutions
- c) **Cascading Style Sheets**
- d) Centralized Style System

2. Which of the following HTML tags is used to create a hyperlink?

- a) <link>
- b) **<a>**
- c) <url>
- d) <href>

3. Which programming language is primarily used for client-site scripting in web development?

- a) Java
- b) Python
- c) **JavaScript**
- d) Ruby

4. Which of the following is NOT a commonly used web design file format for images?

- a) .jpg
- b) **.mp3**
- c) .png
- d) .gif

5. What is the purpose of the “alt” attribute in HTML image tags?

- a) It specifies the alignment of the image.
- b) It defines the size of the image
- c) **It provides alternative text for the images for accessibility.**
- d) It controls the animation of the image

6. How can you include CSS in an HTML document?

- a) Using the <style> tag within the <head> section?
- b) Using the <link> tag with a “stylesheet” relationship in the <head> section
- c) Using the style attribute in HTML elements
- d) **All of the above**

7. Which CSS property is used to control the spacing between lines of text?

- a) text-spacing
- b) line-spacing
- c) letter-spacing
- d) **line-height**

8. What does the “float” property in CSS do?

- 1. It Controls the alignment of text within an element.
- 2. **It removes an element from the normal flow of the document and positions it to the left or right of its containing element.**
- 3. It makes an element visible or hidden.
- 4. It rotates an elements clockwise or counterclockwise.

9. What does the “z-index” property in CSS control?

- a) It controls the size of an element.
- b) It controls the position of an element in the stacking order.**
- c) It controls the opacity of an element.
- d) It Controls the rotation of an element.

10. Which HTML tag is used to define a table row?

- 1. <tr>**
- 2. <td>
- 3. <th>
- 4. <table>

11. Which keyword is used to declare a variable in javascript?

- 1. Var**
- 2. Variable
- 3. V
- 4. Let

12. Which operator is used for strict equality comparison in JavaScript?

- a) ==
- b) !=
- c) ===**
- d) !==

13. Which function is used to output data to the console in JavaScript?

- a) Print()
- b) Log()
- c) Display()
- d) Console.log()**

14. Which built-in method is used to convert a string to an integer in JavaScript?

- a) parseInt()**
- b) toInteger()
- c) convertToInt()
- d) stringToInt()

15. What does the method querySelector() do in JavaScript?

- a) It selects multiple elements based on a class name.
- b) It selects the first element based on a CSS selector.**
- c) It selects an element based on its ID
- d) It selects all elements of a specific tag name.

16. What are the three main components involved in a Client-Server setup?

Answer: The three main components in a Client-Server setup are: Client, Server, and Network.

17. What is significance of adhering to web standards in achieving cross browser compatibility?

Answer: Adhering to web standards ensures that websites function consistently across different browsers and devices.

18. How does an FTP client work?

Answer: An FTP client connects to a server using FTP protocol to upload, download, and manage files.

19. How can you create a responsive navigation bar using Bootstrap?

Answer: Use Bootstrap's navbar component with classes like navbar, navbar-expand, and navbar-collapse for responsiveness.

20. How can you create a carousel of images using Bootstrap?

Answer: Use Bootstrap's carousel component with carousel, carousel-inner, carousel-item, and data-bs-ride attributes.

21. What role does and database play in a CMS?

Answer: A database stores and retrieves content and settings for a CMS, such as posts, users, and pages.

22. How can Bootstrap be integrated into a project?

Answer: Bootstrap can be integrated by linking its CDN in HTML or downloading and importing its CSS and JS files.

23. What are three common features of a CMS?

Answer: Three common CMS features: Content editing, User management, and Theme/plugin support.

24. What is AJAX in jQuery?

Answer: AJAX in jQuery allows asynchronous data loading from a server without refreshing the page.

25. How does jQuery simplify DOM manipulation?

Answer: jQuery simplifies DOM manipulation using concise syntax like \$(selector).action() for selecting and modifying elements.

26. How does a CMS enable collaboration among multiple users?

Answer: A CMS enables collaboration by allowing multiple users with different roles to create, edit, and manage content.

27. What is function in Excel? Write an example?

Answer: A function in Excel performs calculations. Example: =SUM(A1:A5) adds values in cells A1 to A5.

28. What is the purpose of slide transitions in PowerPoint?

Answer: Slide transitions enhance presentations by adding visual effects when moving between slides.

29. How can you add animations to objects in PowerPoint?

Answer: Select the object, go to the Animations tab, and choose an animation effect from the gallery.

30. How can you spell check a document in Microsoft Word?

Answer: Go to Review > Spelling & Grammar to check and correct spelling in Word.

31. What are the Fundamental Steps of Image Processing?

Answer: 1. Image Acquisition 2. Image Enhancement 3. Image Restoration 4. Color Image Processing 5. Wavelets and Multi-Resolution Processing 6. Compression 7. Morphological Processing 8. Segmentation 9. Representation and Description 10. Object recognition 11. Knowledge Base

32. Differentiate between WordPress.com and WordPress.org.

Answer: WordPress.com is a hosted platform with limited customization, ideal for beginners. WordPress.org requires self-hosting, gives full control, and is better for businesses and full customization.

33. Why do we use Jumbotron in Bootstrap?

Ans: Jumbotrons are large, responsive containers used to:

- Capture attention
- Showcase important content
- Provide a call to action

34. What is a Bootstrap Grid System?

Answer: Bootstrap's 12-column grid system used to create responsive layouts for web pages that work across screen sizes.

35. What is contextual classes of table in Bootstrap?

Answer: Bootstrap offers a set of contextual classes that can be applied to tables to visually indicate the state or condition of the table or its individual rows and cells. These classes help to provide visual cues to users, making it easier to understand the content and identify important information.

36. What is the purpose of the nth-child() pseudo-class in CSS3?

Answer: The nth-child() CSS pseudo-class selector matches the element based on the index of the elements in the child list of its parent.

The selected position is determined by an integer, keyword, or expression located inside the pseudo-class's parentheses.

37. What is a pseudo-element selector?

Answer: A CSS pseudo-element is used to style specified parts of an elements. For example, it can be used to: style the first letter, or line, of an elements.

38. How to use class selector?

Answer: Class selector is used to select all elements which belong to a particular class attribute. In order to select the elements with a particular class, use the period (.) character specifying the class name it will match the HTML element based on the contents of their class attribute.

39. What is the default positioning scheme in CSS3?

Answer: Static is the default position for HTML elements.

40. Which property is used to add shadows to text in CSS3?

Answer: The CSS text shadow property is used to add a shadow to the text. Multiple property parameters can be specified, separated by a space.

41. What is HTML Elements?

Answer: HTML elements are the building blocks of HTML documents. They represent different parts of a web page, such as text, image, links, heading, paragraphs, and more. Each element is defined by a start tag, content, and end tag.

42. What is and IDE?

Answer: An integrated development environment is a software application that helps programmers develop software code efficiently.

43. What is a rowspan in HTML?

Answer: The rowspan attribute specifies the number of rows a cell should span.

44. What are the basic SVG tags?

Answer: Inside the <svg> tag, we can use various elements to draw shapes:

- <circle> for circles
- <rect> for rectangles
- <line> for straight lines

<path> for complex shapes and paths
<text> for text

45. What syntax we use to include a video on the webpage for HTML video element?

Answer: To include a video on your webpage use the following syntax:

```
<video controls>  
    <source src = "movie.mp4" type = "video/mp4" />  
</video>
```

46. What are the plugins in HTML?

Answer: HTML plugins are pieces of code that we can insert into your HTML files to add features or effects for example you can use HTML plugins to create sliders, animations, charts, calendars, pop-ups and more.

47. How do you handle conditional statements in JavaScript? Explain the if, else, and switch statements.

Answer: Conditional statements are used to execute different code blocks based on different conditions.

“if” statement: Executes a block of code if a specified condition is true.

“else” statement: Executes a block of code if the same condition is false.

“Switch” statement: Evaluates an expression and executes a block of code depending on matching cases.

48. How do select and manipulate HTML elements using JavaScript?

Answer: HTML elements can be selected and manipulated using methods like getElementById(), getElementsByClassName(), querySelector(), and manipulating their properties like innerHTML, style etc.

49. How do you handle user input validation in JavaScript?

Answer: User input validation involves checking user-provided data against expected criteria to ensure it meets the required format, length or range.

50. What are the benefits of using a headless CMS with a static website?

The benefits of using a headless CMS with a static website include separating content management from presentation, enabling content reuse across multiple channels and providing a user friendly interface for non-technical users to manage content.

51. Which tag is used to create a dropdown list in a form?

- a) <input> **b) <select>** c) <option> d) <list>

52. Which of the following is an example of an HTML entity?

- a) ©** b) <p> c) #header d) color:red;

53. Which preprocessor allows nesting and variables in CSS?

- a) SASS** b) Bootstrap c) Tailwind CSS d) jQuery

54. What is the main difference between JPEG and PNG formats?

- a) JPEG supports transparency, while PNG does not.

b) PNG supports transparency, while JPEG does not.

- c) JPEG is a lossless format, while PNG is lossy.

- d) PNG is always smaller in file size than JPEG.

55. What is the benefit of using smart objects when designing UI?

- a) They automatically write JavaScript code for the UI.

- b) They convert raster images into pure vector graphics.

c) They allow reusable, editable components.

- d) They reduce the file size of all design assets automatically.

56. Which method is used to select an element by ID in the DOM?

- a) document.querySelectorAll()

b) document.getElementById()

- c) document.getElementsByClassName()

- d) document.getElementsByTagName()

57. How do you define a JavaScript function?

a) function myFunction() { // code }

- b) def myFunction() { // code }

- c) create function myFunction { // code }

- d) function: myFunction() => { // code }

58. Which function checks if a value is a number in JavaScript?

- a) isNumber() b) Number() **c) isNaN()** d) typeof()

59. What is debugging in JavaScript?

a) The process of writing JavaScript code for a web page.

b) The process of finding and fixing errors or bugs in JavaScript code.

c) The process of compiling JavaScript into machine language.

d) The process of styling a web page using JavaScript.

60. Is it possible to SEO a WordPress website to show it on Google's first page?

Ans. Yes. by using SEO plugins, quality content, keyword, and fast loading designs.

61. What is the difference between a post and a page in WordPress?

Ans. Post: Time based content for blogs.

Page: Static content like "About" or "Contact"

62. What is a container in Bootstrap and what is it used for?

Ans. A container centers and pads content in the layout using **.container** or **.container-fluid**.

63. What is the Bootstrap Grid System and what is it used for?

Ans. It's a 12-column layout system using **.container**, **.row** and **.col** to build responsive designs.

64. Which class is used to display informational messages in Bootstrap?

Ans. **.alert-info**, **.text-info** or **.bg-info**

The classes **.text-info** or **.bg-info** are used to indicate informational content with a light blue color.

65. What are the CSS methods?

Ans. Inline CSS, Internal CSS and External CSS

66. What is media query in CSS?

Ans. A media query applies styles based on screen size or device type for responsive design.

Example: `@media(max-width:600px){`

```
    body{  
        font-size:14px;  
    }  
}
```

67. What is pseudo-classes in CSS?.

Ans. A keyword added to a selector to define a special state(e.g., **:hover**, **:focus**)

68. How do you write a pseudo- element?

Ans. Use two colons. Example: p::first-letter

69. What is semantic HTML, and why is it important?

Ans. Semantic HTML uses meaningful tags like <header>, <article>, <section>, and <footer> to clearly describe the content's purpose. It improves accessibility, SEO and code readability, helping both developers and search engines understand the structure.

70. What does the 'alt' attribute in the tag do, and why is it important?

Ans. It provides alternative text for images, improving accessibility and SEO.

71. What is definition list in HTML?

Ans. A list that defines terms using <dl>, <dt>(term) and <dd>(definition).

72. What are the key components that make up the infrastructure of the Internet?

Ans. Servers, clients, routers, IP addresses, DNS and protocols like HTTP/HTTPS.

73. What are variables in Javascript and how do you declare them?

Ans. Variables store data. Use var, let or const to declare them.

74. What are arrays and objects in JavaScript? How do you access their elements/properties?

Ans. Array: List of items, accessed by index, arr[0]

Object: key-value pairs, accessed by key.obj.name

75. What is the Document Object Model (DOM) in JavaScript?

Ans. A tree-like structure representing the HTML page, allowing scripts to manipulate elements dynamically.

76. How do you handle errors in JavaScript?

Ans. Use try__catch blocks to catch and manage errors.

77. What are Bootstrap JavaScript components?

Ans. Interactive features like modals, dropdowns, tooltips and carousels powered by Bootstrap's JS.

78. What are the key components of Bootstrap?

Ans. Grid system, utilities, layout, content (typography/images), components (buttons, modals), and JavaScript plugins.