

Feature			Scenario				Step				
Name	Duration	T	P	F	S	T	P	F	S		
Users Module Display	42.796 s	6	1	5	0	36	9	5	22		
Users Module Edit	0.526 s	13	0	13	0	111	0	13	98		
Users Module NewUser	0.291 s	10	0	10	0	97	0	10	87		

#	Feature Name	Scenario Name
1	Users Module Display	User checks visibility of users list
2		User checks visibility of email of each user data
3		User checks visibility of email of each user data
4		User checks visibility of email of each user data
5		User checks visibility of email of each user data
6	Users Module Edit	User opens User Detail Page of first user of list
7		User opens select a role window
8		User selects a role to first user of list
9		Check that new role is saved correctly
10		Default role cannot be deleted
11		User opens User Detail Page of first user of list
12		Set a newly added role as default role
13		User cancels add a new role window

FAIL & SKIP SCENARIOS -- 4 --

#	Feature Name	Scenario Name
14	Users Module Edit	User saves without selecting role
15		Does Profile page edit button works
16		Email addres cannot be changed
17		Username cannot be empty
18		Reset Password window should ben opened
19	Users Module NewUser	Does New User Registration page open
20		Attempt to create a new member without any data
21		Attempt to create a new member without an email
22		Attempt to create a new member without an email
23		Attempt to create a new member without an email
24		Attempt to create a new member without an email
25		Attempt to create a new member with an existed/registered email
26		Create a new member with an acceptable data in all areas

FAIL & SKIP SCENARIOS -- 5 --

#	Feature Name	Scenario Name
27	<u>Users Module NewUser</u>	Does Cancel button works
28		Login with new registered member


TAG		Sce	nario		Feature					
Name	Т	P	F	S	Т	P	F	S		
@TC_015_01	1	1	0	0	1	0	1	0		
@Fatma	29	1	28	0	3	0	3	0		
@US_015	6	1	5	0	1	0	1	0		
@UsersPageAssertionScenario	1	1	0	0	1	0	1	0		
@Regression	29	1	28	0	3	0	3	0		
@TC_015_02	1	0	1	0	1	0	1	0		
@UserlistAssertionScenario	1	0	1	0	1	0	1	0		
@Emaillistassertion	1	0	1	0	1	0	1	0		
@TC_015_03	1	0	1	0	1	0	1	0		
@Sincelistassertion	1	0	1	0	1	0	1	0		
@TC_015_04	1	0	1	0	1	0	1	0		
@AccessTypelistassertion	1	0	1	0	1	0	1	0		
@TC_015_05	1	0	1	0	1	0	1	0		
@Statuslistassertion	1	0	1	0	1	0	1	0		
@TC_015_06	1	0	1	0	1	0	1	0		
@TC_016_01	1	0	1	0	1	0	1	0		
@US_016	13	0	13	0	1	0	1	0		

TAG		Scei	nario		Feature					
Name	Т	P	F	S	Т	P	F	S		
@AssertUserDetailPageOpens	1	0	1	0	1	0	1	0		
@TC_016_02	1	0	1	0	1	0	1	0		
@AssertSelectARoleWindowOpens	1	0	1	0	1	0	1	0		
@Smoke	3	0	3	0	2	0	2	0		
@TC_016_03	1	0	1	0	1	0	1	0		
@AddANewRoleFromFropDownMenu	1	0	1	0	1	0	1	0		
@CheckNewRoleAddedSuccessfully	1	0	1	0	1	0	1	0		
@TC_016_04	1	0	1	0	1	0	1	0		
@DefaultRoleCannotBeDeleted	1	0	1	0	1	0	1	0		
@TC_016_05	1	0	1	0	1	0	1	0		
@SelectRoleWindowOpens	1	0	1	0	1	0	1	0		
@TC_016_06	1	0	1	0	1	0	1	0		
@TC_016_07	1	0	1	0	1	0	1	0		
@SetNewAddedRoleAsDefaultRole	1	0	1	0	1	0	1	0		
@TC_016_08	1	0	1	0	1	0	1	0		
@CheckCanceledRoleIsNotAddedRolesSection	1	0	1	0	1	0	1	0		
@TC_016_09	2	0	2	0	1	0	1	0		

TAG		Scei	nario		Feature					
Name	T	P	F	S	Т	P	F	S		
@RoleSavingError	1	0	1	0	1	0	1	0		
@DoesEditButtonWorks	1	0	1	0	1	0	1	0		
@TC_016_10	1	0	1	0	1	0	1	0		
@EmailAdressUnclickable	1	0	1	0	1	0	1	0		
@TC_016_11	1	0	1	0	1	0	1	0		
@UsernameCannotBeEmpty	1	0	1	0	1	0	1	0		
@TC_016_12	1	0	1	0	1	0	1	0		
@ResetPasswordWindowOpens	1	0	1	0	1	0	1	0		
@TC_017_01	1	0	1	0	1	0	1	0		
@NewRegistrationPageOpens	1	0	1	0	1	0	1	0		
@US_017	10	0	10	0	1	0	1	0		
@TC_017_02	1	0	1	0	1	0	1	0		
@NewRegistrationWithoutData	1	0	1	0	1	0	1	0		
@NewRegistrationWithoutOrWithInvalidEmail	4	0	4	0	1	0	1	0		
@TC_017_03	5	0	5	0	1	0	1	0		
@NewRegistrationWithRegisteredEmail	1	0	1	0	1	0	1	0		
@NewRegistrationWithValidCredentials	2	0	2	0	1	0	1	0		


TAG		Scenario				Feature						
Name	T	P	F	S	T	P	F	S				
@SmokeDemo	1	0	1	0	1	0	1	0				
@TC_017_04	1	0	1	0	1	0	1	0				
@DoesCancelButtonWorks	1	0	1	0	1	0	1	0				
@TC_017_05	1	0	1	0	1	0	1	0				
@TC_017_06	1	0	1	0	1	0	1	0				

FEATURES SUMMARY -- 10 --




#	Feature Name	T	P	F	S	Duration
1	<u>Users Module Display</u>	6	1	5	0	42.796 s
2	<u>Users Module Edit</u>	13	0	13	0	0.526 s
3	Users Module NewUser	10	0	10	0	0.291 s

SCENARIOS SUMMARY -- 11 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Users Module Display	User opens Users Page	6	6	0	0	28.641 s
2		User checks visibility of users list	6	3	1	2	13.862 s
3		User checks visibility of email of each user data	6	0	1	5	0.037 s
4		User checks visibility of email of each user data	6	0	1	5	0.045 s
5		User checks visibility of email of each user data	6	0	1	5	0.068 s
6		User checks visibility of email of each user data	6	0	1	5	0.035 s
7	Users Module Edit	User opens User Detail Page of first user of list	7	0	1	6	0.063 s
8	-	User opens select a role window	8	0	1	7	0.043 s
9		User selects a role to first user of list	9	0	1	8	0.047 s
10		Check that new role is saved correctly	10	0	1	9	0.039 s

SCENARIOS SUMMARY -- 12 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Users Module Edit	Default role cannot be deleted	7	0	1	6	0.032 s
12		User opens User Detail Page of first user of list	8	0	1	7	0.031 s
13		Set a newly added role as default role	10	0	1	9	0.033 s
14		User cancels add a new role window	10	0	1	9	0.022 s
15	User saves without selecting role	9	0	1	8	0.020 s	
16		Does Profile page edit button works	8	0	1	7	0.026 s
17		Email addres cannot be changed	8	0	1	7	0.026 s
18		Username cannot be empty	9	0	1	8	0.024 s
19		Reset Password window should ben opened	8	0	1	7	0.025 s
20	Users Module NewUser	Does New User Registration page open	7	0	1	6	0.024 s


SCENARIOS SUMMARY -- 13 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
21	Users Module NewUser	Attempt to create a new member without any data	8	0	1	7	0.023 s
22		Attempt to create a new member without an email	10	0	1	9	0.024 s
23		Attempt to create a new member without an email	10	0	1	9	0.024 s
24		Attempt to create a new member without an email	10	0	1	9	0.022 s
25		Attempt to create a new member without an email	10	0	1	9	0.021 s
26		Attempt to create a new member with an existed/registered email	10	0	1	9	0.024 s
27		Create a new member with an acceptable data in all areas	12	0	1	11	0.022 s
28		Does Cancel button works	11	0	1	10	0.024 s
29		Login with new registered member	9	0	1	8	0.020 s

DETAILED SECTION -- 14 --

Users Module Display




User opens Users Page



#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	PASSED	9.526 s
2	And User clicks login link	PASSED	1.801 s
3	And user logins as "username1" with password "password1"	PASSED	7.313 s
4	And user clicks on maximize icon	PASSED	2.148 s
5	And User goes to userPage	PASSED	4.290 s
6	Then verify that page opened	PASSED	0.072 s

User checks visibility of users list


DETAILED SECTION -- 15 --



#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	PASSED	6.155 s
2	And User clicks login link	PASSED	1.944 s
3	And user logins as "username1" with password "password1"	PASSED	3.589 s
4	And user clicks on maximize icon	FAILED	2.092 s
	org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: not connected to DevTools (Session info: chrome=139.0.7258.66) Build info: version: '4.34.0', revision: '707dcb4246" System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62/d32994769, userDataDir: C:Users/tatmalAppDatalL.oca), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthm:extension:credBlob: true, webauthm:extension:credBlob: true, webauthm:extension:minPinLength: true, webauthm:extension:credBlob: true, webauthm:extension:mePinLength: true, webauthm:extension:prf: true, webauthm:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.DirectConstructor.newInstance(DirectConstructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.VittpCommandExecutor.pava:215) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:647) at org		

DETAILED SECTION -- 16 --


#	Step / Hook Details	Status	Duration
	at ?.user clicks on maximize icon(file:///C:/Users/fatma/IdeaProjects/CapstoneUICucumber/src/test/resources/features/US_015_Users. feature:8) * Not displayable characters are replaced by '?'.		
5	And User goes to userPage	SKIPPED	0.001 s
6	Then verify userList exists	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.041 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout [implicit=10000]] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca		



DETAILED SECTION -- 17 --

#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.006 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatmalAppData\Loca	CMDDED	0.001
2	And User clicks login link	SKIPPED	0.001 s
3	And user logins as "username1" with password "password1" And user clicks on maximize icon	SKIPPED SKIPPED	0.000 s 0.000 s
4			
5	And User goes to userPage	SKIPPED	0.001 s
6	Then verify each user has an email	SKIPPED FAILED	0.000 s 0.012 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042	FAILED	U.U12 S


#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:964)		
	at utilities.Driver.getDriver(Driver.java:45)		
	at stepdefinitions.Hooks.tearDown(Hooks.java:14)		



#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.011 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:964) at utilities.Driver.getDriver(Driver.java:45) at stepdefinitions.LoginSD.user_goes_to_homepage(LoginSD.java:18) at ?.user goes to homepage(file:///C:/Users/fatma/IdeaProjects/CapstoneUICucumber/src/test/resources/features/US_015_Users.feature:5) * Not displayable characters are replaced by '?'.		
2	And User clicks login link	SKIPPED	0.000 s
3	And user logins as "username1" with password "password1"	SKIPPED	0.001 s
4	And user clicks on maximize icon	SKIPPED	0.001 s
5	And User goes to userPage	SKIPPED	0.002 s
6	Then Verify that each user has a visible since date	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.010 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:Usersifatma\AppDatalLoca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:486) at org.openqa.selenium.remote.ecodec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:215) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.secute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDrive		

DETAILED SECTION -- 20 --



#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.026 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:Users/latma\AppData\Loca], fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), secdp: ws://localhost:53939/devtoo, secdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.DirectConstructorInandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.RemoteWebDriver.\$RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver.\$RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver.pava:45) at 3tepdefinitions		
2	* Not displayable characters are replaced by '?'. And User clicks login link	SKIPPED	0.001 s
3	And user logins as "username1" with password "password1"	SKIPPED	0.000 s
4	And user clicks on maximize icon	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
5	And User goes to userPage	SKIPPED	0.001 s
6	Then Verify that each user has a visible access type	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.010 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout [implicit=10000]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome! (chromedriverVersion: 139.0.7258.66) (a62d32994769, userDataDir: C:\Users\ifatma\AppData\Loca), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension.credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.Constructor.handleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.Codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.RemoteWebDriver.servete(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver.servete(RemoteWebDriver.java:544) at org.openqa.selenium.remote.Cendec.RemoteWebDriver.Servete(PotiverComman		



#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678cobef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62432994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:vextension:credBlob: true, webauthnextension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.CbirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriversRemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriversRemoteWebDriver.gava:540 at stepdefinitions.LoginSp.user_goes_lo_homepage(LoginSD.java:18) at		
2	And User clicks login link	SKIPPED	0.000 s
3	And user logins as "username1" with password "password1"	SKIPPED	0.001 s
4	And user clicks on maximize icon	SKIPPED	0.002 s
5	And User goes to userPage	SKIPPED	0.002 s
6	Then Verify that each user has a visible status	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.007 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:964)		
	at utilities.Driver.getDriver(Driver.java:45)		
	at stepdefinitions.Hooks.tearDown(Hooks.java:14)		

Users Module Edit

Scenarios		Steps	
Total - 13		Total - 111	
Pass - 0	13	Pass - 0	111
Fail - 13		Fail - 13	
Skip - 0		Skip - 98	
	Total - 13 Pass - 0 Fail - 13	Total - 13 Pass - 0 Fail - 13	Total - 13 Pass - 0 Fail - 13 Total - 111 Pass - 0 Fail - 13

User opens User Detail Page of first user of list


FAILED DURATION - 0.063 s	0.15	1			-					Steps	
/ 11:30:01.431 ÖÖ // 11:30:01.494 ÖÖ /	0.1									Total - 7	
Users Module Edit	-									Pass - 0	7
@TC_016_01 @Fatma @US_016	.05									Skip - 6	
@AssertUserDetailPageOpens @Regression	0		1	2	3	4	5	6	7		

#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.010 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome,		

#	Step / Hook Details	Status	Duration
	browser/Version: 139.0.7258.66, chrome: {chromedriver/Version: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), ser.cdp: ws://localhost:53939/devtoo, ser.cdp/Version: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriversRemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriversRemoteWebDriver.java:544) at stepdefinitions.LoginSD.user_goes_to_homepage(LoginSD.java:18) at ?.user goes to homepage(file:///C./Users/fatma/IdeaProjects/CapstoneUICucumber/src/test/resources/features/US_016_EditUser.feature:5) * Not displayable characters are replaced by '?'.		
2	And User clicks login link	SKIPPED	0.000 s
3	And user logins as "username1" with password "password1"	SKIPPED	0.000 s
4	And user clicks on maximize icon	SKIPPED	0.001 s
5	And User goes to userPage	SKIPPED	0.000 s
6	Given User clicks on indexed username from the list	SKIPPED	0.021 s
7	Then Verify that User Detail page is opened	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:964)		
	at utilities.Driver.getDriver(Driver.java:45)		
	at stepdefinitions.Hooks.tearDown(Hooks.java:14)		

User opens select a role window




#	#	Step / Hook Details	Status	Duration
1		Given user goes to homepage	FAILED	0.006 s
		org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		

DETAILED SECTION -- 26 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:964) at utilities.Driver.getDriver(Driver.java:45) at stepdefinitions.LoginSD.user_goes_to_homepage(LoginSD.java:18) at ?.user goes to homepage(file:///C:/Users/fatma/IdeaProjects/CapstoneUICucumber/src/test/resources/features/US_016_EditUser. feature:5) * Not displayable characters are replaced by '?'.		
2	And User clicks login link	SKIPPED	0.001 s
3	And user logins as "username1" with password "password1"	SKIPPED	0.000 s
4	And user clicks on maximize icon	SKIPPED	0.000 s
5	And User goes to userPage	SKIPPED	0.000 s
6	Given User clicks on indexed username from the list	SKIPPED	0.000 s
7	When User clicks the + button under Roles section	SKIPPED	0.000 s
8	Then Verify that select a role window is opened	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: [implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.Service.DriverCodec.decode(ErrorCodec.decode(W3CHttpResponseCodec.java:215) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecutor.java:215) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecutor.java:215) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.Re	FAILED	0.012 s

#	Step / Hook Details	Status	Duration
	at stepdefinitions.Hooks.tearDown(Hooks.java:14)		

User selects a role to first user of list




#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.010 s
	org.openga.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246* System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca], fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:486) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openga.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:215) at org.openga.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openga.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openga.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.		

DETAILED SECTION -- 28 --

#	Step / Hook Details	Status	Duration
2	And User clicks login link	SKIPPED	0.000 s
3	And user logins as "username1" with password "password1"	SKIPPED	0.000 s
4	And user clicks on maximize icon	SKIPPED	0.000 s
5	And User goes to userPage	SKIPPED	0.001 s
6	Given User clicks on indexed username from the list	SKIPPED	0.000 s
7	When User clicks the + button under Roles section	SKIPPED	0.000 s
8	And User adds a new role for user	SKIPPED	0.000 s
9	Then Verify that the new role is added and "New role added for this user successfuly" message seen	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.007 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatama\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdp\Version: 139.0.7258.66, set\VindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.Service.DriverCodec.decode(ErrorCodec.decode(W3CHttpResponseCodec.java:215) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(

Check that new role is saved correctly




#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.006 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout (implicit=10000)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: (chromedriverVersion: 139.0.7258.66, chrome: chromedriverVersion: 139.0.7258.66, chrome: chromedriverVersion: 139.0.7258.66, chrome: chromedriverVersion: 139.0.7258.66, setWindows.ppDatalLoca), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:interactability: false, timeouts: filmplicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:reflect.DirectConstructor.newInstanceConstructor.java:502 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:167) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.HttpCommandExecutor.execute(PriverCommandExecutor.java:		
2	And User clicks login link	SKIPPED	0.000 s
3	And user logins as "username1" with password "password1"	SKIPPED	0.002 s
4	And user clicks on maximize icon	SKIPPED	0.000 s
5	And User goes to userPage	SKIPPED	0.001 s

DETAILED SECTION -- 30 --

#	Step / Hook Details	Status	Duration
6	Given User clicks on indexed username from the list	SKIPPED	0.000 s
7	And User clicks the + button under Roles section	SKIPPED	0.000 s
8	When User adds a new role for user	SKIPPED	0.000 s
9	And User refreshes the profile page	SKIPPED	0.000 s
10	Then Verify that the newly added role appears under Roles section	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.009 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8ef18f042, setTimeout [implicit=10000]] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:U\sers\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad 300000, script: 3000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:146) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invekExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.invekeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invekeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriverRemoteWe		


Default role cannot be deleted



#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.010 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: (chromedriverVersion: 139.0.7258.66, acceptinsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: (chromedriverVersion: 139.0.7258.66, chromedriverVersion: 139.0.7258.66, setWindowSect. true, stock of the chromatolities of the chromato		
2	And User clicks login link	SKIPPED	0.000 s
3	And user logins as "username1" with password1"	SKIPPED	0.000 s
4	And user clicks on maximize icon	SKIPPED	0.000 s
5	And User goes to userPage	SKIPPED	0.000 s
6	Given User clicks on indexed username from the list	SKIPPED	0.000 s
7	Then Verify that default role cannot be removed	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.010 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		

#	Step / Hook Details	Status	Duration
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:964)		
	at utilities.Driver.getDriver(Driver.java:45)		
	at stepdefinitions.Hooks.tearDown(Hooks.java:14)		

User opens User Detail Page of first user of list




#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.005 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3cHttpResponseCodec.decode(W3cHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3cHttpResponseCodec.decode(W3cHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:964) at utilities.Driver.getDriver(Driver.java:45) at stepdefinitions.LoginSD.user_goes_to_homepage(LoginSD.java:18) at ?.user goes to homepage(file:///C:/Users/fatma/IdeaProjects/CapstoneUICucumber/src/test/resources/features/US_016_EditUser. feature:5) * Not displayable characters are replaced by '?'.		
2	And User clicks login link	SKIPPED	0.000 s
3	And user logins as "username1" with password "password1"	SKIPPED	0.000 s
4	And user clicks on maximize icon	SKIPPED	0.000 s
5	And User goes to userPage	SKIPPED	0.000 s
6	Given User clicks on indexed username from the list	SKIPPED	0.000 s
7	When User clicks the + button under Roles section	SKIPPED	0.000 s
8	Then Verify that select role window is opened	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.010 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:964)		
	at utilities.Driver.getDriver(Driver.java:45) at stepdefinitions.Hooks.tearDown(Hooks.java:14)		


Set a newly added role as default role



#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.005 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Usersifatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:singeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:credBlob: true, session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/jdx.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.pava:454) at org.openqa.selenium.remote.RemoteWebDriversRemoteWebDriver.java:544)		

DETAILED SECTION -- 35 --

#	Step / Hook Details	Status	Duration
	at stepdefinitions.LoginSD.user_goes_to_homepage(LoginSD.java:18) at ?.user goes to homepage(file:///C:/Users/fatma/IdeaProjects/CapstoneUICucumber/src/test/resources/features/US_016_EditUser. feature:5) * Not displayable characters are replaced by '?'.		
2	And User clicks login link	SKIPPED	0.000 s
3	And user logins as "username1" with password "password1"	SKIPPED	0.000 s
4	And user clicks on maximize icon	SKIPPED	0.001 s
5	And User goes to userPage	SKIPPED	0.000 s
6	Given User clicks on indexed username from the list	SKIPPED	0.000 s
7	And User clicks the + button under Roles section	SKIPPED	0.000 s
8	And User adds a new role for user	SKIPPED	0.000 s
9	When user sets the new role as default	SKIPPED	0.000 s
10	Then Verify that the new default role is displayed correctly	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.008 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66 (chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:Users\fatma\AppData\Loca\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), set:cdp: ws:/localhost:53939/devtoo, set:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismis and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.secute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.Service.DriverCommandExecutor.secute(




#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.006 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246* System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66, chromes: chromedriverVersion: 139.0.7258.66, chromes: chromedriverVersion: 139.0.7258.66, chromes: windows, proxy: Proxy(), se:cdp: ws://localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension.credBlob: true, webauthn:extension.largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.Constructor.newlnstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newlnstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newlnstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.edec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.SecuteMemoteWebDriver.java:540 at org.openqa.selenium.remote.RemoteWebDriverSementeWebDriver.ja		
2	And User clicks login link	SKIPPED	0.001 s
3	And user logins as "username1" with password "password1"	SKIPPED	0.000 s
4	And user clicks on maximize icon	SKIPPED	0.000 s
5	And User goes to userPage	SKIPPED	0.000 s

DETAILED SECTION -- 37 --

#	Step / Hook Details	Status	Duration
6	Given User clicks on indexed username from the list	SKIPPED	0.000 s
7	And User clicks the + button under Roles section	SKIPPED	0.000 s
8	And User selects a new role from the dropdown	SKIPPED	0.000 s
9	When User clicks cancel button	SKIPPED	0.000 s
10	Then Verify that the canceled role is not listed under Roles section	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout [implicit=10000]] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 3000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.gexecute(PriverCommandExecutor.java:144) at		

User saves without selecting role



#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.004 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout [implicit=10000]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:UJsers/stamalAppDataLLoca), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), sex.opt: ws://localhost:53939/devtoo, sex.opt/sersion:139.0.7258.66, setWindowRect: true, strictFilenteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:argeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.ConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:502) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:215) at org.openqa.selenium.remote.RemoteWebDriver*RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver*RemoteWebDriver.java:544) at stepdefinitions.LoginSD.user_goes_to_homepage(LoginSD.java:18) at stepdefinitions.LoginSD.user_goes_to_homepage(LoginSD.java:18)		
3	And User clicks login link And user logins as "username1" with password "password1"	SKIPPED SKIPPED	0.000 s 0.000 s
4	And user clicks on maximize icon	SKIPPED	0.000 s
5	And User goes to userPage	SKIPPED	0.000 s
6	Given User clicks on indexed username from the list	SKIPPED	0.000 s
7	And User clicks the + button under Roles section	SKIPPED	0.000 s
8	When User click save button	SKIPPED	0.000 s
9		SKIPPED	0.000 s
9	Then Verify that adding role error message "You can add a role to the user from the profile page." is occured AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s 0.004 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca.	I / NLLD	0.004 3

#	Step / Hook Details	Status	Duration
	}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy:		
	normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true,		
	strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		
	webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openga.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openga.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:964)		
	at utilities.Driver.getDriver(Driver.java:45)		
	at stepdefinitions.Hooks.tearDown(Hooks.java:14)		

Does Profile page edit button works


FAILED DURATION - 0.026 s	0.15									Steps		
/ 11:30:01.830 ÖÖ // 11:30:01.856 ÖÖ /	0.1									Total - 8 Pass - 0		
Users Module Edit	.05									Fail - 1	8	
@Fatma @US_016 @DoesEditButtonWorks @TC_016_09 @Regression],									Skip - 7		
WIO_010_03 @IVeRiession	3	1	2	3	4	5	6	7	8			

#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.004 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:mlPinLength: true, webauthn:extension:prf: true,		

#	Step / Hook Details	Status	Duration
	webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:964) at utilities.Driver.getDriver(Driver.java:45) at stepdefinitions.LoginSD.user_goes_to_homepage(LoginSD.java:18) at ?.user goes to homepage(file:///C:/Users/fatma/IdeaProjects/CapstoneUICucumber/src/test/resources/features/US_016_EditUser.feature:5)		
2	* Not displayable characters are replaced by '?'. And User clicks login link	SKIPPED	0.000 s
3	And user logins as "username1" with password "password1"	SKIPPED	0.000 s
4	And user clicks on maximize icon	SKIPPED	0.000 s
5	And User goes to userPage	SKIPPED	0.001 s
6	Given User clicks on indexed username from the list	SKIPPED	0.000 s
7	When User clicks the Pencil Image	SKIPPED	0.000 s
8	•	SKIPPED	0.000 s
8	Then Verify that pencil image is changed into tick and cross buttons	FAILED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)	I AILLU	0.000 5

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:964)		2 0
	at utilities.Driver.getDriver(Driver.java:45) at stepdefinitions.Hooks.tearDown(Hooks.java:14)		


Email addres cannot be changed



#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.004 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)	FAILED	0.004 s

DETAILED SECTION -- 42 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:964) at utilities.Driver.getDriver(Driver.java:45) at stepdefinitions.LoginSD.user_goes_to_homepage(LoginSD.java:18) at ?.user goes to homepage(file:///C:/Users/fatma/IdeaProjects/CapstoneUICucumber/src/test/resources/features/US_016_EditUser. feature:5) * Not displayable characters are replaced by '?'.		
2	And User clicks login link	SKIPPED	0.000 s
3	And user logins as "username1" with password "password1"	SKIPPED	0.000 s
4	And user clicks on maximize icon	SKIPPED	0.000 s
5	And User goes to userPage	SKIPPED	0.000 s
6	Given User clicks on indexed username from the list	SKIPPED	0.000 s
7	When User clicks the Pencil Image	SKIPPED	0.000 s
8	Then Verify that email addres cannot be changed	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.006 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: [implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriversRemoteWebDriver.ja		




#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.005 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout (implicit=10000)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: (chromedriverVersion: 139.0.7258.66 (ac2d32994769, userDataDir: C:USersifatma\AppDataLoca), fedcm:accounts: true, goog:chromeOptions: (debuggerAddress: localhost:53939), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension.credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:refelt.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.handleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.RemoteWebDriver.service(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver*RemoteWebDriver*CommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver*RemoteWebDriver*RemoteWe		
2	And User clicks login link	SKIPPED	0.002 s
3	And user logins as "username1" with password "password1"	SKIPPED	0.000 s
4	And user clicks on maximize icon	SKIPPED	0.000 s
5	And User goes to userPage	SKIPPED	0.000 s

DETAILED SECTION -- 44 --

#	Step / Hook Details	Status	Duration
6	Given User clicks on indexed username from the list	SKIPPED	0.000 s
7	When User clicks the Pencil Image	SKIPPED	0.000 s
8	And User deletes username input	SKIPPED	0.000 s
9	Then Verify that username error message "Username cannot be empty" is occured	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout [implicit=10000]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:alrgeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:147) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(CommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriversRemoteWebDriver.java:544) at or		

Reset Password window should ben opened



#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.007 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678cobef8eff18f042, setTimeout (implicit=1000)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: (chromedriverVersion: 139.0.7258.66, acceptinsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: (chromedriverVersion: 139.0.7258.66, acceptinsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: (chromedriverVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit to. pageLoad: 300000, script: 30000, unhandledPromptBehavior: dismiss and notify, webauthn.extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:intualAuthenticators: true} Session ID: f3261af7d31a44678cobef8eff18f042 at java.base/java.lang.reflect.ConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.secute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.serviceWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver.serviceWebDriver.java:58 at stepdefinitions.LoginSD.user_goes_to_		
2	And User clicks login link	SKIPPED	0.001 s
3	And user logins as "username1" with password1"	SKIPPED	0.000 s
4	And User clicks on maximize icon	SKIPPED	0.000 s
5	And User goes to userPage	SKIPPED	0.000 s
6	And User clicks on indexed username from the list	SKIPPED	0.000 s
7	When User clicks Reset Password button	SKIPPED	0.000 s
8	Then Verify that Reset Password window should be opened	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true,	FAILED	0.003 s


#	Step / Hook Details	Status	Duration
	strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:964)		
	at utilities.Driver.getDriver(Driver.java:45)		
	at stepdefinitions.Hooks.tearDown(Hooks.java:14)		

-- 46 --

Users Module NewUser

FAILED	DURATION - 0.291 s	Scenarios		Steps	
		Total - 10		Total - 97	
/11:30:02.002 OC	Ö // 11:30:02.293 ÖÖ /	Pass - 0	10	Pass - 0	97
		Fail - 10		Fail - 10	
		Skip - 0		Skip - 87	


Does New User Registration page open



#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.003 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 139.0,7258.66, chrome: (chromedriverVersion: 139.0,7258.66, chrome: chromedriverVersion: 139.0,7258.66, setWindows.ppDatalLoca,), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0,7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:intualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.Codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.AttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriversRemoteWebDriver.pava:544) at stepdefinitions.LoginSD.user_goes_to_homepage(LoginSD.java:18) at 2.user_goes to homep		
2	And User clicks login link	SKIPPED	0.000 s
3	And user logins as "username1" with password1"	SKIPPED	0.000 s
4	And user clicks on maximize icon	SKIPPED	0.000 s
5	And User goes to userPage	SKIPPED	0.000 s
6	Given User clicks Add New Member button	SKIPPED	0.000 s
7	Then Verify that title "New User Registration" is seen	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		

#	Step / Hook Details	Status	Duration
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:964)		
	at utilities.Driver.getDriver(Driver.java:45)		
	at stepdefinitions.Hooks.tearDown(Hooks.java:14)		

Attempt to create a new member without any data




#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.003 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3cHttpResponseCodec.decode(W3cHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3cHttpResponseCodec.decode(W3cHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:964) at utilities.Driver.getDriver(Driver.java:45) at stepdefinitions.LoginSD.user_goes_to_homepage(LoginSD.java:18) at ?.user goes to homepage(file:///C:/Users/fatma/IdeaProjects/CapstoneUlCucumber/src/test/resources/features/US_017_NewUser. feature:5) * Not displayable characters are replaced by '?'.		
2	And User clicks login link	SKIPPED	0.000 s
3	And user logins as "username1" with password "password1"	SKIPPED	0.001 s
4	And user clicks on maximize icon	SKIPPED	0.000 s
5	And User goes to userPage	SKIPPED	0.000 s
6	Given User clicks Add New Member button	SKIPPED	0.000 s
7	When User clicks Register button	SKIPPED	0.000 s
8	Then Verify that role error message "Please select a role for the user you will add" is occured	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.006 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:964)		
	at utilities.Driver.getDriver(Driver.java:45)		
	at stepdefinitions.Hooks.tearDown(Hooks.java:14)		


Attempt to create a new member without an email



#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.005 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:sminPinLength: true, webauthn:extension:prf: true, webauthn:extension:credBlob: true, session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.petDriver(Poriver.java:45) at org.openqa.selenium.remote.RemoteWebDriverSemoteWebDriver.java:544) at org.openqa.sel		

DETAILED SECTION -- 51 --

#	Step / Hook Details	Status	Duration
	at stepdefinitions.LoginSD.user_goes_to_homepage(LoginSD.java:18) at ?.user goes to homepage(file:///C:/Users/fatma/IdeaProjects/CapstoneUICucumber/src/test/resources/features/US_017_NewUser. feature:5) * Not displayable characters are replaced by '?'.		
2	And User clicks login link	SKIPPED	0.002 s
3	And user logins as "username1" with password "password1"	SKIPPED	0.000 s
4	And user clicks on maximize icon	SKIPPED	0.000 s
5	And User goes to userPage	SKIPPED	0.000 s
6	Given User clicks Add New Member button	SKIPPED	0.000 s
7	When User selects a role from Roles dropdown menu	SKIPPED	0.000 s
8	And User enters "	SKIPPED	0.001 s
9	And User clicks Register button	SKIPPED	0.000 s
10	Then Verify that email error message "Please enter a valid email" is occured	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.006 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66 (ac2d32994769, userDataDir: C:Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), set:cdp: ws://localhost:53939/devtoo, set:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismis and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.ConstructorInadleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriversRemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriversRemoteWebDriverOptions\$RemoteT		




#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.005 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4,34.0', revision: '707dcb4246* System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3261af7d31a44678c0bef8eff18f042, setTimeout (implicit=10000)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, forme: {chromedriverVersion: 139.0.7258.66, acceptinsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, forme: {chromedriverVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:interactability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:interactability: false, true) Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.Codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.AttpCommandExecutor.execute(PtiverCommandExecutor.java:215) at org.openqa.selenium.remote.BernoteWebDriver.decodec.W3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:174) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(PtiverCommandExecutor.java:174) at org.openqa.selenium.remote.R		
2	And User clicks login link	SKIPPED	0.000 s
3	And user logins as "username1" with password "password1"	SKIPPED	0.000 s
4	And user clicks on maximize icon	SKIPPED	0.001 s
5	And User goes to userPage	SKIPPED	0.000 s

DETAILED SECTION -- 53 --

#	Step / Hook Details	Status	Duration
6	Given User clicks Add New Member button	SKIPPED	0.000 s
7	When User selects a role from Roles dropdown menu	SKIPPED	0.000 s
8	And User enters 'fat@s'	SKIPPED	0.000 s
9	And User clicks Register button	SKIPPED	0.000 s
10	Then Verify that email error message "Please enter a valid email" is occured	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout [implicit=10000]] Capabilities {acceptinsecureCerts: false, prowserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 3000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.RemoteWebDriver.Java:544) at org.openqa.selenium.remote.RemoteWebDriverRemoteWebDriv		

Attempt to create a new member without an email



#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.003 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [I3261af7d31a44678c0bef8ef18f042, setTimeout {implicit=10000}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 139.0, 7258.66, (a62d32994769, userDataDir: CJVsers/fatmadAppDataLl.coa,}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), sex.odr: ws://localhost:53939/jdevtoo, sex.opversion: 139.0, 7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8ef18f042 at java.base/java.lang.reflect.ConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.secute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver.SermoteWebDriver.java:549) at stepdefinitions.LoginSD.user_goes_to_homepage(LoginSD.java:18) at stepdefinitions.LoginSD.user_goes_to_home		
2	And User clicks login link	SKIPPED	0.000 s
3	And user logins as "username1" with password1"	SKIPPED	0.000 s
4	And user clicks on maximize icon	SKIPPED	0.000 s
5	And User goes to userPage	SKIPPED	0.000 s
6	Given User clicks Add New Member button	SKIPPED	0.000 s
7	When User selects a role from Roles dropdown menu	SKIPPED	0.000 s
8	And User enters '@asd.asd'	SKIPPED	0.000 s
9	And User clicks Register button	SKIPPED	0.000 s
10	Then Verify that email error message "Please enter a valid email" is occured	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome,		

#	Step / Hook Details	Status	Duration
	browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true,		
	strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:964)		
	at utilities.Driver.getDriver(Driver.java:45)		
	at stepdefinitions.Hooks.tearDown(Hooks.java:14)		

Attempt to create a new member without an email

FAILED DURATION - 0.021 s	0.15	1			1	-	1	1		1	1	-	Steps		
/ 11:30:02.152 ÖÖ // 11:30:02.173 ÖÖ /	0.1	1		<u> </u>			ļ	1	<u> </u>	L	- !	3	Total - 10		
Users Module NewUser	-			1				1					Pass - 0	40	
Osers Module Newoser	.05			<u> </u>	·				<u> </u>		-!		Fail - 1	10	
@NewRegistrationWithoutOrWithInvalidEmail													Skip - 9		/
@TC_017_03 @Fatma @US_017 @Regression	0 .	-		1	1		-	1	1	1	1	10			
			ı	2	3	4	D	ь	/	8	9	10			

#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.004 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		

DETAILED SECTION -- 56 --

#	Step / Hook Details	Status	Duration
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:502) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:964) at utilities.Driver.getDriver(Driver.java:45) at stepdefinitions.LoginSD.user_goes_to_homepage(LoginSD.java:18) at ?.user goes to homepage(file:///C:/Users/fatma/IdeaProjects/CapstoneUICucumber/src/test/resources/features/US_017_NewUser.feature:5) * Not displayable characters are replaced by '?'.		
2	And User clicks login link	SKIPPED	0.000 s
3	And user logins as "username1" with password "password1"	SKIPPED	0.000 s
4	And user clicks on maximize icon	SKIPPED	0.000 s
5	And User goes to userPage	SKIPPED	0.000 s
6	Given User clicks Add New Member button	SKIPPED	0.000 s
7	When User selects a role from Roles dropdown menu	SKIPPED	0.000 s
8	And User enters '@asd.com'	SKIPPED	0.000 s
9	And User clicks Register button	SKIPPED	0.000 s
10	Then Verify that email error message "Please enter a valid email" is occured	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		

#	Step / Hook Details	Status	Duration
"	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:964) at utilities.Driver.getDriver(Driver.java:45) at stepdefinitions.Hooks.tearDown(Hooks.java:14)	Ciatus	Buration

Attempt to create a new member with an existed/registered email

FAILED DURATION - 0.024 s	0.15	7	-		-	-	-	-	-	-			Steps		
/ 11:30:02.179 ÖÖ // 11:30:02.203 ÖÖ /	0.1								ļ	ļ			Total - 10 Pass - 0		
Users Module NewUser	.05								-	ļ			Fail - 1	10	
@TC_017_03 @Fatma @US_017 @Regression @NewRegistrationWithRegisteredEmail	0				-					<u>.</u>			Skip - 9		/
			1	2	3	4	5	6	7	8	9	10			

#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.005 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		

DETAILED SECTION -- 58 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:964) at utilities.Driver.getDriver(Driver.java:45) at stepdefinitions.LoginSD.user_goes_to_homepage(LoginSD.java:18) at ?.user goes to homepage(file:///C:/Users/fatma/IdeaProjects/CapstoneUICucumber/src/test/resources/features/US_017_NewUser. feature:5) * Not displayable characters are replaced by '?'.		
2	And User clicks login link	SKIPPED	0.000 s
3	And user logins as "username1" with password "password1"	SKIPPED	0.001 s
4	And user clicks on maximize icon	SKIPPED	0.000 s
5	And User goes to userPage	SKIPPED	0.000 s
6	Given User clicks Add New Member button	SKIPPED	0.000 s
7	When User selects a role from Roles dropdown menu	SKIPPED	0.000 s
8	And User enters 'fatmapostaci@gmail.com'	SKIPPED	0.000 s
9	And User clicks Register button	SKIPPED	0.000 s
10	Then Verify that error message "An error occurred" is occured	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Usersifatma\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: onrmal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/jdk.internal.reflect.CircetConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.newecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:964)		
	at utilities.Driver.getDriver(Driver.java:45)		
	at stepdefinitions.Hooks.tearDown(Hooks.java:14)		


Create a new member with an acceptable data in all areas

FAILED DURATION - 0.022 s	0.15	7											-		Steps		
/ 11:30:02.207 ÖÖ // 11:30:02.229 ÖÖ /	0.1	1		1 .					L	<u> </u>					Total - 12		
Users Module NewUser													-		Pass - 0	12	
@Smoke @Fatma @US_017 @NewRegistrationWithValidCredentials @Regression	.05			- T]	-			 - -]			- -	Fall - 1 Skip - 11	12	
@SmokeDemo @TC_017_04			1	2	3	4	5	6	7	8	9	10	11	12			

#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.004 s
1	Given user goes to homepage org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8ef18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\Users\fatma\AppData\Loca, fedom:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:strue} session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:250) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.\$RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriver.\$RemoteWebDriver.java:180 at stepdefinitions.LoginSD.user	FAILED	0.004 s

DETAILED SECTION -- 60 --

#	Step / Hook Details	Status	Duration
	feature:5)		
	* Not displayable characters are replaced by '?'.	OLUBBER	0.000
2	And User clicks login link	SKIPPED	0.000 s
3	And user logins as "username1" with password "password1"	SKIPPED	0.000 s
4	And user clicks on maximize icon	SKIPPED	0.000 s
5	And User goes to userPage	SKIPPED	0.000 s
6	Given User clicks Add New Member button	SKIPPED	0.000 s
7	When User selects a department from Departments dropdown menu	SKIPPED	0.000 s
8	And User selects a role from Roles dropdown menu	SKIPPED	0.000 s
9	And User enters fake email	SKIPPED	0.000 s
10	And User clicks Register button	SKIPPED	0.000 s
11	Then Keep the created password	SKIPPED	0.000 s
12	Then Verify that register succesful message "Successful" is occured	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66 (acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66 (acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66 (acceptInsecureCerts: false, browserName: chrome, browserName: chrome developed for the chromedriverVersion: 139.0.7258.66 (acceptInsecureCerts: false, browserName: chrome, chrome, browserName: chrome, chrome, browserName: chrome, chrome		




#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.005 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8ef18f042, setTimeout (implicit=10000f)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: (chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\UserSitama\AppData\Loca], fedom:accounts: true, goog:chromeOptions: (debuggerAddress: localhost:53939), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCesller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.Codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.Codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriversRemoteWebDriver.java:544) at org		
2	* Not displayable characters are replaced by '?'. And User clicks login link	SKIPPED	0.000 s
3	<u> </u>	SKIPPED	0.000 s
-	And user logins as "username1" with password "password1"		
4	And user clicks on maximize icon	SKIPPED	0.000 s
5	And User goes to userPage	SKIPPED	0.001 s

DETAILED SECTION -- 62 --

#	Step / Hook Details	Status	Duration
6	Given User clicks Add New Member button	SKIPPED	0.000 s
7	And User selects a department from Deparments dropdown menu	SKIPPED	0.000 s
8	And User selects a role from Roles dropdown menu	SKIPPED	0.000 s
9	And User enters "something@something.com"	SKIPPED	0.000 s
10	When User clicks Cancel button	SKIPPED	0.000 s
11	Then Verify that window closed without saving	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: Windows 11', os.arch: 'am64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [I3261af7d31a44678c0bef8eff18f042, setTimeout (implicit=1000)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66 (a62d32994769, userDataDir: C:\UsersYatma\AppData\Loca}, ledcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.Constructor.newlnstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newlnstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newlnstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:215) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriversRemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:94) at st		

Login with new registered member



#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	FAILED	0.005 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout (implicit=10000)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: (chromedriverVersion: 139.0.7258.66, acceptinsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: (chromedriverVersion: 139.0.7258.66, acceptinsecureCerts: false, browserName: chrome, browserName: vindows, proxy: Proxy(), se:cdp: ws://localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: pageLoadStrategy: normal, platformName: windows, proxy: pageLoadStrategy: normal, platformName: pageLoadStrategy: pageLoadStrategy:		
2	And User clicks login link	SKIPPED	0.000 s
3	And user logins as "username1" with password "password1"	SKIPPED	0.000 s
4	And user clicks on maximize icon	SKIPPED	0.000 s
5	And User goes to userPage	SKIPPED	0.000 s

DETAILED SECTION -- 64 --

#	Step / Hook Details	Status	Duration
6	Given User logs out	SKIPPED	0.000 s
7	And User clicks login link	SKIPPED	0.000 s
8	When user logins as "usernameFake" with password "passwordFake"	SKIPPED	0.000 s
9	Then user validates sign in	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.4' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3261af7d31a44678c0bef8eff18f042, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.66, chrome: {chromedriverVersion: 139.0.7258.66}, userDataDir: C:\Users\fatma\AppData\Loca,}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53939}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53939/devtoo, se:cdpVersion: 139.0.7258.66, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3261af7d31a44678c0bef8eff18f042 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstanceConstructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriver.java:544) at org.openqa.selenium.remote.RemoteWebDriv		