

Washing

Front loading washers

Wide range of front loading machines for all applications

G-Force 500



LA RANGE

High spin
- Soft-mounted washers.
- No need anchoring to the floor.

G-Force 200



LN RANGE

Normal spin
- Hard mounted washers.
- Installation on concrete plinth and metal base.

High Spin | G-Force: 500 / 450 / 350


TYPE OF CONTROL	HEATING	CAPACITY (KG)										
		10-11	13-14	18-20	20-22	26-28	35-39	42-47	60-66	80-86	95-105	115-128
Touch Plus programmable Control (TP2)	Electric, hot water and steam	LA-11 TP2	LA-14 TP2	LA-18 TP2	LA-22 TP2	LA-28 TP2	LA-35C TP2	LA-45C TP2	LA-60C TP2	LA-80C TP2	LA-100C TP2	LA-120C TP2
Touch Plus programmable Control (TP2) SELF-SERVICE	Electric, hot water and steam	LA-11 TP2	LA-14 TP2	LA-18 TP2	LA-22 TP2	LA-28 TP2	LA-35C TP2	LA-45C TP2	New	New		
G-Force 500				New	New	G-Force 450				G-Force 350		

Normal Spin | G-Force: 200 / 150

TYPE OF CONTROL	HEATING	CAPACITY (KG)								
		10-11	13-14	18-20	22-27	28-34	35-39	42-47	60-66	67-80
Touch Plus programmable Control (TP2)	Electric, hot water and steam	LN-11 TP2	LN-14 TP2	LN-18 TP2	LN-22 TP2	LN-28 TP2	LN-35C TP2	LN-45C TP2	LN-60C TP2	LN-80C TP2
Touch Plus programmable Control (TP2) SELF-SERVICE	Electric, hot water and steam	LN-11 TP2	LN-14 TP2	LN-18 TP2	LN-22 TP2	LN-28 TP2	LN-35C TP2	LN-45C TP2	LN-60C TP2	LN-80C TP2
					New	New				
					G-Force 200				G-Force 150	

Sanitary Barrier

Wide range of sanitary barrier machines meeting maximum demands



Composition of the ranges

TYPE OF CONTROL	HEATING	LOW CAPACITY LMED SERIES	
		16 -18 KG	22 - 25 KG
Touch Plus programmable Control (TP2)	Electric-Steam Double heating E+S	LMED-16 TP2	LMED-22 TP2

TYPE OF CONTROL	HEATING	MEDIUM CAPACITY LBS SERIES				HIGH CAPACITY PULLMAN SERIES
		27 - 30 KG	35 - 39 KG	49 - 54 KG	70 - 78 KG	90 - 100 KG
Touch Plus programmable Control (TP2)	Electric-Steam Double heating E+S	LBS-27 TP2	LBS-35 TP2	LBS-50 TP2	LBS-70 TP2	
Touch Plus programmable Control (TP2)	Electric-Steam Double heating E+S	LBS-27 TP2 PULLMAN NEW OPTION	LBS-35 TP2 PULLMAN NEW OPTION	LBS-50 TP2 PULLMAN NEW OPTION		LBS-100 TP2 PULLMAN
		New	New	New		



Innovation at your disposal

ONNERA GROUP




Santxolopetegi auzoa, 22
20560 Oñati, Gipuzkoa (España)

Tel. (+34) 943 71 80 30
info.laundry@fagorprofessional.com

www.fagorprofessional.com

You make it happen

Drying Superior drying performance




ADVANCE+		CAPACITY (KG)								
CONTROL TYPE	HEATING	11-12	14-15	17-18	22-26	27-31	33-37	45-50	60-67	75-83
Touch Plus Control (TP2)	Electric-gas- Steam	SR-11 TP2 PLUS	SR-14 TP2 PLUS	SR-18 TP2 PLUS	SR-22 TP2 PLUS	SR-28 TP2 PLUS	SR-35 TP2 PLUS	SR-45 TP2 PLUS	SR-60 TP2 PLUS	SR-80 TP2 PLUS

ADVANCE		CAPACITY (KG)								
CONTROL TYPE	HEATING	11-12	14-15	17-18	22-26	27-31	33-37	45-50	60-67	74-83
Touch Plus Control (TP2)	Electric-gas- Steam	SR-11 TP2	SR-14 TP2	SR-18 TP2	SR-22 TP2	SR-28 TP2	SR-35 TP2	SR-45 TP2	SR-60 TP2	SR-80 TP2
Touch Plus Control (TP2) SELF-SERVICE	Electric -gas- Steam	SR-11 TP2	SR-14 TP2	SR-18 TP2	SR-22 TP2	SR-28 TP2	SR-35 TP2			

CONCEPT		CAPACITY (KG)								
CONTROL TYPE	HEATING	11-12	14-15	17-18	22-26	27-31	33-37	45-50	60-67	74-83
Easy Control (M)	Electric-gas- Steam	SR-11 M	SR-14 M	SR-18 M	SR-22 M	SR-28 M	SR-35 M	SR-45 M	SR-60 M	SR-80 M
Easy Control (M) SELF-SERVICE	Electric-gas- Steam	SR-11 M	SR-14 M	SR-18 M	SR-22 M	SR-28 M	SR-35 M			


ECONOMIC LINE		CAPACITY (KG)					
CONTROL TYPE	HEATING	11-12	14-15	17-18	22-26	27-31	33-37
Easy Control (M)	Electric-gas	SC-11 M	SC-14 M	SC-18 M	SC-22 M	SC-28 M	SC-35 M
Easy Control (M) SELF-SERVICE	Electric-gas	SC-11 M	SC-14 M	SC-18 M	SC-22 M	SC-28 M	SC-35 M

Investing in efficiency is investing in the future



Water Recovery System Saving Systems

We have incorporated the latest technological innovations, capable of saving water, energy and chemical products: systems which reuse the hot water and detergent in a more intelligent and sustainable way.



Stack Dryers & Heat pump Dryers

Optimise space with stack dryers. Great energy savings with heat pump dryers.



Stack		ADVANCE				CONCEPT				ECONOMIC LINE						
CONTROL TYPE	HEATING	CAPACITY (KG)														
		11-12	14-15	17-18	22-26	11-12	14-15	17-18	22-26	11-12	14-15	17-18	22-26			
Touch Plus Control (TP2) Easy Control (M)	Electric-gas	SR-2-11 TP2	SR-2-14 TP2	SR-2-18 TP2	SR-2-22 TP2	SR-2-11 M	SR-2-14 M	SR-2-18 M	SR-2-22 M	SC-2-11 M	SC-2-14 M	SC-2-18 M	SC-2-22 M			
Touch Plus Control (TP2) Easy Control (M)	Electric-gas	SR-2-11 TP2	SR-2-14 TP2	SR-2-18 TP2	SR-2-22 TP2	SR-2-11 M	SR-2-14 M	SR-2-18 M	SR-2-22 M	SC-2-11 M	SC-2-14 M	SC-2-18 M	SC-2-22 M			
SELF-SERVICE					New				New				New			

Heat pump		ADVANCE+							
CONTROL TYPE	HEATING	CAPACITY (KG)							
		11-12	13-16	17-18	22-24				
Touch Plus Control (TP2)	Heat pump	SR-11 TP2 PLUS HPI	SR-14 TP2 PLUS HPI	SR-18 TP2 PLUS HPI	SR-22 TP2 PLUS HPI				
Touch Plus Control (TP2) SELF-SERVICE	Heat pump	SR-11 TP2 PLUS HPI	SR-14 TP2 PLUS HPI	SR-18 TP2 PLUS HPI	SR-22 TP2 PLUS HPI				

Professional Laundry

Much more than professional laundry + Features | + Versatile | + Robust | + Efficient



Professional washers Factor-G: 450 (LAP-08 y LAP-10)				
CONTROL TYPE	HEATING	TYPE OF DRAIN	CAPACITY (KG)	
			8-9	10-11
Touch Plus Control (TP2)	Electric, hot water	Drain valve and pump	LAP-08 TP2	LAP-10 TP2

Professional dryers (SRP-08, SRP-10 and SCP-10)			
CONTROL TYPE	HEATING	CAPACITY (KG)	
		8-9	10-11
ADVANCE+			
Touch Plus Control (TP2)	Heat Pump	SRP-08 TP2 PLUS HPI	SRP-10 TP2 PLUS HPI
ADVANCE			
Touch Plus Control (TP2)	Electric gas	SRP-08 TP2	SRP-10 TP2
CONCEPT			
Easy Control (M)	Electric gas	SRP-08 M	SRP-10 M
ECONOMIC LINE			
Easy Control (M)	Electric gas	SPC-10 M Three-phase SPC-10 M Single-phase SPC-10 M	

Wet Cleaning



Professional Wet Cleaning



Delicate Wet Cleaning



Very delicate Wet Cleaning

Ironing

Wall ironers Ø 180			
ROLL DIAMETER	HEATING	ROLL LENGTH	
		1000 mm	1200 mm
Ø 180 mm	Electric	P-18/100 M P-18/100 M NOMEX	P-18/120 M P-18/120 M NOMEX



Flatwork ironers Ø 250 / Ø 250 PLUS					
ROLL DIAMETER	HEATING	ROLL LENGTH			
		1000 mm	1200 mm	1400 mm	2000 mm
Ø 250 mm	Electric	P-25/100 M	P-25/120 M	P-25/140 M	P-25/200 M
		P-25/100 M NOMEX	P-25/120 M NOMEX	P-25/140 M NOMEX	P-25/200 M NOMEX
Ø 250 mm	Electric			P-25/140 M PLUS	P-25/200 M PLUS

Flatwork Ironers Ø 200				
ROLLER DIAMETER	HEATING	ROLLER LENGTH		
		1400 mm	1600 mm	2000 mm
Ø 200 mm	Electric	PS-20/140 M	PS-20160 M	PS-20/200 M




Flatwork Ironers Ø 325 / Ø 325 PLUS				
ROLLER DIAMETER	HEATING	ROLLER LENGTH		
		1400 mm	1600 mm	2000 mm
New Ø 325 mm	Electric and gas	PS-35/140 M	PS-35/160 M	PS-35/200 M
		2000 mm	2600 mm	3300 mm
New Ø 325 mm	Electric and gas	PS-35/200 M PLUS	PS-35/260 M PLUS	PS-35/330 M PLUS



Flatwork ironers Ø 500				
ROLLER DIAMETER	HEATING	ROLLER LENGTH		
		2000 mm	2600 mm	3300 mm
Ø 500 mm	Electric, gas and steam	PS-50/200 TP2	PS-50/260 TP2	PS-50/330 TP2



Flatwork ironers Ø 650				
ROLLER DIAMETER	HEATING	ROLLER LENGTH		
		2000 mm	2600 mm	3300 mm
Ø 650 mm	Electric, gas and steam	PS-65/200 TP2	PS-65/260 TP2	PS-65/330 TP2



Compact flatwork ironers

Ø 600, Ø 800, Ø 1000

