

The Markdown Guide

by Cone, Matt

> Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

Page No. 1 | Wednesday, October 19, 2022 4:17:53 AM

> When you create a Markdown-formatted file, you add Markdown syntax to the text to indicate which words and phrases should look different.

Page No. 1 | Wednesday, October 19, 2022 4:18:23 AM

> Markdown can be used for everything. People use it to create websites, documents, notes, books, presentations, email messages, and technical documentation.

Page No. 3 | Wednesday, October 19, 2022 4:19:33 AM

> Markdown is portable.

Page No. 3 | Wednesday, October 19, 2022 4:19:47 AM

> Markdown is future proof. Even if the application you're using stops working at some point in the future, you'll still be able to read your Markdown-formatted text using a text editing application.

Page No. 3 | Wednesday, October 19, 2022 4:20:11 AM

> When you write in Markdown, the text is stored in a plaintext file that has an .md or .markdown extension.

Page No. 5 | Wednesday, October 19, 2022 4:21:00 AM

> Markdown applications use something called a Markdown processor (also commonly referred to as a "parser" or an "implementation") to take the Markdown-formatted text and output it to HTML format.

Page No. 5 | Wednesday, October 19, 2022 4:21:26 AM

> Joplin is a note taking application that respects your privacy. It's available for every platform.

Page No. 12 | Wednesday, October 19, 2022 4:25:30 AM

> Markdown is the ideal syntax for taking notes.

Page No. 11 | Wednesday, October 19, 2022 4:25:38 AM

> Leanpub, a service that takes your Markdown-formatted files and turns them into an electronic book.

Page No. 12 | Wednesday, October 19, 2022 4:26:05 AM

> To create a heading, add number signs (#) in front of a word or phrase.

Page No. 17 | Wednesday, October 19, 2022 4:28:33 AM

> number of number signs you use should correspond to the heading level.
Page No. 17 | Wednesday, October 19, 2022 4:28:44 AM

> on the line below the text, add any number of == characters for heading level
Page No. 17 | Wednesday, October 19, 2022 4:29:36 AM

> on the line below the text, add any number of == characters for heading level 1 or -- characters for heading level 2.
Page No. 17 | Wednesday, October 19, 2022 4:29:41 AM

> always put a space between the number signs and the heading name.
Page No. 18 | Wednesday, October 19, 2022 4:29:57 AM

> Markdown applications don't agree on how to handle a missing space between the number signs (#)
Page No. 18 | Wednesday, October 19, 2022 4:30:01 AM

> create paragraphs, use a blank line to separate one or more lines of text.
Page No. 18 | Wednesday, October 19, 2022 4:30:37 AM

> create paragraphs, use a blank line to separate one or more lines of text.
Page No. 18 | Wednesday, October 19, 2022 4:30:39 AM

> create a line break (
) , end a line with two or more spaces, and then type return.
Page No. 19 | Wednesday, October 19, 2022 4:31:13 AM

> "trailing whitespace")
Page No. 20 | Wednesday, October 19, 2022 4:31:37 AM

> add emphasis by making text bold or italic.
Page No. 21 | Wednesday, October 19, 2022 4:32:34 AM

> two asterisks or underscores before and after a word or phrase.
Page No. 21 | Wednesday, October 19, 2022 4:32:59 AM

> Markdown applications don't agree on how to handle underscores in the middle of a word.
Page No. 22 | Wednesday, October 19, 2022 4:33:22 AM

> For compatibility, use asterisks to italicize the middle of a word for emphasis.
Page No. 23 | Wednesday, October 19, 2022 4:33:30 AM

> For compatibility, use asterisks to bold the middle of a word for emphasis.
Page No. 22 | Wednesday, October 19, 2022 4:33:39 AM

> one asterisk or underscore before and after a word or phrase.
Page No. 22 | Wednesday, October 19, 2022 4:33:42 AM

> emphasize text with bold and italics at the same time, add three asterisks

or underscores before and after a word or phrase.

Page No. 23 | Wednesday, October 19, 2022 4:33:58 AM

> For compatibility, use asterisks to bold and italicize the middle of a word for emphasis.

Page No. 24 | Wednesday, October 19, 2022 4:34:23 AM

> create a blockquote, add a > in front of a paragraph.

Page No. 24 | Wednesday, October 19, 2022 4:34:32 AM

> Blockquotes can contain multiple paragraphs. Add a > on the blank lines between the paragraphs.

Page No. 24 | Wednesday, October 19, 2022 4:34:50 AM

> Blockquotes can be nested. Add a >> in front of the paragraph you want to nest.

Page No. 25 | Wednesday, October 19, 2022 4:35:05 AM

> Blockquotes can contain other Markdown formatted elements.

Page No. 26 | Wednesday, October 19, 2022 4:35:41 AM

> put blank lines before and after blockquotes.

Page No. 27 | Wednesday, October 19, 2022 4:35:49 AM

> organize items into ordered and unordered lists.

Page No. 28 | Wednesday, October 19, 2022 4:36:01 AM

> To create an ordered list, add line items with numbers followed by periods.

Page No. 28 | Wednesday, October 19, 2022 4:36:07 AM

> To nest line items in an ordered list, indent the items four spaces or one tab.

Page No. 29 | Wednesday, October 19, 2022 4:36:39 AM

> To create an unordered list, add dashes (-), asterisks (*), or plus signs (+) in front of line items.

Page No. _31_ | Wednesday, October 19, 2022 4:37:13 AM

> If you need to start an unordered list item with a number followed by a period, you can use a backslash (\) to escape the period.

Page No. _33_ | Wednesday, October 19, 2022 4:38:06 AM

> Markdown applications don't agree on how to handle different delimiters in the same list. For compatibility, don't mix and match delimiters in the

Page No. _33_ | Wednesday, October 19, 2022 4:38:27 AM

> Markdown applications don't agree on how to handle different delimiters in the same list. For compatibility, don't mix and match delimiters in the same list

Page No. _33_ | Wednesday, October 19, 2022 4:38:31 AM

> Code blocks are normally indented four spaces or one tab. When they're in a list, indent them eight spaces or two tabs.

Page No. _36_ | Wednesday, October 19, 2022 4:39:18 AM

> denote a word or phrase as code, enclose it in backticks ().
 `Page No. _39_ | Wednesday, October 19, 2022 4:40:31 AM`

`

\>` If the word or phrase you want to denote as code includes one or more backticks, you can escape it by

enclosing the word or phrase in double backticks.
 `Page No. _40_ | Wednesday, October 19, 2022 4:40:59 AM`

`

\>` To create a horizontal rule, use three or more asterisks (`***`), dashes (`---`), or underscores (`---`) on a line by themselves.
 `Page No. _41_ | Wednesday,`

`October 19, 2022 4:42:01 AM

\>` For compatibility, put blank lines before and after horizontal rules.
 `<font`

`size="0.1">Page No. _42_ | Wednesday, October 19, 2022 4:42:11 AM`

`

\>` To create a link, enclose the link text in brackets
 `Page No. _43_ | Wednesday, October`

`19, 2022 4:42:20 AM

\>` then follow it immediately with the URL in parentheses (e.g.,
 `Page No.`

`_43_ | Wednesday, October 19, 2022 4:42:25 AM

\>` then follow it immediately with the URL in parentheses
 `<font`

`size="0.1">Page No. _43_ | Wednesday, October 19, 2022 4:42:28 AM`

`

\>` To quickly turn a URL or email address into a link, enclose it in angle brackets.
 `Page`

`No. _44_ | Wednesday, October 19, 2022 4:43:48 AM

\>` To emphasize links, add asterisks before and after the brackets and parentheses. To denote links as code, add

backticks in the brackets.
 `Page No. _44_ |`

`Wednesday, October 19, 2022 4:44:17 AM

\>` Reference-style links are a special kind of link that make URLs easier to display and read in Markdown.
 `<font`

`size="0.1">Page No. _45_ | Wednesday, October 19, 2022 4:47:50 AM`

`

\>` The first part of a reference-style link is formatted with two sets of brackets. The first set of brackets surrounds the text that should appear linked. The second set of

brackets displays a label used to point to the link you're storing elsewhere in your document.
 `Page`

`No. _45_ | Wednesday, October 19, 2022 4:48:17 AM

\>` The second part of a reference-style link is formatted with the following attributes:
 `<font`

`size="0.1">Page No. _46_ | Wednesday, October 19, 2022 4:48:21 AM`

`

\>` For compatibility, try to URL encode any spaces with `%20`.
 `Page No. _48_ | Wednesday,`

`October 19, 2022 4:49:38 AM

\>` To add an image,

add an exclamation mark (!), followed by alt text in brackets, and the path or URL to the image asset in parentheses.
 Page No. _49_ | Wednesday, October 19, 2022 4:49:57 AM

\> To add a link to an image, enclose the Markdown for the image in brackets, and then add the link in parentheses.
 Page No. _50_ | Wednesday, October 19, 2022 4:50:30 AM

\> display a literal character that would otherwise be used to format text in a Markdown document, add a backslash (\) in front of the character.
 Page No. _51_ | Wednesday, October 19, 2022 4:50:54 AM

\> You can use a backslash to escape the following characters.
 Page No. _51_ | Wednesday, October 19, 2022 4:51:10 AM

\> You can't use Markdown syntax inside block-level HTML tags.
 Page No. _52_ | Wednesday, October 19, 2022 4:52:25 AM

\> To add a table, use three or more hyphens (---) to create each column's header, and use pipes (|) to separate each column.
 Page No. _54_ | Wednesday, October 19, 2022 4:53:55 AM

\> Creating tables with hyphens and pipes can be tedious.
 Page No. _56_ | Wednesday, October 19, 2022 4:54:17 AM

\> You can align text in the columns to the left, right, or center by adding a colon (:) to
 Page No. _56_ | Wednesday, October 19, 2022 4:54:28 AM

\> You can align text in the columns to the left, right, or center by adding a colon (:) to the left, right, or on both side of the hyphens within the header row.
 Page No. _56_ | Wednesday, October 19, 2022 4:54:32 AM

\> You can display a pipe (|) character in a table by using its HTML character code (|).
 Page No. _58_ | Wednesday, October 19, 2022 4:55:38 AM

\> Depending on your Markdown processor or editor, you'll use three backticks (```) or three tildes (~~~) on the lines before and after the code block. The best part? You don't have to indent any lines!
 Page No. _58_ | Wednesday, October 19, 2022 4:56:01 AM

\> Depending on your Markdown processor or editor, you'll use three backticks (```) or three tildes (~~~) on the lines before and after the code block.
 Page No. _58_ | Wednesday, October 19, 2022 4:56:06 AM

\> To add syntax highlighting, specify a language next to the backticks before the fenced code block.
 Page No. _59_ | Wednesday, October 19, 2022 4:57:18 AM

\> Footnotes allow you to add notes and references without

cluttering the body of the document. Page No. _60_ | Wednesday, October 19, 2022 4:57:35 AM

To create a footnote reference, add a caret and an identifier inside brackets ([^1]). Page No. _60_ | Wednesday, October 19, 2022 4:58:01 AM

Identifiers only correlate the footnote reference with the footnote itself – in the output, footnotes are numbered sequentially. Page No. _60_ | Wednesday, October 19, 2022 4:58:11 AM

Identifiers can be numbers or words, Page No. _60_ | Wednesday, October 19, 2022 4:58:15 AM

Identifiers can be numbers or words, Page No. _60_ | Wednesday, October 19, 2022 4:58:21 AM

Identifiers can be numbers or words, but they can't contain spaces or tabs. Page No. _60_ | Wednesday, October 19, 2022 4:58:44 AM

Add the footnote using another caret and number inside brackets with a colon and text ([^1]: My footnote.). Page No. _61_ | Wednesday, October 19, 2022 4:58:53 AM

– some Markdown processors automatically add them. Page No. _62_ | Wednesday, October 19, 2022 5:02:31 AM

To add a custom heading ID, enclose the custom ID in curly braces on the same line as the heading. Page No. _62_ | Wednesday, October 19, 2022 5:02:42 AM

You can link to headings with custom IDs in the file by creating a standard link with a number sign Page No. _62_ | Wednesday, October 19, 2022 5:03:27 AM

You can link to headings with custom IDs in the file by creating a standard link with a number sign (#) followed by the custom heading ID. Page No. _62_ | Wednesday, October 19, 2022 5:03:32 AM

definition lists of terms and their corresponding definitions. To create a definition list, type the term on the first line. On the next line, type a colon followed by a space and the definition. Page No. _63_ | Wednesday, October 19, 2022 5:04:13 AM

“strikethrough” words by putting a horizontal line through the center of them. This feature allows you to indicate that certain words are a mistake not meant for inclusion in the document. Page No. _64_ | Wednesday, October 19, 2022 5:04:25 AM

use two tilde symbols (~~) before and after the words. Page No. _64_ | Wednesday, October 19, 2022 5:04:33 AM

Task lists allow you to create a list of items with checkboxes. In

Markdown applications that support task lists, checkboxes will be displayed next to the content. To create a task list, add dashes (-) and brackets with a space ([]) in front of task list items.

Page No. _65_ | Wednesday, October 19, 2022 5:05:31 AM

\> To select a checkbox, add an x in between the brackets ([x]).

Page No. _65_ | Wednesday, October 19, 2022 5:05:41 AM

\> There are two ways to add emoji to Markdown files: copy and paste the emoji into your Markdown-formatted text, or type emoji shortcodes.

Page No. _66_ | Wednesday, October 19, 2022 5:05:54 AM

\> If you're using a static site generator, make sure you encode HTML pages as UTF-8

Page No. _66_ | Wednesday, October 19, 2022 5:06:10 AM

\> emoji shortcodes. These begin and end with a colon and include the name of an emoji.

Page No. _66_ | Wednesday, October 19, 2022 5:06:37 AM

\> If you don't want a URL to be automatically linked, you can remove the link by denoting the URL as code with backticks.

Page No. _68_ | Wednesday, October 19, 2022 5:07:22 AM

\> Markdown is a lightweight markup language that you can use to add formatting elements to plaintext text documents.

Page No. _1_ | Wednesday, October 19, 2022 4:17:53 AM

\> When you create a Markdown-formatted file, you add Markdown syntax to the text to indicate which words and phrases should look different.

Page No. _1_ | Wednesday, October 19, 2022 4:18:23 AM

\> Markdown can be used for everything. People use it to create websites, documents, notes, books, presentations, email messages, and technical documentation.

Page No. _3_ | Wednesday, October 19, 2022 4:19:33 AM

\> Markdown is portable.

Page No. _3_ | Wednesday, October 19, 2022 4:19:47 AM

\> Markdown is future proof. Even if the application you're using stops working at some point in the future, you'll still be able to read your Markdown-formatted text using a text editing application.

Page No. _3_ | Wednesday, October 19, 2022 4:20:11 AM

\> When you write in Markdown, the text is stored in a plaintext file that has an .md or .markdown extension.

Page No. _5_ | Wednesday, October 19, 2022 4:21:00 AM

\> Markdown applications use something called a Markdown processor (also commonly referred to as a "parser" or an "implementation") to take the Markdown-formatted text and output it to HTML format.

Page No.

5 | Wednesday, October 19, 2022 4:21:26 AM

\>
Joplin is a note taking application that respects your privacy.
It's available for every platform.
 Page No.
12 | Wednesday, October 19, 2022 4:25:30 AM

\>
Markdown is the ideal syntax for taking notes.
 <font
size="0.1">Page No. _11_ | Wednesday, October 19, 2022 4:25:38 AM

\> Leanpub, a service that takes your Markdown-
formatted files and turns them into an electronic book.

Page No. _12_ | Wednesday, October 19, 2022
4:26:05 AM

\> To create a heading, add number
signs (#) in front of a word or phrase.
 <font
size="0.1">Page No. _17_ | Wednesday, October 19, 2022 4:28:33 AM

\> number of number signs you use should
correspond to the heading level.
 Page No.
17 | Wednesday, October 19, 2022 4:28:44 AM

\>
on the line below the text, add any number of == characters for
heading level
 Page No. _17_ | Wednesday,
October 19, 2022 4:29:36 AM

\> on the line below
the text, add any number of == characters for heading level 1 or
-- characters for heading level 2.
 Page No.
17 | Wednesday, October 19, 2022 4:29:41 AM

\>
always put a space between the number signs and the heading name.

 Page No. _18_ | Wednesday, October 19, 2022
4:29:57 AM

\> Markdown applications don't agree on
how to handle a missing space between the number signs (#)

Page No. _18_ | Wednesday, October 19, 2022
4:30:01 AM

\> create paragraphs, use a blank line
to separate one or more lines of text.
 Page
No. _18_ | Wednesday, October 19, 2022 4:30:37 AM </
font>

\> create paragraphs, use a blank line to separate
one or more lines of text.
 Page No. _18_ |
Wednesday, October 19, 2022 4:30:39 AM

\> create a
line break (
), end a line with two or more spaces, and then
type return.
 Page No. _19_ | Wednesday,
October 19, 2022 4:31:13 AM

\> "trailing
whitespace")
 Page No. _20_ | Wednesday,
October 19, 2022 4:31:37 AM

\> add emphasis by
making text bold or italic.
 Page No. _21_ |
Wednesday, October 19, 2022 4:32:34 AM

\> two
asterisks or underscores before and after a word or phrase.

Page No. _21_ | Wednesday, October 19, 2022
4:32:59 AM

\> Markdown applications don't agree on
how to handle underscores in the middle of a word.
 <font
size="0.1">Page No. _22_ | Wednesday, October 19, 2022 4:33:22 AM

\> For compatibility, use asterisks to italicize the middle of a word for emphasis.
 Page No. _23_ | Wednesday, October 19, 2022 4:33:30 AM

\> For compatibility, use asterisks to bold the middle of a word for emphasis.
 Page No. _22_ | Wednesday, October 19, 2022 4:33:39 AM

\> one asterisk or underscore before and after a word or phrase.
 Page No. _22_ | Wednesday, October 19, 2022 4:33:42 AM

\> emphasize text with bold and italics at the same time, add three asterisks or underscores before and after a word or phrase.
 Page No. _23_ | Wednesday, October 19, 2022 4:33:58 AM

\> For compatibility, use asterisks to bold and italicize the middle of a word for emphasis.
 Page No. _24_ | Wednesday, October 19, 2022 4:34:23 AM

\> create a blockquote, add a > in front of a paragraph.
 Page No. _24_ | Wednesday, October 19, 2022 4:34:32 AM

\> Blockquotes can contain multiple paragraphs. Add a > on the blank lines between the paragraphs.
 Page No. _24_ | Wednesday, October 19, 2022 4:34:50 AM

\> Blockquotes can be nested. Add a >> in front of the paragraph you want to nest.
 Page No. _25_ | Wednesday, October 19, 2022 4:35:05 AM

\> Blockquotes can contain other Markdown formatted elements.
 Page No. _26_ | Wednesday, October 19, 2022 4:35:41 AM

\> put blank lines before and after blockquotes.
 Page No. _27_ | Wednesday, October 19, 2022 4:35:49 AM

\> organize items into ordered and unordered lists.
 Page No. _28_ | Wednesday, October 19, 2022 4:36:01 AM

\> To create an ordered list, add line items with numbers followed by periods.
 Page No. _28_ | Wednesday, October 19, 2022 4:36:07 AM

\> To nest line items in an ordered list, indent the items four spaces or one tab.
 Page No. _29_ | Wednesday, October 19, 2022 4:36:39 AM

\> To create an unordered list, add dashes (-), asterisks (*), or plus signs (+) in front of line items.
 Page No. _31_ | Wednesday, October 19, 2022 4:37:13 AM

\> If you need to start an unordered list item with a number followed by a period, you can use a backslash (\) to escape the period.
 Page No. _33_ | Wednesday, October 19, 2022 4:38:06 AM

\> Markdown applications don't agree on how to handle different delimiters in the same list. For compatibility,

don't mix and match delimiters in the
 Page No. _33_ | Wednesday, October 19, 2022 4:38:27 AM

\> Markdown applications don't agree on how to handle different delimiters in the same list. For compatibility, don't mix and match delimiters in the same list
 Page No. _33_ | Wednesday, October 19, 2022 4:38:31 AM

\> Code blocks are normally indented four spaces or one tab. When they're in a list, indent them eight spaces or two tabs.
 Page No. _36_ | Wednesday, October 19, 2022 4:39:18 AM

\> denote a word or phrase as code, enclose it in backticks ().
Page No. _39_ | Wednesday, October 19, 2022 4:40:31 AM

> If the word or phrase you want to denote as code includes one or more backticks, you can escape it by enclosing the word or phrase in double backticks.

Page No. _40_ | Wednesday, October 19, 2022 4:40:59 AM

> To create a horizontal rule, use three or more asterisks (**), dashes (---), or underscores (_) on a line by themselves.

Page No. 41 | Wednesday, October 19, 2022 4:42:01 AM

> For compatibility, put blank lines before and after horizontal rules.

Page No. 42 | Wednesday, October 19, 2022 4:42:11 AM

> To create a link, enclose the link text in brackets

Page No. 43 | Wednesday, October 19, 2022 4:42:20 AM

> then follow it immediately with the URL in parentheses (e.g.,

Page No. 43 | Wednesday, October 19, 2022 4:42:25 AM

> then follow it immediately with the URL in parentheses

Page No. 43 | Wednesday, October 19, 2022 4:42:28 AM

> To quickly turn a URL or email address into a link, enclose it in angle brackets.

Page No. 44 | Wednesday, October 19, 2022 4:43:48 AM

> To emphasize links, add asterisks before and after the brackets and parentheses. To denote links as code, add backticks in the brackets.

Page No. 44 | Wednesday, October 19, 2022 4:44:17 AM

> Reference-style links are a special kind of link that make URLs easier to display and read in Markdown.

Page No. 45 | Wednesday, October 19, 2022 4:47:50 AM

> The first part of a reference-style link is formatted with two sets of brackets. The first set of brackets surrounds the text that should appear linked. The second set of brackets displays a label used to point to the link you're storing elsewhere in your document.

Page No. 45 | Wednesday, October 19, 2022 4:48:17 AM

> The second part of a reference-style link is formatted with the following attributes:

Page No. 46 | Wednesday, October 19, 2022 4:48:21 AM

> For compatibility, try to URL encode any spaces with %20.

Page No. 48 | Wednesday, October 19, 2022 4:49:38 AM

> To add an image, add an exclamation mark (!), followed by alt text in brackets, and the path or URL to the image asset in parentheses.

Page No. 49 | Wednesday, October 19, 2022 4:49:57 AM

> To add a link to an image, enclose the Markdown for the image in brackets, and then add the link in parentheses.

Page No. 50 | Wednesday, October 19, 2022 4:50:30 AM

> display a literal character that would otherwise be used to format text in a Markdown document, add a backslash (\) in front of the character.

Page No. 51 | Wednesday, October 19, 2022 4:50:54 AM

> You can use a backslash to escape the following characters.

Page No. 51 | Wednesday, October 19, 2022 4:51:10 AM

> You can't use Markdown syntax inside block-level HTML tags.

Page No. 52 | Wednesday, October 19, 2022 4:52:25 AM

> To add a table, use three or more hyphens (---) to create each column's header, and use pipes (|) to separate each column.

Page No. 54 | Wednesday, October 19, 2022 4:53:55 AM

> Creating tables with hyphens and pipes can be tedious.

Page No. 56 | Wednesday, October 19, 2022 4:54:17 AM

> You can align text in the columns to the left, right, or center by adding a colon (:) to

Page No. 56 | Wednesday, October 19, 2022 4:54:28 AM

> You can align text in the columns to the left, right, or center by adding a colon (:) to the left, right, or on both side of the hyphens within the header row.

Page No. 56 | Wednesday, October 19, 2022 4:54:32 AM

> You can display a pipe (|) character in a table by using its HTML character code (|).

Page No. 58 | Wednesday, October 19, 2022 4:55:38 AM

> Depending on your Markdown processor or editor, you'll use three backticks (`) or three tildes (~ ~ ~) on the lines before and after the code block. The best part? You don't have to indent any lines!
 Page No. _58_ | Wednesday, October

19, 2022 4:56:01 AM

\> Depending on your Markdown processor or editor, you'll use three backticks (``) or three tildes (~ ~ ~) on the lines before and after the code block.

Page No. 58 | Wednesday, October 19, 2022 4:56:06 AM

> To add syntax highlighting, specify a language next to the backticks before the fenced code block.

Page No. 59 | Wednesday, October 19, 2022 4:57:18 AM

> Footnotes allow you to add notes and references without cluttering the body of the document.

Page No. 60 | Wednesday, October 19, 2022 4:57:35 AM

> To create a footnote reference, add a caret and an identifier inside brackets ([^1]).

Page No. 60 | Wednesday, October 19, 2022 4:58:01 AM

> Identifiers only correlate the footnote reference with the footnote itself — in the output, footnotes are numbered sequentially.

Page No. 60 | Wednesday, October 19, 2022 4:58:11 AM

> Identifiers can be numbers or words,

Page No. 60 | Wednesday, October 19, 2022 4:58:15 AM

> Identifiers can be numbers or words,

Page No. 60 | Wednesday, October 19, 2022 4:58:21 AM

> Identifiers can be numbers or words, but they can't contain spaces or tabs.

Page No. 60 | Wednesday, October 19, 2022 4:58:44 AM

> Add the footnote using another caret and number inside brackets with a colon and text ([^1]: My footnote.).

Page No. 61 | Wednesday, October 19, 2022 4:58:53 AM

> — some Markdown processors automatically add them.

Page No. 62 | Wednesday, October 19, 2022 5:02:31 AM

> To add a custom heading ID, enclose the custom ID in curly braces on the same line as the heading.

Page No. 62 | Wednesday, October 19, 2022 5:02:42 AM

> You can link to headings with custom IDs in the file by creating a standard link with a number sign

Page No. 62 | Wednesday, October 19, 2022 5:03:27 AM

> You can link to headings with custom IDs in the file by creating a standard link with a number sign (#) followed by the custom heading ID.

Page No. 62 | Wednesday, October 19, 2022 5:03:32 AM

> definition lists of terms and their corresponding definitions. To create a

definition list, type the term on the first line. On the next line, type a colon followed by a space and the definition.

Page No. 63 | Wednesday, October 19, 2022 5:04:13 AM

> “strikethrough” words by putting a horizontal line through the center of them. This feature allows you to indicate that certain words are a mistake not meant for inclusion in the document.

Page No. 64 | Wednesday, October 19, 2022 5:04:25 AM

> use two tilde symbols (~~) before and after the words.

Page No. 64 | Wednesday, October 19, 2022 5:04:33 AM

> Task lists allow you to create a list of items with checkboxes. In Markdown applications that support task lists, checkboxes will be displayed next to the content. To create a task list, add dashes (-) and brackets with a space ([]) in front of task list items.

Page No. 65 | Wednesday, October 19, 2022 5:05:31 AM

> To select a checkbox, add an x in between the brackets ([x]).

Page No. 65 | Wednesday, October 19, 2022 5:05:41 AM

> There are two ways to add emoji to Markdown files: copy and paste the emoji into your Markdown-formatted text, or type emoji shortcodes.

Page No. 66 | Wednesday, October 19, 2022 5:05:54 AM

> If you’re using a static site generator, make sure you encode HTML pages as UTF-8

Page No. 66 | Wednesday, October 19, 2022 5:06:10 AM

> emoji shortcodes. These begin and end with a colon and include the name of an emoji.

Page No. 66 | Wednesday, October 19, 2022 5:06:37 AM

> If you don’t want a URL to be automatically linked, you can remove the link by denoting the URL as code with backticks.

Page No. 68 | Wednesday, October 19, 2022 5:07:22 AM