RYSDSGTLect2_revised

by Cormen, Thomas H.;Leiserson, Charles E.;Rivest, Ronald L.;Stein, Clifford

---

> Some propositions P contain only T in the last column of their truth tables or, in other words, they
Page No. 52-52 | Friday, December 2, 2022 6:29:35 PM

> Tautologies and Contradictions • Some propositions P contain only T in the last column of their truth tables or, in other words, they are true for any truth values of their variables. Such propositions are called tautologies. A tautology is a statement that is always true. Examples: • R (R) ꙮ (P Q) (P) (Q) • If
Page No. 52-52 | Friday, December 2, 2022 6:31:48 PM

> If S T is a tautology, we write S T. • If S T is a tautology, we write S
Page No. 52-52 | Friday, December 2, 2022 6:31:55 PM

> Tautologies and Contradictions • Some propositions P contain only T in the last column of their truth tables or, in other words, they are true for any truth values of their variables. Such propositions are called tautologies. A tautology is a statement that is always true. Examples: • R (R) ꙮ (P Q) (P) (Q) • If
Page No. 52-52 | Friday, December 2, 2022 6:31:58 PM

> we write S T. • If S T is a tautology, we write S T
Page No. 52-52 | Friday, December 2, 2022 6:32:08 PM

> But isnt that equvivalent symbol
Page No. 52 | Friday, December 2, 2022 6:32:20 PM

> Without Truth Table Using Substitution (by formulas)
Page No. 60-60 | Friday, December 2, 2022 6:36:11 PM

> Some propositions P contain only T in the last column of their truth tables or, in other words, they
Page No. 52-52 | Friday, December 2, 2022 6:29:35 PM

> Tautologies and Contradictions • Some propositions P contain only T in the last column of their truth tables or, in other words, they are true for any truth values of their variables. Such propositions are called tautologies. A tautology is a statement that is always true. Examples: • R (R) ꙮ (P Q) (P) (Q) • If
Page No. 52-52 | Friday, December 2, 2022 6:31:48 PM

> If S T is a tautology, we write S T. • If S T is a tautology, we write S
Page No. 52-52 | Friday, December 2, 2022 6:31:55 PM

> Tautologies and Contradictions • Some propositions P contain only T in the last column of their truth tables or, in other words, they are true for any truth values of their variables. Such propositions are called tautologies. A tautology is a statement that is always true. Examples: • R (R) (P Q) (P) (Q) • If
Page No. 52-52 | Friday, December 2, 2022 6:31:58 PM

> we write S T. • If S T is a tautology, we write S T
Page No. 52-52 | Friday, December 2, 2022 6:32:08 PM

> But isnt that equvivalent symbol
Page No. 52 | Friday, December 2, 2022 6:32:20 PM

> Without Truth Table Using Substitution (by formulas)
Page No. 60-60 | Friday, December 2, 2022 6:36:11 PM