

RYS_DSGT_Lect2_revised

“Some propositions P contain only T in the last column of their truth tables or, in other words, they”

Page No. 52-52 | Friday, December 2, 2022 6:29:35 PM

“Tautologies and Contradictions • Some propositions P contain only T in the last column of their truth tables or, in other words, they are true for any truth values of their variables. Such propositions are called tautologies. A tautology is a statement that is always true. Examples: • $R \vee (R \wedge (P \vee Q))$ • If”

Page No. 52-52 | Friday, December 2, 2022 6:31:48 PM

“If S T is a tautology, we write S T. • If S T is a tautology, we write S ”

Page No. 52-52 | Friday, December 2, 2022 6:31:55 PM

“Tautologies and Contradictions • Some propositions P contain only T in the last column of their truth tables or, in other words, they are true for any truth values of their variables. Such propositions are called tautologies. A tautology is a statement that is always true. Examples: • $R \vee (R \wedge (P \vee Q))$ • If”

Page No. 52-52 | Friday, December 2, 2022 6:31:58 PM

“we write S T. • If S T is a tautology, we write S T”

Page No. 52-52 | Friday, December 2, 2022 6:32:08 PM

“But isnt that equivalent symbol”

Page No. 52 | Friday, December 2, 2022 6:32:20 PM

“Without Truth Table Using Substitution (by formulas)”

Page No. 60-60 | Friday, December 2, 2022 6:36:11 PM

“Some propositions P contain only T in the last column of their truth tables or, in other words, they”

Page No. 52-52 | Friday, December 2, 2022 6:29:35 PM

“Tautologies and Contradictions • Some propositions P contain only T in the last column of their truth tables or, in other words, they are true for any truth values of their variables. Such propositions are called tautologies. A tautology is a statement that is always true. Examples: • $R \vee (R \wedge (P \vee Q))$ • If”

Page No. 52-52 | Friday, December 2, 2022 6:31:48 PM

“If S T is a tautology, we write S T. • If S T is a tautology, we write S ”

Page No. 52-52 | Friday, December 2, 2022 6:31:55 PM

“Tautologies and Contradictions • Some propositions P contain only T in the last column of their truth tables or, in other words, they are true for any

truth values of their variables. Such propositions are called tautologies. A tautology is a statement that is always true. Examples: • $R \vee (\neg R) \wedge ((P \vee Q) \vee (\neg P) \vee (\neg Q))$ • If

Page No. 52-52 | Friday, December 2, 2022 6:31:58 PM

“we write $S \models T$. • If $S \models T$ is a tautology, we write $S \models T$ ”

Page No. 52-52 | Friday, December 2, 2022 6:32:08 PM

“But isn't that equivalent symbol”

Page No. 52 | Friday, December 2, 2022 6:32:20 PM

“Without Truth Table Using Substitution (by formulas)”

Page No. 60-60 | Friday, December 2, 2022 6:36:11 PM