EXERCISE 1.3

Important Limits

I. $\lim_{x\to a} \frac{x^n - a^n}{x - a} = na^{n-1}$, where *n* is integer and a > 0.

II.
$$\lim_{x \to 0} \frac{\sqrt{x+a} - \sqrt{a}}{x} = \frac{1}{2\sqrt{a}}.$$

III.
$$\lim_{n\to 0} \left(1+\frac{1}{n}\right)^n = e.$$

IV.
$$\lim_{x\to\infty} (1+x)^{\frac{1}{x}} = e.$$

V.
$$\lim_{x\to 0} \frac{a^x - 1}{x} = \ln a$$
, where $a > 0$.

VI.
$$\lim_{x\to 0} \frac{e^x - 1}{x} = \ln e = 1$$
.

VII. If θ is measured in radian, then $\lim_{\theta \to 0} \frac{\sin \theta}{\theta} = 1$.

Question #1

(i)
$$\lim_{x \to 3} (2x+4) = \lim_{x \to 3} (2x) + \lim_{x \to 3} (4) = 2\lim_{x \to 3} (x) + 4 = 2(3) + 4 = 10.$$

(ii)
$$\lim_{x \to 1} (3x^2 - 2x + 4) = 3(1)^2 - 2(1) + 4 = 3 - 2 + 4 = 5.$$

(iii)
$$\lim_{x \to 3} \sqrt{x^2 + x + 4} = \sqrt{(3)^2 + (3) + 4} = \sqrt{9 + 3 + 4} = \sqrt{16} = 4.$$

(iv)
$$\lim_{x \to 2} x \sqrt{x^2 - 4} = 2\sqrt{2^2 - 4} = 0.$$

(v)
$$\lim_{x \to 2} \left(\sqrt{x^3 + 1} - \sqrt{x^2 + 5} \right) = \lim_{x \to 2} \left(\sqrt{x^3 + 1} \right) - \lim_{x \to 2} \left(\sqrt{x^2 + 5} \right)$$
$$= \left(\sqrt{(2)^3 + 1} \right) - \left(\sqrt{(2)^2 + 5} \right)$$
$$= \sqrt{8 + 1} - \sqrt{4 + 5} = \sqrt{9} - \sqrt{9} = 0.$$

(vi)
$$\lim_{x \to -2} \frac{2x^3 + 5x}{3x - 2} = \frac{2(-2)^3 + 5(-2)}{3(-2) - 2} = \frac{-16 - 10}{-6 - 2} = \frac{-26}{-8} = \frac{13}{4}.$$

Question #2

(i)
$$\lim_{x \to -1} \frac{x^3 - x}{x+1} = \lim_{x \to -1} \frac{x(x^2 - 1)}{x+1} = \lim_{x \to -1} \frac{x(x+1)(x-1)}{x+1}$$
$$= \lim_{x \to -1} x(x-1) = (-1)(-1-1) = 2$$

(ii)
$$\lim_{x \to 0} \left(\frac{3x^3 + 4x}{x^2 + x} \right) = \lim_{x \to 0} \frac{x(3x^2 + 4)}{x(x+1)} = \lim_{x \to 0} \frac{3x^2 + 4}{x+1} = \frac{3(0) + 4}{0 + 1} = 4.$$

(iii)
$$\lim_{x\to 2} \frac{x^3 - 8}{x^2 + x - 6}$$

$$= \lim_{x\to 2} \frac{x^3 - (2)^3}{x^2 + 3x - 2x - 6} = \lim_{x\to 2} \frac{(x-2)(x^2 + 2x + 4)}{x(x+3) - 2(x+3)}$$

$$= \lim_{x\to 2} \frac{(x-2)(x^2 + 2x + 4)}{(x+3)(x-2)} = \lim_{x\to 2} \frac{(x^2 + 2x + 4)}{(x+3)}$$

$$= \frac{(2)^2 + 2(2) + 4}{(2+3)} = \frac{12}{5}$$
(iv)
$$\lim_{x\to 1} \frac{x^3 - 3x^2 + 3x - 1}{x^3 - x}$$

$$= \lim_{x\to 1} \frac{(x-1)^3}{x(x^2 - 1)} = \lim_{x\to 1} \frac{(x-1)^3}{x(x-1)(x+1)}$$

$$= \lim_{x\to 1} \frac{(x-1)^2}{x(x+1)} = \lim_{x\to 1} \frac{(1-1)^2}{(1)(1+1)} = 0$$
(v)
$$\lim_{x\to 1} \left(\frac{x^3 + x^2}{x^2 - 1}\right) = \lim_{x\to 1} \frac{x^2(x+1)}{(x+1)(x-1)} = \lim_{x\to 1} \frac{x^2}{(x-1)}$$

$$= \frac{(-1)^2}{(-1-1)} = -\frac{1}{2}$$
(vi)
$$\lim_{x\to 2} \frac{2x^2 - 32}{x^3 - 4x^2} = \lim_{x\to 1} \frac{2(x^2 - 16)}{x^2(x-4)}$$

$$= \lim_{x\to 4} \frac{2(x+4)(x-4)}{x^2(x-4)} = \lim_{x\to 4} \frac{2(x+4)}{x^2}$$

$$= \frac{2(4+4)}{4^2} = \frac{16}{16} = 1.$$
(vii)
$$\lim_{x\to 2} \frac{\sqrt{x} - \sqrt{2}}{x-2} = \lim_{x\to 2} \frac{\sqrt{x} - \sqrt{2}}{x-2} \left(\frac{\sqrt{x} + \sqrt{2}}{\sqrt{x} + \sqrt{2}}\right)$$

$$= \lim_{x\to 2} \frac{(\sqrt{x})^2 - (\sqrt{2})^2}{(x-2)(\sqrt{x} + \sqrt{2})} = \lim_{x\to 2} \frac{x-2}{(x-2)(\sqrt{x} + \sqrt{2})}$$

$$= \lim_{x\to 2} \frac{1}{\sqrt{x} + \sqrt{x}} = \lim_{h\to 0} \frac{x+h-x}{h}$$
(viii)
$$\lim_{h\to 0} \frac{\sqrt{x+h} - \sqrt{x}}{h} = \lim_{h\to 0} \frac{(\sqrt{x+h})^2 - (\sqrt{x})^2}{h} = \lim_{h\to 0} \frac{x+h-x}{h(\sqrt{x+h} + \sqrt{x})}$$

$$= \lim_{h\to 0} \frac{(\sqrt{x+h})^2 - (\sqrt{x})^2}{h(\sqrt{x+h} + \sqrt{x})} = \lim_{h\to 0} \frac{x+h-x}{h(\sqrt{x+h} + \sqrt{x})}$$

$$= \lim_{h \to 0} \frac{h}{h\left(\sqrt{x+h} + \sqrt{x}\right)} = \lim_{h \to 0} \frac{1}{\sqrt{x+h} + \sqrt{x}}$$
$$= \frac{1}{\sqrt{x+0} + \sqrt{x}} = \frac{1}{2\sqrt{x}}$$

(ix)
$$\lim_{x \to a} \frac{x^{n} - a^{n}}{x^{m} - a^{m}}$$

$$= \lim_{x \to a} \frac{(x - a)(x^{n-1} + x^{n-2}a + x^{n-3}a^{2} + \dots + a^{n-1})}{(x - a)(x^{m-1} + x^{m-2}a + x^{m-3}a^{2} + \dots + a^{m-1})}$$

$$= \lim_{x \to a} \frac{(x^{n-1} + x^{n-2}a + x^{n-3}a^{2} + \dots + a^{n-1})}{(x^{m-1} + x^{m-2}a + x^{m-3}a^{2} + \dots + a^{m-1})}$$

$$= \frac{a^{n-1} + a^{n-2}a + a^{n-3}a^{2} + \dots + a^{n-1}}{a^{m-1} + a^{m-2}a + a^{m-3}a^{2} + \dots + a^{m-1}}$$

$$= \frac{a^{n-1} + a^{n-2}a + a^{n-3}a^{2} + \dots + a^{m-1}}{a^{m-1} + a^{m-1} + a^{n-1} + \dots + a^{m-1} \quad (n \text{ terms})}$$

$$= \frac{a^{n-1} + a^{n-1} + a^{n-1} + a^{n-1} + \dots + a^{m-1} \quad (m \text{ terms})}{a^{m-1} + a^{m-1} + a^{m-1} + \dots + a^{m-1} \quad (m \text{ terms})}$$

$$= \frac{n a^{n-1}}{m a^{m-1}} = \frac{n}{m} a^{n-1-m+1} = \frac{n}{m} a^{n-m}$$

Law of Sine

If θ is measured in radian, then $\lim_{\theta \to 0} \frac{\sin \theta}{\theta} = 1$

See proof on book at page 25

Question #3

(i)
$$\lim_{x \to 0} \frac{\sin 7x}{x}$$

Put
$$t = 7x \implies \frac{t}{7} = x$$

When $x \rightarrow 0$ then $t \rightarrow 0$, so

$$\lim_{x \to 0} \frac{\sin 7x}{x} = \lim_{t \to 0} \frac{\sin t}{\frac{t}{7}}$$

$$= 7 \lim_{t \to 0} \frac{\sin t}{t} = 7(1) = 7$$

By law of sine.

(ii)
$$\lim_{x\to 0} \frac{\sin x^{\circ}}{x}$$

Since
$$180^{\circ} = \pi$$
 rad $\Rightarrow 1^{\circ} = \frac{\pi}{180}$ rad $\Rightarrow x^{\circ} = \frac{x\pi}{180}$ rad

So
$$\lim_{x \to 0} \frac{\sin x^{\circ}}{x} = \lim_{x \to 0} \frac{\sin \frac{\pi x}{180}}{x}$$

Now put
$$\frac{\pi x}{180} = t$$
 i.e. $x = \frac{180t}{\pi}$

When $x \rightarrow 0$ then $t \rightarrow 0$, so

$$\lim_{x \to 0} \frac{\sin \frac{\pi x}{180}}{x} = \lim_{x \to 0} \frac{\sin t}{180t/\pi}$$

$$= \frac{\pi}{180} \lim_{x \to 0} \frac{\sin t}{t} = \frac{\pi}{180} (1) = \frac{\pi}{180}$$

by law of sine

(iii)
$$\lim_{\theta \to 0} \frac{1 - \cos \theta}{\sin \theta} = \lim_{\theta \to 0} \frac{1 - \cos \theta}{\sin \theta} \cdot \frac{1 + \cos \theta}{1 + \cos \theta}$$
$$= \lim_{\theta \to 0} \frac{1 - \cos^2 \theta}{\sin \theta (1 + \cos \theta)} = \lim_{\theta \to 0} \frac{\sin^2 \theta}{\sin \theta (1 + \cos \theta)}$$
$$= \lim_{\theta \to 0} \frac{\sin \theta}{(1 + \cos \theta)} = \frac{\sin(0)}{1 + \cos(0)} = \frac{0}{1 + 1} = 0$$

(iv)
$$\lim_{x \to \pi} \frac{\sin x}{\pi - x}$$

Put $t = \pi - x \implies x = \pi - t$

When $x \rightarrow \pi$ then $t \rightarrow 0$, so

$$\lim_{x \to \pi} \frac{\sin x}{\pi - x} = \lim_{t \to 0} \frac{\sin(\pi - t)}{t}$$
$$= \lim_{t \to 0} \frac{\sin t}{t}$$

$$: \sin(\pi - t) = \sin\left(2 \cdot \frac{\pi}{2} - t\right) = \sin t$$

By law of sine.

(v)
$$\lim_{x \to 0} \frac{\sin ax}{\sin bx} = \lim_{x \to 0} \sin ax \cdot \frac{1}{\sin bx}$$

$$= \lim_{x \to 0} \sin ax \cdot \left(\frac{ax}{ax}\right) \frac{1}{\sin bx} \cdot \left(\frac{bx}{bx}\right) = \lim_{x \to 0} \frac{\sin ax}{ax} \cdot ax \frac{1}{\frac{\sin bx}{bx}} \cdot bx$$

$$= \frac{a}{b} \lim_{x \to 0} \frac{\sin ax}{ax} \cdot \frac{1}{\lim_{x \to 0} \frac{\sin bx}{bx}} = \frac{a}{b} \cdot (1) \cdot \frac{1}{(1)} = \frac{a}{b} \quad \text{by law of sine}$$

(vi)
$$\lim_{x \to 0} \frac{x}{\tan x} = \lim_{x \to 0} \frac{x}{\frac{\sin x}{\cos x}} = \lim_{x \to 0} \frac{x}{\sin x} \cdot \cos x$$
$$= \lim_{x \to 0} \frac{1}{\frac{\sin x}{x}} \cdot \cos x = \frac{1}{\lim_{x \to 0} \frac{\sin x}{x}} \cdot \lim_{x \to 0} \cos x = \frac{1}{1} \cdot 1 = 1$$

(vii)
$$\lim_{x \to 0} \frac{1 - \cos 2x}{x^2}$$

$$= \lim_{x \to 0} \frac{2\sin^2 x}{x^2}$$

$$\therefore \sin^2 x = \frac{1 - \cos 2x}{2}$$

$$\therefore 2\sin^2 x = 1 - \cos 2x$$

$$= 2 \lim_{x \to 0} \left(\frac{\sin x}{x} \right)^2 = 2 \left(\lim_{x \to 0} \frac{\sin x}{x} \right)^2 = 2(1)^2 = 2$$

(vii) Do yourself by rationalizing

(viii)
$$\lim_{\theta \to 0} \frac{\sin^2 \theta}{\theta} = \lim_{\theta \to 0} \frac{\sin \theta}{\theta} \cdot \sin \theta$$
$$= \lim_{\theta \to 0} \frac{\sin \theta}{\theta} \cdot \lim_{\theta \to 0} \sin \theta = (1) \cdot (0) = 0$$

(x)
$$\lim_{x \to 0} \frac{\sec x - \cos x}{x}$$

$$\frac{1}{\cos x} = \cos x$$

$$= \lim_{x \to 0} \frac{\frac{1}{\cos x} - \cos x}{x} = \lim_{x \to 0} \frac{\frac{1 - \cos^2 x}{\cos x}}{x}$$

$$= \lim_{x \to 0} \frac{1 - \cos^2 x}{x \cos x} = \lim_{x \to 0} \frac{\sin^2 x}{x \cos x} = \lim_{x \to 0} \frac{\sin x}{x} \cdot \frac{\sin x}{\cos x}$$

$$= \lim_{x \to 0} \frac{\sin x}{x} \cdot \lim_{x \to 0} \frac{\sin x}{\cos x} = (1) \frac{\sin(0)}{\cos(0)} = (1) \cdot \frac{0}{1} = 0$$

(xi)
$$\lim_{x \to 0} \frac{1 - \cos p\theta}{1 - \cos q\theta}$$

$$= \lim_{x \to 0} \frac{2\sin^2 \frac{p\theta}{2}}{2\sin^2 \frac{q\theta}{2}}$$

$$= \lim_{x \to 0} \sin^2 \frac{p\theta}{2} \cdot \frac{1}{\sin^2 \frac{q\theta}{2}} = \lim_{x \to 0} \sin^2 \frac{p\theta}{2} \cdot \frac{\left(\frac{p\theta}{2}\right)^2}{\left(\frac{p\theta}{2}\right)^2} \cdot \frac{1}{\sin^2 \frac{q\theta}{2} \cdot \left(\frac{q\theta}{2}\right)^2}$$

$$= \lim_{x \to 0} \frac{\sin^2 \frac{p\theta}{2}}{\left(\frac{p\theta}{2}\right)^2} \cdot \left(\frac{p\theta}{2}\right)^2 \cdot \frac{1}{\sin^2 \frac{q\theta}{2}} \cdot \left(\frac{q\theta}{2}\right)^2} = \lim_{x \to 0} \left(\frac{\sin \frac{p\theta}{2}}{\frac{p\theta}{2}}\right)^2 \cdot \frac{1}{\left(\frac{\sin \frac{q\theta}{2}}{2}\right)^2} \cdot \frac{p^2 \theta^2 / 4}{q^2 \theta^2 / 4}$$

 $\therefore \sin^2 \frac{x}{2} = \frac{1 - \cos x}{2}$

$$= \frac{p^{2}}{q^{2}} \left(\lim_{x \to 0} \frac{\sin \frac{p\theta}{2}}{\frac{p\theta}{2}} \right)^{2} \cdot \frac{1}{\left(\lim_{x \to 0} \frac{\sin \frac{q\theta}{2}}{\frac{q\theta}{2}} \right)^{2}} = \frac{p^{2}}{q^{2}} (1)^{2} \cdot \frac{1}{(1)^{2}} = \frac{p^{2}}{q^{2}}$$

(xii)
$$\lim_{\theta \to 0} \frac{\sin \theta - \sin \theta}{\sin^3 \theta}$$

$$= \lim_{\theta \to 0} \frac{\frac{\sin \theta}{\cos \theta} - \sin \theta}{\sin^3 \theta} = \lim_{\theta \to 0} \frac{\frac{\sin \theta - \sin \theta \cos \theta}{\cos \theta}}{\sin^3 \theta}$$

$$= \lim_{\theta \to 0} \frac{\sin \theta - \sin \theta \cos \theta}{\sin^3 \theta \cos \theta} = \lim_{\theta \to 0} \frac{\sin \theta (1 - \cos \theta)}{\sin^3 \theta \cos \theta}$$

$$= \lim_{\theta \to 0} \frac{1 - \cos \theta}{\sin^2 \theta \cos \theta} = \lim_{\theta \to 0} \frac{1 - \cos \theta}{\sin^2 \theta \cos \theta} \cdot \frac{1 + \cos \theta}{1 + \cos \theta}$$

$$= \lim_{\theta \to 0} \frac{1 - \cos^2 \theta}{\sin^2 \theta \cos \theta (1 + \cos \theta)} = \lim_{\theta \to 0} \frac{\sin^2 \theta}{\sin^2 \theta \cos \theta (1 + \cos \theta)}$$

$$= \lim_{\theta \to 0} \frac{1}{\cos \theta (1 + \cos \theta)} = \lim_{x \to 0} \frac{1}{\cos \theta (1 + \cos \theta)}$$

$$= \frac{1}{\cos(1)(1 + \cos(1))} = \frac{1}{1 \cdot (1 + 1)} = \frac{1}{2}$$

Note:

a)
$$\lim_{n\to\infty} \left(1 + \frac{1}{n}\right)^n = e$$

b)
$$\lim_{x \to 0} (1+x)^{\frac{1}{x}} = e$$
 where $e = 2.718281...$

See proof of (a) and (b) on book at page 23

c)
$$\lim_{x \to 0} \frac{a^x - 1}{x} = \log_e a \text{ or } \ln a$$

Proof:

Put
$$y = a^x - 1$$
(i)

When
$$x \rightarrow 0$$
 then $y \rightarrow 0$

Also from (i)
$$1 + y = a^x$$

Taking log on both sides

$$\ln(1+y) = \ln a^{x} \implies \ln(1+y) = x \ln a$$

$$\Rightarrow x = \frac{\ln(1+y)}{\ln a}$$

$$\therefore \ln x^{m} = m \ln x$$

Now
$$\lim_{x \to 0} \frac{a^x - 1}{x} = \lim_{y \to 0} \frac{y}{\frac{\ln(1+y)}{\ln a}}$$
$$= \lim_{y \to 0} \frac{y \ln a}{\ln(1+y)} = \lim_{y \to 0} \frac{\ln a}{\frac{1}{y} \ln(1+y)}$$

$$= \lim_{y \to 0} \frac{\ln a}{\ln(1+y)^{\frac{1}{y}}} = \frac{\ln a}{\lim_{y \to 0} \ln(1+y)^{\frac{1}{y}}} \qquad \therefore \ln x^{m} = m \ln x$$

$$= \frac{\ln a}{\ln\left(\lim_{y \to 0} (1+y)^{\frac{1}{y}}\right)} = \frac{\ln a}{\ln(e)} \qquad \therefore \lim_{x \to 0} (1+x)^{\frac{1}{x}} = e$$

$$= \frac{\ln a}{1} = \ln a \qquad \therefore \ln e = 1$$

Question #4

(i)
$$\lim_{n \to +\infty} \left(1 + \frac{1}{n} \right)^{2n} = \left[\lim_{n \to +\infty} \left(1 + \frac{1}{n} \right)^n \right]^2 = e^2$$

(ii)
$$\lim_{n \to +\infty} \left(1 + \frac{1}{n} \right)^{\frac{n}{2}} = \left[\lim_{n \to +\infty} \left(1 + \frac{1}{n} \right)^n \right]^{\frac{1}{2}} = e^{\frac{1}{2}} = \sqrt{e}$$

(iii)
$$\lim_{n \to +\infty} \left(1 - \frac{1}{n} \right)^n = \left[\lim_{n \to +\infty} \left(1 - \frac{1}{n} \right)^{-n} \right]^{-1} = e^{-1} = \frac{1}{e}$$

(iv)
$$\lim_{n\to+\infty} \left(1+\frac{1}{3n}\right)^n$$

$$= \lim_{n \to +\infty} \left(1 + \frac{1}{3n} \right)^{\frac{3n}{3}} = \left[\lim_{n \to +\infty} \left(1 + \frac{1}{3n} \right)^{3n} \right]^{\frac{1}{3}} = e^{\frac{1}{3}}$$

$$(v) \qquad \lim_{n \to +\infty} \left(1 + \frac{4}{n} \right)^n = \lim_{n \to +\infty} \left(1 + \frac{4}{n} \right)^{\frac{4n}{4}} = \left[\lim_{n \to +\infty} \left(1 + \frac{4}{n} \right)^{\frac{n}{4}} \right]^4 = e^4.$$

(vi)
$$\lim_{x \to 0} (1+3x)^{\frac{2}{x}}$$

$$= \lim_{x \to 0} (1+3x)^{\frac{6}{3x}} = \left[\lim_{x \to 0} (1+3x)^{\frac{1}{3x}} \right]^{6} = e^{6}$$

(vii)
$$\lim_{x \to 0} (1 + 2x^2)^{\frac{1}{x^2}} = \lim_{x \to 0} (1 + 2x^2)^{\frac{2}{2x^2}} = \left[\lim_{x \to 0} (1 + 2x^2)^{\frac{1}{2x^2}} \right]^2 = e^2$$

(viii)
$$\lim_{h \to 0} (1 - 2h)^{\frac{1}{h}} = \lim_{h \to 0} (1 - 2h)^{\frac{-2}{-2h}} = \left[\lim_{h \to 0} (1 - 2h)^{\frac{1}{-2h}} \right]^{-2} = e^{-2} = \frac{1}{e^2}$$

(ix)
$$\lim_{x \to \infty} \left(\frac{x}{1+x} \right)^{x}$$
$$= \lim_{x \to \infty} \left(\frac{1+x}{x} \right)^{-x} = \lim_{x \to \infty} \left(\frac{1}{x} + \frac{x}{x} \right)^{-x} = \lim_{x \to \infty} \left(\frac{1}{x} + 1 \right)^{-x}$$

$$= \left[\lim_{x \to \infty} \left(1 - \frac{1}{x} \right)^{x} \right]^{-1} = e^{-1} = \frac{1}{e}$$

(x)
$$\lim_{x \to 0} \frac{e^{\frac{1}{x}} - 1}{e^{\frac{1}{x}} + 1}$$
; $x < 0$

Put x = -t where t > 0

When $x \rightarrow 0$ then $t \rightarrow 0$, so

$$\lim_{x \to 0} \frac{e^{\frac{1}{x}} - 1}{e^{\frac{1}{x}} + 1} = \lim_{t \to 0} \frac{e^{-\frac{1}{t}} - 1}{e^{-\frac{1}{t}} + 1} = \frac{e^{-\frac{1}{0}} - 1}{e^{-\frac{1}{0}} + 1}$$

$$= \frac{e^{-\infty} - 1}{e^{-\infty} + 1} = \frac{0 - 1}{0 + 1}$$

$$= -1$$

$$\therefore e^{-\infty} = \frac{1}{e^{\infty}} = -1$$

(xi)
$$\lim_{x\to 0} \frac{e^{\frac{1}{x}} - 1}{e^{\frac{1}{x}} + 1}$$
; $x > 0$

$$= \lim_{x \to 0} \frac{e^{\frac{1}{x}} \left(1 - \frac{1}{e^{\frac{1}{x}}}\right)}{e^{\frac{1}{x}} \left(1 + \frac{1}{e^{\frac{1}{x}}}\right)} = \lim_{x \to 0} \frac{\left(1 - \frac{1}{e^{\frac{1}{x}}}\right)}{\left(1 + \frac{1}{e^{\frac{1}{x}}}\right)}$$

$$= \frac{1 - \frac{1}{e^{\frac{1}{0}}}}{1 + \frac{1}{e^{\frac{1}{0}}}} = \frac{1 - \frac{1}{e^{\infty}}}{1 + \frac{1}{e^{\infty}}} = \frac{1 - \frac{1}{\infty}}{1 + \frac{1}{\infty}} = \frac{1 - \frac{1}{1 + \frac$$