# **EXERCISE 2.4**

# Question # 1 (i)

$$y = \sqrt{\frac{1-x}{1+x}}$$
Put  $u = \frac{1-x}{1+x}$ 
So  $y = \sqrt{u}$   $\Rightarrow y = u^{\frac{1}{2}}$ 

Now diff. u w.r.t. u

$$\frac{du}{dx} = \frac{d}{dx} \left( \frac{1-x}{1+x} \right)$$

$$= \frac{(1+x)\frac{d}{dx}(1-x) - (1-x)\frac{d}{dx}(1+x)}{(1+x)^2}$$

$$= \frac{(1+x)(-1) - (1-x)(1)}{(1+x)^2}$$

$$= \frac{-1-x-1+x}{(1+x)^2}$$

$$\Rightarrow \frac{du}{dx} = \frac{-2}{(1+x)^2}$$

Now diff. y w.r.t. u

$$\frac{dy}{du} = \frac{d}{du}u^{\frac{1}{2}}$$

$$= \frac{1}{2}u^{-\frac{1}{2}} = \frac{1}{2}\left(\frac{1-x}{1+x}\right)^{-\frac{1}{2}}$$

$$\Rightarrow \frac{dy}{du} = \frac{1}{2}\left(\frac{1+x}{1-x}\right)^{\frac{1}{2}}$$

Now by chain rule

$$\frac{dy}{dx} = \frac{dy}{du} \cdot \frac{du}{dx}$$

$$= \frac{1}{2} \left( \frac{1+x}{1-x} \right)^{\frac{1}{2}} \cdot \frac{-2}{(1+x)^2}$$

$$= \frac{(1+x)^{\frac{1}{2}}}{(1-x)^{\frac{1}{2}}} \cdot \frac{-1}{(1+x)^2}$$

$$= \frac{-1}{(1-x)^{\frac{1}{2}} (1+x)^{2-\frac{1}{2}}}$$

$$= \frac{-1}{\sqrt{1-x} (1+x)^{\frac{3}{2}}} \quad Answer$$

# Question # 1(ii)

$$y = \sqrt{x + \sqrt{x}}$$

Let 
$$u = x + \sqrt{x} = x + x^{\frac{1}{2}}$$
  

$$\Rightarrow y = \sqrt{u} = u^{\frac{1}{2}}$$
Diff.  $u$  w.r.t.  $x$ 

$$\frac{du}{dx} = \frac{d}{dx} \left( x + x^{\frac{1}{2}} \right)$$

$$= 1 + \frac{1}{2} x^{-\frac{1}{2}} = 1 + \frac{1}{2\sqrt{x}}$$

$$= \frac{2\sqrt{x} + 1}{2\sqrt{x}}$$

Now diff. y w.r.t. x

$$\frac{dy}{du} = \frac{d}{du}u^{\frac{1}{2}}$$

$$= \frac{1}{2}u^{-\frac{1}{2}} = \frac{1}{2u^{\frac{1}{2}}} = \frac{1}{2(x+\sqrt{x})^{\frac{1}{2}}}$$

$$\Rightarrow \frac{dy}{du} = \frac{1}{2\sqrt{x+\sqrt{x}}}$$

Now by chain rule

$$\frac{dy}{dx} = \frac{dy}{du} \cdot \frac{du}{dx}$$

$$= \frac{1}{2\sqrt{x + \sqrt{x}}} \cdot \frac{2\sqrt{x} + 1}{2\sqrt{x}}$$

$$= \frac{2\sqrt{x} + 1}{4\sqrt{x} \cdot \sqrt{x} + \sqrt{x}} \quad Answer$$

#### Question # 1 (iii)

$$y = x\sqrt{\frac{a+x}{a-x}}$$
Put  $u = \frac{a+x}{a-x}$ 
So  $y = x\sqrt{u} = x(u)^{\frac{1}{2}}$ 
Diff. w.r.t.  $x$ 

$$\frac{dy}{dx} = \frac{d}{dx}x(u)^{\frac{1}{2}}$$

$$= x\frac{d}{dx}(u)^{\frac{1}{2}} + (u)^{\frac{1}{2}}\frac{d}{dx}x$$

$$= x\frac{1}{2}(u)^{-\frac{1}{2}}\frac{du}{dx} + (u)^{\frac{1}{2}}(1)$$

$$\Rightarrow \frac{dy}{dx} = \frac{x}{2}(u)^{-\frac{1}{2}}\frac{du}{dx} + (u)^{\frac{1}{2}}(1)$$
Now diff.  $u$  w.r.t.  $x$ 

$$\frac{du}{dx} = \frac{d}{dx} \left( \frac{a+x}{a-x} \right)$$

$$= \frac{(a-x)\frac{d}{dx}(a+x) - (a+x)\frac{d}{dx}(a-x)}{(a-x)^2}$$

$$= \frac{(a-x)(0+1) - (a+x)(0-1)}{(a-x)^2}$$

$$= \frac{(a-x)(1) - (a+x)(-1)}{(a-x)^2}$$

$$= \frac{a-x+a+x}{(a-x)^2} = \frac{2a}{(a-x)^2}$$
Using value of  $u$  and  $\frac{du}{dx}$  in eq. (i)
$$\frac{dy}{dx} = \frac{x}{2} \left( \frac{a+x}{a-x} \right)^{-\frac{1}{2}} \frac{2a}{(a-x)^2} + \left( \frac{a+x}{a-x} \right)^{\frac{1}{2}}$$

$$= \frac{ax}{(a+x)^{\frac{1}{2}}(a-x)^{\frac{1}{2}}} + \frac{(a+x)^{\frac{1}{2}}}{(a-x)^{\frac{1}{2}}}$$

$$= \frac{ax}{(a+x)^{\frac{1}{2}}(a-x)^{\frac{1}{2}}} + \frac{(a+x)^{\frac{1}{2}}}{(a-x)^{\frac{1}{2}}}$$

$$= \frac{ax}{(a+x)^{\frac{1}{2}}(a-x)^{\frac{1}{2}}} + \frac{(a+x)^{\frac{1}{2}}}{(a-x)^{\frac{1}{2}}}$$

$$\Rightarrow \boxed{\frac{dy}{dx} = \frac{ax + a^2 - x^2}{\left(a + x\right)^{\frac{1}{2}} \left(a - x\right)^{\frac{3}{2}}}}$$

# **Question # 1 (iv) & (v)**

Do yourself as above

# Question # 2 (i)

$$3x + 4y + 7 = 0$$

Diff. w.r.t. x.

$$\frac{d}{dx}(3x+4y+7) = \frac{d}{dx}(0)$$

$$\Rightarrow 3(1)+4\frac{dy}{dx}+0=0$$

$$\Rightarrow 4\frac{dy}{dx} = -3 \Rightarrow \boxed{\frac{dy}{dx} = -\frac{3}{4}}$$

## Question # 2 (ii)

$$xy + y^2 = 2$$

Differentiating w.r.t. x

$$\frac{d}{dx}(xy + y^2) = \frac{d}{dx}(2)$$

$$\Rightarrow \frac{d}{dx}(xy) + \frac{d}{dx}y^2 = 0$$

$$\Rightarrow x\frac{dy}{dx} + y\frac{dx}{dx} + 2y\frac{dy}{dx} = 0$$

$$\Rightarrow (x+2y)\frac{dy}{dx} + y(1) = 0$$

$$\Rightarrow (x+2y)\frac{dy}{dx} = -y$$

$$\Rightarrow (x+2y)\frac{dy}{dx} = -y$$

$$\Rightarrow (x+2y)\frac{dy}{dx} = -y$$

$$\Rightarrow \frac{dy}{dx} = \frac{-y}{x+2y}$$

# Question # 2 (iii)

Do yourself

## Question # 2(iv)

$$4x^2 + 2hxy + by^2 + 2gx + 2fy + c = 0$$

$$4x^{2} + 2hxy + by^{2} + 2gx + 2fy + c = 0$$
Differentiating w.r.t.  $x$ 

$$\frac{d}{dx}(4x^{2} + 2hxy + by^{2} + 2gx + 2fy + c) = \frac{d}{dx}(0)$$

$$\Rightarrow 4\frac{d}{dx}(x^{2}) + 2h\frac{d}{dx}(xy) + b\frac{d}{dx}(y^{2})$$

$$+2g\frac{d}{dx}(x) + 2f\frac{d}{dx}(y) + \frac{d}{dx}(c) = 0$$

$$\Rightarrow 4(2x) + 2h\left(x\frac{dy}{dx} + y(1)\right) + b \cdot 2y\frac{dy}{dx}$$

$$+2g(1) + 2f\frac{dy}{dx} + 0 = 0$$

$$\Rightarrow 8x + 2hx\frac{dy}{dx} + 2hy + 2by\frac{dy}{dx}$$

$$+2g + 2f\frac{dy}{dx} = 0$$

$$\Rightarrow 2(hx + by + f)\frac{dy}{dx} + 2(4x + hy + g) = 0$$

$$\Rightarrow 2(hx+by+f)\frac{dy}{dx}=-2(4x+hy++g)$$

$$\Rightarrow (hx + by + f)\frac{dy}{dx} = -(4x + hy + +g)$$

$$\Rightarrow \frac{dy}{dx} = -\frac{4x + hy + +g}{hx + by + f}$$

## Question # 2 (v)

$$x\sqrt{1+y} + y\sqrt{1+x} = 0 \implies x(1+y)^{\frac{1}{2}} + y(1+x)^{\frac{1}{2}} = 0$$

erentiating w.r.t. 
$$x$$

$$\Rightarrow \frac{d}{dx} \left[ x(1+y)^{\frac{1}{2}} \right] + \frac{d}{dx} \left[ y(1+x)^{\frac{1}{2}} \right] = \frac{d}{dx}(0)$$

$$\Rightarrow x \frac{d}{dx} (1+y)^{\frac{1}{2}} + (1+y)^{\frac{1}{2}} \frac{dx}{dx} + y \frac{d}{dx} (1+x)^{\frac{1}{2}} + (1+x)^{\frac{1}{2}} \frac{dy}{dx} = 0$$

$$\Rightarrow x \cdot \frac{1}{2} (1+y)^{-\frac{1}{2}} \frac{dy}{dx} + (1+y)^{\frac{1}{2}} (1) + y \cdot \frac{1}{2} (1+x)^{-\frac{1}{2}} (1) + (1+x)^{\frac{1}{2}} \frac{dy}{dx} = 0$$

$$\Rightarrow \frac{x}{2(1+y)^{\frac{1}{2}}} \frac{dy}{dx} + (1+y)^{\frac{1}{2}} + \frac{y}{2(1+x)^{\frac{1}{2}}} + (1+x)^{\frac{1}{2}} \frac{dy}{dx} = 0$$

$$\Rightarrow \left[ \frac{x}{2(1+y)^{\frac{1}{2}}} + (1+x)^{\frac{1}{2}} \right] \frac{dy}{dx} = -\left[ (1+y)^{\frac{1}{2}} + \frac{y}{2(1+x)^{\frac{1}{2}}} \right]$$

$$\Rightarrow \left[ \frac{x+2(1+x)^{\frac{1}{2}} (1+y)^{\frac{1}{2}}}{2(1+y)^{\frac{1}{2}}} \right] \frac{dy}{dx} = -\left[ \frac{2(1+x)^{\frac{1}{2}} (1+y)^{\frac{1}{2}} + y}{2(1+x)^{\frac{1}{2}}} \right]$$

$$\Rightarrow \left[ \frac{x+2\sqrt{(1+x)(1+y)}}{2\sqrt{1+y}} \right] \frac{dy}{dx} = -\left[ \frac{2\sqrt{(1+x)(1+y)} + y}{2\sqrt{1+x}} \right]$$

$$\Rightarrow \frac{dy}{dx} = -\frac{2\sqrt{(1+x)(1+y)} + y}{2\sqrt{1+x}} \cdot \frac{2\sqrt{1+y}}{x+2\sqrt{(1+x)(1+y)}}$$

$$\Rightarrow \frac{dy}{dx} = -\frac{\sqrt{1+y} \left( 2\sqrt{(1+x)(1+y)} + y \right)}{\sqrt{1+x} \left( x+2\sqrt{(1+x)(1+y)} \right)} \quad Answer$$

### Question # 2 (vi)

$$y\left(x^2 - 1\right) = x\sqrt{x^2 + 4}$$

Differentiating w.r.t x

$$\frac{d}{dx}y(x^{2}-1) = \frac{d}{dx}x(x^{2}+4)^{\frac{1}{2}}$$

$$\Rightarrow y\frac{d}{dx}(x^{2}-1) + (x^{2}-1)\frac{dy}{dx} = x\frac{d}{dx}(x^{2}+4)^{\frac{1}{2}} + (x^{2}+4)^{\frac{1}{2}}\frac{dx}{dx}$$

$$\Rightarrow y(2x) + (x^{2}-1)\frac{dy}{dx} = x\frac{1}{2}(x^{2}+4)^{-\frac{1}{2}}(2x) + (x^{2}+4)^{\frac{1}{2}}(1)$$

$$\Rightarrow 2xy + (x^{2}-1)\frac{dy}{dx} = \frac{x^{2}}{(x^{2}+4)^{\frac{1}{2}}} + (x^{2}+4)^{\frac{1}{2}}$$

$$\Rightarrow (x^{2}-1)\frac{dy}{dx} = \frac{x^{2}}{(x^{2}+4)^{\frac{1}{2}}} + (x^{2}+4)^{\frac{1}{2}} - 2xy$$

$$\Rightarrow (x^{2}-1)\frac{dy}{dx} = \frac{x^{2}+x^{2}+4-2xy(x^{2}+4)}{(x^{2}+4)^{\frac{1}{2}}} \Rightarrow \boxed{\frac{dy}{dx} = \frac{2x^{2}+4-2xy(x^{2}+4)}{(x^{2}-1)\sqrt{x^{2}+4}}}$$

## Question # 3 (i)

Since 
$$x = \theta + \frac{1}{\theta}$$
  
 $\Rightarrow x = \theta + \theta^{-1}$ 

Differentiating x w.r.t.  $\theta$ 

$$\frac{dx}{d\theta} = \frac{d}{d\theta} (\theta + \theta^{-1})$$
$$= 1 - \theta^{-2} = 1 - \frac{1}{\theta^2} = \frac{\theta^2 - 1}{\theta^2}$$

$$\Rightarrow \frac{d\theta}{dx} = \frac{\theta^2}{\theta^2 - 1}$$

Now  $v = \theta + 1$ 

Diff. w.r.t.  $\theta$ 

$$\frac{dy}{d\theta} = \frac{d}{d\theta} (\theta + 1) \implies \frac{dy}{d\theta} = 1$$

Now by chain rule

$$\frac{dy}{dx} = \frac{dy}{d\theta} \cdot \frac{d\theta}{dx}$$

$$= \frac{dy}{d\theta} \cdot \frac{d\theta}{dx} = 1 \cdot \frac{\theta^2}{\theta^2 - 1}$$

$$\Rightarrow \left[ \frac{dy}{dx} = \frac{\theta^2}{\theta^2 - 1} \right]$$

# Question #3 (ii)

Since 
$$x = \frac{a(1-t^2)}{1+t^2}$$
 \*Correction

Diff. w.r.t. 
$$t$$

$$\frac{dx}{dt} = a \frac{d}{dt} \left( \frac{1 - t^2}{1 + t^2} \right)$$

$$= a \frac{\left( 1 + t^2 \right) \frac{d}{dt} \left( 1 - t^2 \right) - \left( 1 - t^2 \right) \frac{d}{dt} \left( 1 + t^2 \right)}{\left( 1 + t^2 \right)^2}$$

$$= a \frac{\left( 1 + t^2 \right) \left( -2t \right) - \left( 1 - t^2 \right) \left( 2t \right)}{\left( 1 + t^2 \right)^2}$$

$$= a \frac{-2t - 2t^3 - 2t + 2t^3}{\left( 1 + t^2 \right)^2}$$

$$\Rightarrow \frac{dx}{dt} = \frac{-4at}{\left(1+t^2\right)^2} \Rightarrow \frac{dt}{dx} = \frac{\left(1+t^2\right)^2}{-4at}$$

Now 
$$y = \frac{2bt}{1+t^2}y$$

Diff. w.r.t. t

$$\frac{dy}{dt} = \frac{d}{dt} \left( \frac{2bt}{1+t^2} \right)$$

$$= \frac{\left(1+t^2\right)\frac{d}{dt}2bt - 2bt\frac{d}{dt}\left(1+t^2\right)}{\left(1+t^2\right)^2}$$

$$= \frac{\left(1+t^2\right)2b(1) - 2bt(2t)}{\left(1+t^2\right)^2}$$

$$= \frac{2b+2bt^2 - 4bt^2}{\left(1+t^2\right)^2} = \frac{2b-2bt^2}{\left(1+t^2\right)^2}$$

$$= \frac{2b\left(1-t^2\right)}{\left(1+t^2\right)^2}$$

Now by chain rule

$$\frac{dy}{dx} = \frac{dy}{dt} \cdot \frac{dt}{dx}$$

$$= \frac{2b(1-t^2)}{(1+t^2)^2} \cdot \frac{(1+t^2)^2}{-4at}$$

$$\Rightarrow \boxed{\frac{dy}{dx} = -\frac{b(1-t^2)}{2at}}$$

#### Question # 4

Since 
$$x = \frac{1-t^2}{1+t^2}$$

Differentiating w.r.t. t, we get (solve yourself as above)

$$\frac{dx}{dt} = \frac{-4t}{1+t^2} \qquad \Rightarrow \frac{dt}{dx} = \frac{1+t^2}{-4t}$$

Now 
$$y = \frac{2bt}{1+t^2}$$

Differentiating w.r.t. t, we get (solve yourself as above)

$$\frac{dy}{dt} = \frac{2(1-t^2)}{(1+t^2)^2}$$

Now by chain rule

$$\frac{dy}{dx} = \frac{dy}{dt} \cdot \frac{dt}{dx}$$

$$= \frac{2(1-t^2)}{(1+t^2)^2} \cdot \frac{(1+t^2)^2}{-4t}$$

$$\Rightarrow \frac{dy}{dx} = -\frac{1-t^2}{2t}$$
Multiplying both sides by y

$$\Rightarrow y \frac{dy}{dx} = -y \cdot \frac{1 - t^2}{2t}$$
$$= -\frac{2t}{1 + t^2} \cdot \frac{1 - t^2}{2t}$$

$$\Rightarrow y \frac{dy}{dx} = -\frac{1 - t^2}{1 + t^2}$$

$$\Rightarrow y \frac{dy}{dx} = -x \qquad \because x = \frac{1 - t^2}{1 + t^2}$$

$$\Rightarrow y \frac{dy}{dx} + x = 0 \qquad Proved.$$

### Question # 5(i)

Suppose 
$$y = x^2 - \frac{1}{x^2}$$
 and  $u = x^4$ 

Diff. y w.r.t x

$$\frac{dy}{dx} = \frac{d}{dx} \left( x^2 - \frac{1}{x^2} \right)$$

$$= \frac{d}{dx} \left( x^2 - x^{-2} \right) = 2x + 2x^{-3}$$

$$= 2 \left( x + \frac{1}{x^3} \right)$$

$$\Rightarrow \frac{dy}{dx} = 2 \left( \frac{x^4 + 1}{x^3} \right)$$

Now diff. u w.r.t x

$$\frac{du}{dx} = \frac{d}{dx}(x^4)$$

$$\Rightarrow \frac{du}{dx} = 4x^3$$

Now by chain rule

$$\frac{dy}{du} = \frac{dy}{dx} \cdot \frac{dx}{du}$$

$$= \frac{dy}{dx} \cdot \frac{1}{\frac{du}{dx}}$$

$$\Rightarrow \frac{dy}{du} = 2\left(\frac{x^4 + 1}{x^3}\right) \cdot \frac{1}{4x^3}$$

$$\Rightarrow \boxed{\frac{dy}{du} = \frac{x^4 + 1}{2x^6}}$$

### Question # 4(ii)

Let  $y = (1 + x^2)^n$  and  $u = x^2$ 

Differentiation y w.r.t x

$$\frac{dy}{dx} = \frac{d}{dx} (1+x^2)^n$$

$$= n(1+x^2)^{n-1} \frac{d}{dx} (1+x^2)$$

$$= n(1+x^2)^{n-1} (2x)$$

$$= 2nx(1+x^2)^{n-1}$$

Now differentiating u w.r.t x

$$\frac{du}{dx} = \frac{d}{dx} x^{2}$$

$$= 2x \Rightarrow \frac{dx}{du} = \frac{1}{2x}$$
Now by chain rule

Now by chain rule

$$\frac{dy}{du} = \frac{dy}{dx} \cdot \frac{dx}{du}$$

$$\Rightarrow \frac{dy}{du} = 2nx(1+x^2)^{n-1} \cdot \frac{1}{2x}$$

$$\Rightarrow \boxed{\frac{dy}{du} = n(1+x^2)^{n-1}}$$

# Question # 5 (iii)

Let 
$$y = \frac{x^2 + 1}{x^2 - 1}$$
 and  $u = \frac{x - 1}{x + 1}$ 

$$\frac{dy}{dx} = \frac{d}{dx} \left( \frac{x^2 + 1}{x^2 - 1} \right)$$

$$= Solve yourself = \frac{-4x}{(x^2 - 1)}$$

Now diff. u w.r.t x

$$\frac{du}{dx} = \frac{d}{dx} \left( \frac{x-1}{x+1} \right)$$

$$= Solve \ yourself = \frac{2}{(x+1)^2}$$

$$\Rightarrow \frac{du}{dx} = \frac{\left(x+1\right)^2}{2}$$

Now by chain rule

$$\frac{dy}{du} = \frac{dy}{dx} \cdot \frac{dx}{du}$$

$$= \frac{-4x}{(x^2 - 1)} \cdot \frac{(x + 1)^2}{2}$$

$$= \frac{-2x}{(x - 1)(x + 1)} \cdot (x + 1)^2$$

$$\Rightarrow \boxed{\frac{dy}{dx} = \frac{-2x(x + 1)}{(x - 1)}}$$

Let 
$$y = \frac{ax + b}{cx + d}$$
 and  $u = \frac{ax^2 + b}{ax^2 + d}$   
Diff. y w.r.t. x

$$\frac{dy}{dx} = \frac{d}{dx} \left( \frac{ax+b}{cx+d} \right)$$

$$= \frac{(cx+d)\frac{d}{dx}(ax+b) - (ax+b)\frac{d}{dx}(cx+d)}{(cx+d)^2}$$

$$= \frac{(cx+d)(a) - (ax+b)(c)}{(cx+d)^2}$$

$$= \frac{acx + ad - acx - bc}{(cx+d)^2}$$

$$\Rightarrow \frac{dy}{dx} = \frac{ad - bc}{(cx+d)^2}$$
Now diff.  $u$  w.r.t  $x$ 

$$\frac{du}{dx} = \frac{d}{dx}\left(\frac{ax^2 + b}{ax^2 + d}\right)$$

$$= \frac{(ax^2 + d)\frac{d}{dx}(ax^2 + b) - (ax^2 + b)\frac{d}{dx}(ax^2 + d)}{(ax^2 + d)^2}$$

$$\frac{du}{dx} = \frac{d}{dx} \left( \frac{dx^2 + b}{ax^2 + d} \right)$$

$$= \frac{(ax^2 + d)\frac{d}{dx}(ax^2 + b) - (ax^2 + b)\frac{d}{dx}(ax^2 + d)}{(ax^2 + d)^2}$$

$$= \frac{\left(ax^2 + d\right)(2ax) - \left(ax^2 + b\right)(2ax)}{(ax^2 + d)^2}$$

$$= \frac{2ax\left(ax^2 + d - ax^2 - b\right)}{(ax^2 + d)^2}$$

$$= \frac{2ax(d - b)}{(ax^2 + d)^2}$$

$$\Rightarrow \frac{dx}{du} = \frac{\left(ax^2 + d\right)^2}{2ax(d - b)}$$

$$\frac{dy}{du} = \frac{dy}{dx} \cdot \frac{dx}{du}$$

$$= \frac{ad - bc}{(cx+d)^2} \cdot \frac{(ax^2 + d)^2}{2ax(d-b)}$$

$$\Rightarrow \frac{dy}{dx} = \frac{(ad - bc)(ax^2 + d)^2}{2ax(cx+d)^2(d-b)}$$

## Question # 5 (v)

Let 
$$y = \frac{x^2 + 1}{x^2 - 1}$$
 and  $u = x^3$ 

Diff. y w.r.t x

$$\frac{dy}{dx} = \frac{d}{dx} \left( \frac{x^2 + 1}{x^2 - 1} \right)$$

$$= Solve yourself$$

$$= \frac{-4x}{\left(x^2 - 1\right)^2}$$

Now diff. u w.r.t x

$$\frac{du}{dx} = \frac{d}{dx}x^{3}$$

$$= 3x^{2}$$

$$\Rightarrow \frac{dx}{du} = \frac{1}{3x^{2}}$$
Now by chain rule
$$\frac{dy}{du} = \frac{dy}{dx} \cdot \frac{dx}{du}$$

$$= \frac{-4x}{\left(x^{2} - 1\right)^{2}} \cdot \frac{1}{3x^{2}}$$

$$\Rightarrow \boxed{\frac{dy}{dx} = \frac{-4}{3x\left(x^{2} - 1\right)^{2}}}$$