

WARNING



**This presentation is covered under a strict
Non-Disclosure Agreement.**

**All content has been sanitized, but as BFH
employees you are requested to maintain
confidentiality.**

**No photographs are allowed during this
presentation.**

**(Unless you take them of me. I look great
today.)**

Enhancing User Confidence in Report Timeliness and Data Accuracy through Data Quality and Availability Checks

Roland Roccaro
Biel/Bienne, 11. February 2026



WARNING: Under NDA. Only highlevel details will be provided.



Berner Fachhochschule
Haute école spécialisée bernoise
Bern University of Applied Sciences

Roland Roccoaro
Business Analyst Data Warehouse
Swiss Post

Stuying in MSE
Data Science

Data is my passion

Alumni of BFH
Studied 2016-2021
Bachelor CS/ Deng at BFH



Swiss Post



Swiss Post was founded on January 1, 1849 as the federal postal service. From then on, it took over the delivery of letters, parcels, and money, as well as passenger transport.



From 1920 to 1998 it was named PTT, also comprised telephone networks.
Nationales Autotelefon, **Natel** started 1978
first network



Our company


Swiss Post in figures



324 Mio. CHF
Group profit



183 Mio.
Passengers
(PostAuto)



107 Mia. CHF
Customer assets
(PostFinance)



76
of 100 points for
Satisfaction



78
of 100 points
«My commitment»



180 Mio.
Parcels



1556 Mio.
Letters



614 Mio. CHF
Investments



88%
of turnover generated
in free competition



7626 Mio. CHF
operating revenue


Letters and parcels Leistungserbringungsprozess

Standardised
Postal services

A, Annahme = Recieve
S, Sortierung = Sorting
T, Transport
V, Verzollung = Customs
Z, Zustellung = Delivery

IT11 - Stabil, einfach, digital... für unsere Kunden

IT-Leistungen von A-Z (Annahme, Sortierung, Transport, Verzollung, Zustellung)



Intro

Swiss Post

System complexity

Research question

Implementation

Results

Where my work is focussed



13 Sorting Centers

Strategic locations
next to rail hubs

Intro

Swiss Post

System complexity

Research question

Implementation

Results

Parcel Sorting Center

400'000 parcels / day (max)



Intro

Swiss Post

System complexity

Research question

Implementation

Results


It is not just two or three machines, but its a different setup everywhere

- **Different hardware**
 - At least two providers
 - Different Data
- **Different size**
 - PZ / RPZ
 - 1 to 3 sorters
- **Different tasks**
 - Sorting Letters
 - With/Without Distribution



IMPORTANT CHALLENGE: The Swiss Post requires always two separate manufacturers for important equipment - twice as much data - twice the complexity

The IT complexity in the team where I work



Our ongoing, massive IT transformation means extra high complexity, ESPECIALLY data complexity


DWH LS OPS BizDevOps

Data Warehouse
Logistic Services
Operations

Business
Development
Operations

Provides data for analytical
reporting

Migration On-premises to Cloud



And to make matters even MORE complicated . . .


DIFFERENT sorting centers

They are designed DIFFERENTLY

They do DIFFERENT tasks

This leads to a DATA NIGHTMARE:

- Sensor data
- Saved to S3
- Sensor data into Kafka
- Kafka into Amazon S3
- Data cleaning through Glue Jobs
- Joins
- Transformations
- Aggregations
- Display in a reporting tool



The research question for my Master work

What is the next meaningful step to take in order to improve **data availability and **data quality** within the DWH LS OPS team at Swiss Post?**



Smart Goals:

- 1) Identification of initial data quality metrics
- 2) Investigation of IT systems for DQM metrics
- 3) Investigation of data lineage for metrics
- 4) Design and testing of an automated DQM algorithm
- 5) Implementation and validation of an automated DQM check

Solution Design for my Master work

Reduce and replace manual data quality and availability checks

Benefit 1: Automation over manual processes

- The business currently spends 30 to 45 minutes per check

Benefit 2: Scalability

- Adding one more check doubles the effort

Benefit 3: Separation of concern

- The business defines data distributions
- The IT checks data applies to rules

Benefit 4: Reusability across use cases

- Reusable automatic checks



The steps I took in Master Project 1 to reach the Solution Design

Seven steps to glory

1. Understanding the current cheks
2. Analysing the SAC report
3. Identify and investigating the DSP
4. Tracing the data to AWS Athena
5. Athena Query reduction for the MVP
6. Derive generalisable rule
7. Prepare for implementation



Step 1: Understanding the current cheks

Understanding is the central, enormous challenge!

- Understanding the current manual report
- What is the business checking
- Why is the business checking this
- In order to replace something, you should know its use

DQM Sendungsverarbeitung [(All)] [Dec 14, 2025 to Dec 19, 2025]															
Diese Seite zeigt Informationen zu den verarbeiteten Sendungen (Pakete und Kleinwaren) basierend auf WeSort Datenquellen. Datenquelle: WESort / DWH LS OPS															
R_AM_Sendungsverarbeitung_DQM															
		num_submitted	num_coded	num_destinationassigned	num_discharged	DIT_Discharged-Submitted	num_stats	num_Drittsystem	Drittsysteme	DIT_Dritt-Submitted	num_sva_infoblock	DIT_infoblock-Discharged	num_sva_dsp	DIT_DSP-Infoblock	DIT_DSP-Dritt
Dec 15, 2025	BCH	86.656	81.993	86.510	86.657	+0.000	--	86.672	86.672	+0.000	86.657	0.000	86.657	0.000	-0.000
	CAD	90.190	90.562	90.175	90.169	-0.000	--	90.172	90.172	-0.000	90.166	-0.000	90.166	0.000	-0.000
	DAI	360.061	355.871	355.563	360.150	+0.000	--	360.109	360.109	+0.000	360.150	0.000	360.149	-0.000	+0.000
	FRA	535.160	527.357	527.105	534.431	-0.001	--	535.221	535.221	+0.000	534.431	-0.000	534.430	-0.000	-0.001
	HAE	458.577	456.269	455.951	456.333	-0.005	--	458.609	458.609	+0.000	456.333	-0.000	456.331	-0.000	-0.005
	HRK	178.129	179.359	178.074	178.073	-0.000	--	178.053	178.053	-0.000	178.064	-0.000	178.064	0.000	+0.000
	OMU	117.055	112.030	116.448	117.052	-0.000	--	117.079	117.079	+0.000	117.052	0.000	117.052	0.000	-0.000
	PRA	170.859	172.519	170.784	170.771	-0.001	--	170.848	170.848	-0.000	170.751	-0.000	170.751	0.000	-0.001
	RUE	60.977	58.284	60.806	60.971	-0.000	--	60.985	60.985	+0.000	60.971	0.000	60.971	0.000	-0.000
	URD	183.162	182.579	182.625	182.861	-0.002	--	183.179	183.179	+0.000	182.861	0.000	182.861	0.000	-0.002
Dec 16, 2025	UTZ	122.287	122.849	122.285	122.257	-0.000	--	122.252	122.252	-0.000	122.225	-0.000	122.225	0.000	-0.000
	VET	75.936	75.553	75.934	75.868	-0.001	--	75.912	75.912	-0.000	75.860	-0.000	75.860	0.000	-0.000
	WAL	68.332	75.063	68.332	68.324	-0.000	--	68.328	68.328	-0.000	68.320	-0.000	68.320	0.000	-0.000
	BCH	94.747	89.821	94.557	94.757	+0.000	--	94.776	94.776	+0.000	94.757	0.000	94.757	0.000	-0.000
	CAD	72.697	72.905	72.696	72.687	-0.000	--	72.627	72.627	-0.001	72.683	-0.000	72.683	0.000	0.001
	DAI	307.559	304.285	303.807	308.100	0.002	--	307.577	307.577	+0.000	308.100	0.000	308.099	-0.000	0.002
	FRA	493.168	486.421	485.998	494.640	0.003	--	493.214	493.214	+0.000	494.640	0.000	494.640	0.000	0.003
	HAE	477.213	475.138	474.847	477.931	0.002	--	477.347	477.347	+0.000	477.931	0.000	477.929	-0.000	0.001
	HRK	196.798	197.877	196.714	196.742	-0.000	--	196.684	196.684	-0.001	196.728	-0.000	196.728	0.000	+0.000
	OMU	109.515	104.852	108.863	109.516	+0.000	--	109.536	109.536	+0.000	109.516	0.000	109.516	0.000	-0.000
	PRA	168.606	170.369	168.479	168.539	-0.000	--	168.596	168.596	-0.000	168.533	-0.000	168.533	0.000	-0.000
	RUE	52.340	49.583	52.236	52.350	+0.000	--	52.361	52.361	+0.000	52.350	0.000	52.350	0.000	-0.000
	URD	182.306	181.956	182.346	182.362	+0.000	--	182.362	182.362	+0.000	182.346	-0.000	182.346	-0.000	-0.000
	UTZ	126.883	127.557	126.884	126.847	-0.000	--	126.847	126.847	-0.000	126.842	-0.000	126.842	0.000	-0.000
	VET	85.100	85.713	85.095	85.066	-0.001	--	85.041	85.041	-0.001	85.061	-0.000	85.061	0.000	+0.000
	WAL	60.020	60.491	60.005	60.012	-0.000	--	60.011	60.011	-0.000	60.004	-0.000	60.004	0.000	-0.000

Step 2: Analysing the SAC report

The current report blends data from so many sources, no single individual understands where everything comes from!

SAP Analytics Cloud or SAC

Identify the easiest step done
Document what is compared
Num_submitted

- Parcels added to sorter

Num_discharged

- Parcels removed from sorter

Diff_Discharged-Submitted


- Difference added and removed

		num_submitted	num_coded	num_destinationassigned	num_discharged	Diff_Discharged-Submitted
Dec 29, 2025	BCH	72,285	68,858	72,117	72,298	+0.000
	CAD	77,271	77,595	77,272	77,259	-0.000
	DAI	302,719	299,329	299,161	302,707	-0.000
	FRA	434,111		426,361	435,296	0.003
	HAE	442,222		439,960	442,349	0.001
	HRK	166,555		166,522	166,522	0.000
	OMU	98,444		97,905	98,444	0.000
	PRA	155,222		155,138	155,222	0.000
	RUE	49,444		49,187	49,444	0.000
	URD	152,555		152,025	152,555	0.000
	UTZ	96,222	96,837	96,207	96,222	0.000
	VET	71,402	72,014	71,386	71,402	0.000
	WAL	45,831	47,965	45,812	45,831	0.000

		num_submitted	num_discharged	Diff_Discharged-Submitted
		72,285	72,298	+0.000
		77,271	77,259	-0.000
			302,707	-0.000
			435,296	0.003

Step 3: Identify and investigating the DSP

The data have a very complex data lineage, so tracing back to the source is not always easy!



Understanding Data Sphere (Data Service Plattform) or DSP

- SAC and DSP are dependant
- Data is queried and stored
- Made available for different reports
- Identify where the data for the report are from

Step 4: Tracing the data to the mysterious Amazon Athena

Amazon Athena is a monster than can save anything - but getting the right data out can require a fight the monser!

Data is stored on Amazon S3
But it is queried using Amazon Athena
In Athena queries can be displayed
Query can be adapted to use case

The screenshot displays the Amazon Athena console interface. On the left, the 'Data source' is set to 'AwsDataCatalog', the 'Catalog' is 'None', and the 'Database' is 'reporting_lsops'. Below this, the 'Tables and views' section shows a search for 'dqm' with 4 matches. A list of views is displayed, including 'merano_dqm_v', 'pds_sendungsinfo_dqm_v', 'sendungsverarbeitung_dqm_v', and 'videocodierung_dqm_v'. A context menu is open over the 'sendungsverarbeitung_dqm_v' view, with the 'Show/edit query' option highlighted. The main panel shows the SQL query for creating or replacing the view 'sendungsverarbeitung_dqm_v'. The query uses a 'WITH' clause to define a subquery 'key_to_plz' and then uses 'UNION ALL' to combine results from two 'SELECT' statements. The first 'SELECT' statement filters for 'locationKey' 'VET' and 'plz' '196000'. The second 'SELECT' statement filters for 'locationKey' 'HRK' and 'plz' '462150'.

```
1 CREATE OR REPLACE VIEW "sendungsverarbeitung_dqm_v" AS
2 WITH
3   key_to_plz AS (
4     SELECT
5       'VET' locationKey
6       , '196000' plz
7
8   UNION ALL
9     SELECT
10      'HRK' locationKey
11      , '462150' plz
12
13   SELECT
14     'D' locationKey
15     , '9100' plz
16
17   SELECT
18     'L' locationKey
19     , '0000' plz
20
21   SELECT
22     'UTZ' locationKey
23     , '720000' plz
24
25   UNION ALL
26     SELECT
27      'UTZ' locationKey
28      , '720000' plz
29
```


Step 5: Query understanding

The query is large, 5 pages of annex
Required over 1 full week of intense SQL analysis

```
CREATE OR REPLACE VIEW "sendungsverarbeitung_dqm_v" AS
WITH
key_to_plz AS (
  SELECT 'VET' AS locationKey, '196000' AS plz
  UNION ALL SELECT 'HRK', '462150'
  UNION ALL SELECT 'CAD', '659100'
  UNION ALL SELECT 'WAL', '830000'
  UNION ALL SELECT 'HAE', '462000'
  UNION ALL SELECT 'UTZ', '720000'
  UNION ALL SELECT 'PRA', '413400'
  UNION ALL SELECT 'FRA', '852000'
  UNION ALL SELECT 'DAI', '131000'
  UNION ALL SELECT 'URD', '892000'
  UNION ALL SELECT 'BCH', '503000'
  UNION ALL SELECT 'RUE', '815000'
  UNION ALL SELECT 'OMU', '307100'
),
plz_to_key AS (
  SELECT '196000' AS plz, 'VET' AS locationKey
  UNION ALL SELECT '462150', 'HRK'
  UNION ALL SELECT '659100', 'CAD'
  UNION ALL SELECT '830470', 'WAL'
  UNION ALL SELECT '830000', 'WAL'
  UNION ALL SELECT '462000', 'HAE'
  UNION ALL SELECT '720000', 'UTZ'
  UNION ALL SELECT '413400', 'PRA'
  UNION ALL SELECT '852000', 'FRA'
  UNION ALL SELECT '131000', 'DAI'
  UNION ALL SELECT '892000', 'URD'
  UNION ALL SELECT '503000', 'BCH'
  UNION ALL SELECT '815000', 'RUE'
  UNION ALL SELECT '307100', 'OMU'
),
mp_discharged_raw AS (
  SELECT
    CAST(
      DATE_ADD(
        'hour', -6,
        discharged.timestamp AT TIME ZONE 'Europe/Zurich'
      ) AS DATE
    ) AS Posttag,
    discharged.sortingunit.locationKey AS locationKey,
    discharged.sourceId AS sourceId
  FROM curated_lsops.mailpiece_discharged
),
discharged_agg AS (
  SELECT
    Posttag,
    locationKey,
    CASE
      WHEN locationKey IN ('CAD','HRK','PRA','UTZ','VET','WAL')
      AND sourceId NOT LIKE 'w%'
      AND sourceId NOT LIKE 'w%'
      AND TRIM(sourceId) <> '' THEN 1
      WHEN locationKey IN ('BCH','RUE','OMU') THEN 1
      WHEN locationKey IN ('HAE','FRA','DAI','URD') THEN 1
      ELSE 0
    END AS relevant_discharged
  FROM mp_discharged_raw
),
mp_submitted_raw AS (
  SELECT
    CAST(
      DATE_ADD(
        'hour', -6,
        submitted.timestamp AT TIME ZONE 'Europe/Zurich'
      ) AS DATE
    ) AS Posttag,
    submitted.sortingunit.locationKey AS locationKey,
    submitted.sortingProcess AS sortingProcess
  FROM curated_lsops.mailpiece_submitted
),
mp_submitted AS (
  SELECT
    Posttag,
    locationKey,
    CASE
      WHEN locationKey IN ('HRK','VET','CAD','WAL','UTZ','PRA')
      AND sortingProcess = 'AUTOMATIC' THEN 1
      WHEN locationKey IN ('BCH','RUE','OMU') THEN 1
      WHEN locationKey IN ('HAE','FRA','DAI','URD') THEN 1
      ELSE 0
    END AS relevant_submitted
  FROM mp_submitted_raw
),
submitted_agg AS (
  SELECT
    Posttag,
    locationKey,
    SUM(relevant_submitted) AS num_submitted
  FROM mp_submitted
  GROUP BY 1, 2
),
mp_coded_raw AS (
  SELECT
    coded.sortingCycleId AS sortingCycleId,
    CAST(
      DATE_ADD(
        'hour', -6,
        coded.timestamp AT TIME ZONE 'Europe/Zurich'
      ) AS DATE
    ) AS Posttag,
    coded.sortingunit.locationKey AS locationKey,
    coded.sortingProcess AS sortingProcess
  FROM curated_lsops.mailpiece_coded
),
mp_coded AS (
  SELECT DISTINCT
    sortingCycleId,
    Posttag,
    locationKey,
    CASE
      WHEN locationKey IN ('HRK','VET','CAD','WAL','UTZ','PRA')
      AND sortingProcess = 'AUTOMATIC' THEN 1
      WHEN locationKey IN ('BCH','RUE','OMU') THEN 1
      WHEN locationKey IN ('HAE','FRA','DAI','URD') THEN 1
      ELSE 0
    END AS relevant_coded
  FROM mp_coded_raw
),
coded_agg AS (
  SELECT
    Posttag,
    locationKey,
    SUM(relevant_coded) AS num_coded
  FROM mp_coded
  GROUP BY 1, 2
),
mp_destinationAssigned_raw AS (
  SELECT
    destinationAssigned.sortingCycleId AS sortingCycleId,
    CAST(
      DATE_ADD(
        'hour', -6,
        destinationAssigned.timestamp AT TIME ZONE 'Europe/Zurich'
      ) AS DATE
    ) AS Posttag,
    destinationAssigned.sortingunit.locationKey AS locationKey,
    destinationAssigned.sortingParameters.sortingProcess AS sortingProcess
  FROM curated_lsops.mailpiece_destinationAssigned
),
mp_destinationAssigned_agg AS (
  SELECT
    Posttag,
    locationKey,
    SUM(relevant_destinationAssigned) AS num_destinationAssigned
  FROM mp_destinationAssigned
  GROUP BY 1, 2
),
sendungsverarbeitung_raw AS (
  SELECT
    sva.datum_sort.datum AS Posttag,
    plz_to_key.locationKey AS locationKey,
    sva.sortierung.sortierprozess_typ AS sortierprozess_typ
  FROM infoblock_lsops.sendungsverarbeitung sva
  LEFT JOIN plz_to_key
    ON plz_to_key.plz = sva.zentrum.zentrum_plz
),
sendungsverarbeitung AS (
  SELECT
    Posttag,
    locationKey,
    CASE
      WHEN locationKey IN ('HRK','VET','CAD','WAL','UTZ','PRA')
      AND sortierprozess_typ = 'AUTOMATIC' THEN 1
      WHEN locationKey IN ('BCH','RUE','OMU') THEN 1
      WHEN locationKey IN ('HAE','FRA','DAI','URD') THEN 1
      ELSE 0
    END AS relevant_sva
  FROM sendungsverarbeitung_raw
),
sva_agg AS (
  SELECT
    Posttag,
    locationKey,
    SUM(relevant_sva) AS num_sva
  FROM sendungsverarbeitung
  GROUP BY 1, 2
),
device_stats AS (
  SELECT
    Posttag,
    sorting_unit_location_key AS locationKey,
    SUM(content_value) AS amount
  FROM "reporting_lsops"."anlagestatistik_curated_v"
  WHERE model = 'BEUMER'
  AND content_type = 'INDUCTION'
  AND content_value_index = 1
  GROUP BY 1, 2
);
```

Step 5: Athena Query reduction for the MVP

Understanding is the central, enormous challenge!

The first step to replace the report

- Is having an MVP of the automated check
- MVP can contain only a subset of the currently checked data

```
1 mp_submitted_raw AS (  
2   SELECT  
3     CAST(  
4       DATE_ADD(  
5         'hour', -6,  
6         submitted.timestamp AT TIME ZONE 'Europe/Zurich'  
7       ) AS DATE  
8     ) AS Posttag,  
9     submitted.sortingunit.locationKey AS locationKey,  
10    submitted.sortingProcess AS sortingProcess  
11  FROM curated_lsops.mailpiece_submitted  
12 ),  
13  
14 mp_submitted AS (  
15   SELECT  
16     Posttag,  
17     locationKey,  
18     CASE  
19       WHEN locationKey IN ('HRK','VET','CAD','WAL','UTZ','PRA')  
20         AND sortingProcess = 'AUTOMATIC' THEN 1  
21       WHEN locationKey IN ('BCH','RUE','OMU') THEN 1  
22       WHEN locationKey IN ('HAE','FRA','DAI','URD') THEN 1  
23       ELSE 0  
24     END AS relevant_submitted  
25  FROM mp_submitted_raw  
26 ),  
27  
28 submitted_agg AS (  
29   SELECT  
30     Posttag,  
31     locationKey,  
32     SUM(relevant_submitted) AS num_submitted  
33  FROM mp_submitted  
34  GROUP BY 1, 2  
35 ),
```

Introduce identifiers

Identify relevant

Count Group By

Step 6: Derive generalisable rule

Swiss Post is setting up a rule based data quality management

- This needs rules
- Rules must be repeatable and configurable

Algorithm 1 DQM rule check (not generalised)

```
1: if submitted  $\geq$  10000 or discharged  $\geq$  10000 then  
2:   diff  $\leftarrow$  percent difference of submitted and discharged  
3:   if diff  $>$  0.01 then  
4:     raise error  
5:   end if  
6: end if
```

Step 6: Derive generalisable rule

The generalised rule

1. Threshold check
2. Compare the difference
3. Action or no action



Algorithm 2 Generalized threshold-based DQM rule

```
1: Compare value  $A$  to threshold  $T$ 
2: Compare value  $B$  to threshold  $T$ 
3: if  $A$  meets  $T$  or  $B$  meets  $T$  then
4:    $diff \leftarrow$  percentage difference between  $A$  and  $B$ 
5:   if  $diff > X$  then
6:     raise error
7:   else
8:     no action
9:   end if
10: else
11:   no action
12: end if
```

Step 7: Prepare for implementation

Unfortunatently I was not able to complete the implementation

- The implementation can be outsourced
- To another team
- The team needs to understand the case
- How to explain the data and case
- Mindmap to help query understanding
- Rule map to structure checks



Did I achieve my goals?

Understanding is the central, enormous challenge!

Five smart goals to rule them all

Smart Goals:

- 1) Identification of initial data quality metrics 
 - Goal fulfilled
- 2) Investigation of IT systems for DQM metrics 
 - Goal partially fulfilled
- 3) Investigation of data lineage for metrics 
 - Goal fulfilled
- 4) Design and testing of an automated DQM algorithm 
 - Goal partially fulfilled
- 5) Implementation and validation of an automated DQM check 
 - Goal not fulfilled



Thank you




Where to: The reflection

Five smart goals to rule them all

Calculate learning tools in
Better Split of time into different projects
Research the obvious earlier
Know better what supporting teams plan
and what they dont plan
Plan administrative work
No open questions
Use more Miro

5

Where to, the results



What comes next: The follow up



What comes next, Follow Up

Replacement of the existing data quality dashboard in PowerBI
Developing the MVP with the defined data checks

MODULLISTE



2025-2026 - FS



FTP_DeLearn: Deep Learning
MTE5031

FTP_MachLe: Machine Learning
MTE5025

Vertiefungsprojekt 2
MTE7102

Data Warehouse LS Operations

Anwendung

Data basis for management-relevant evaluations across all management levels in Acceptance, Sorting and Delivery. This also includes management and analysis key figures as well as aspects of planning and forecasting.

Prozesse und Technologien

- SAP Business Objects
- SAP Data Warehouse Cloud
- SAP Analytics Cloud
- Oracle ExaCC
- Powercenter
- Jedox
- AWS (S3, Glue, Athena)

1

Who, Where, What and Why, an Introduction



Charakteristik

Verwendung: ☒ Intern ☐ Extern

Kunde: ☐ PA ☒ I ☒ LS

☐ PN ☐ Div.

- 100'000-150'000 Systemaccess per year
- 45 Mrd. records
- 7 Mio Transactions p.d.

Mobilitäts-Services Kennzahlen 2024



185,1
Mio.

Fahrgäste
in Postautos



2307
Postautos



140,5
Mio.

gefahrte Kilometer
auf 950 PostAuto-
Linien



100
E-Postautos
bestellt



Über 25
500
bewirtschaftete
interne und externe
Fahrzeuge




Mit 8000
Fahrzeugen die
grösste E-Flotte der
Schweiz

What:

Enhancing User Confidence in Report Timeliness and Data Accuracy
through Data Quality and Availability Checks

Data Quality
Data Availability
In the datawarehouse of
postal services



Digital Services Kennzahlen 2024



500

Unternehmen und
Behörden vertrauen
den Cybersecurity-
Lösungen der Post



10 000

Geschäftskunden
sind an die ePost-
Kommunikations-
plattform
angeschlossen



50%

Die Post Sanela
Health AG betreibt
mehr als die Hälfte
aller EPD in der
Schweiz.




4

Kantone setzen das
E-Voting-System
der Post ein



3,3 Mio.

Sendungen
wurden via ePost-
Kommunikations-
plattform versendet



4,7 Mio.

Kundinnen und
Kunden setzen auf
die Login-Lösung von
SwissID