Exercise section22

Mehrab Atighi

12/14/2021

```
Data = data.frame(
  City = c("Atlanta" , "Boston" , "Chicago" ,
           "Dallas" , "Denver" , "Detroit",
           "Hartford" , "Honolulu" , "Houston",
           "Kansas City" , "Los Angeles" ,
           "New Orleans", "New York",
           "Portland" , "Tucson" ,
           "Washington"),
  Murder = c(16.5,4.2,11.6,18.1,6.9,13.0,
             2.5,3.6,16.8,10.8,9.7,10.3,
             9.4,5.0,5.1,12.5),
  Rape = c(24.8,13.3,24.7,34.2,41.5,35.7,
           8.8,12.7,26.6,43.2,51.8,39.7,
           19.4,23.0,22.9,27.6),
  Robbery = c(106,122,340,184,173,477,
              68,42,289,255,286,266,
              522,157,85,524),
  Assault = c(147,90,242,293,191,220,
              103,28,186,226,355,283,
              267,144,148,217),
  Burglary = c(1112,982,808,1668,1534,
               1566,1017,1457,1509,1494,
               1902,1056,1674,1530,1206,
               1496),
  Larceny = c(905,669,609,901,1368,1183,
              724,1102,787,955,1386,
              1036,1392,1281,756,1003),
  AutoThef = c(494,954,645,605,780,
               788,468,637,697,765,862,
               776,848,488,483,793))
```

#a) is with hand writing the distance between Atlanta and Boston:

Atlanta = $(16.5 , 24.8 , 106 , 147 , 1112 , 905 , 494)$

Boston = $(4.2 , 13.3 , 122 , 90 , 982 , 669 , 954)$

اختلاف = $(12.3 , 11.5 , -16 , 57 , 130 , 236 , -460)$

$(اختلاف)^2$ = $(151.29 , 132.25 , 256.0 , 3249.0 , 16900.0 , 55696.0 , 211600.0)$

Sum $\left((اختلاف)^2 \right)$ = 287984.5 ⟶ Distance = 536.6419

```
#b)

Dist1 = dist(Data[1:6,-1] , method = "euclidean",diag = TRUE , upper = TRUE)
model1 = hclust(Dist1 , method = "single")
model1

##
## Call:
## hclust(d = Dist1, method = "single")
##
## Cluster method   : single
## Distance         : euclidean
## Number of objects: 6

plot( model1 , hang = -1  )
```

Cluster Dendrogram

Dist1
hclust (*, "single")

```
#c)

Dist2 = dist(Data[,-1] , method = "euclidean",diag = TRUE , upper = TRUE)
model2 = hclust(Dist2 , method = "single")
model2

##
## Call:
## hclust(d = Dist2, method = "single")
##
## Cluster method   : single
## Distance         : euclidean
## Number of objects: 16

plot( model2 , hang = -1  )
```

Cluster Dendrogram

Dist2
hclust (*, "single")